

ABSTRACT

DISPATCHED

Date.. 8/12/14

State Environment Impact Assessment Authority, Kerala - Removal of Ordinary Earth from Sy. No. 417/6-4, Kothanalloor Village, Manjoor Panchayath, Vaikom Taluk, Kottayam District - Application of Sri.P.R. Binoj, Puthettukunnel, Manjoor, P.O., Kottayam- 686603 Environmental Clearance Issued

STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY

No. 535/SEIAA/KL/3878/2014

Date: 31.10.2014


- Ref: 1. Application dated 04.06.2014 from Sri.P.R. Binoj, Puthettukunnel, Manjoor, P.O., Kottayam- 686603
2. Letter No.E12-26759/2014 dated 03/07/14 of Deputy Collector, Kottayam
3. Minutes of 34th meeting of SEIAA held on 24.10.2014

ENVIRONMENTAL CLEARANCE NO. 106/2014

Sri. P.R. Binoj, Puthettukunnel, Manjoor, P.O., Kottayam- 686603 applied for Environmental Clearance for removal of 480 m³ of ordinary earth from 0.1945 hectares of land comprised in Sy. No. 417/6-4, Kothanalloor Village, Manjoor Panchayath, Vaikom Taluk, Kottayam District for the purpose and in the manner as particularised below:

1	Date of receipt of completed application	:	13.08.2014
a) Undertakings given by applicant			
2	Nature of Land	:	Purayidam
3	Extent of the land in the Sy. No. and extent of land for which permission for removal of ordinary earth is applied for	:	417/6-4
4	Revenue authority who certified the Application	:	Deputy Collector Kottayam
5	Purpose of removal of Ordinary Earth	:	Plot levelling
6	If to be transported out of the site, end use of the ordinary earth removed	:	Manjadithara-Kayaltheeram road in 9 th ward of Vayalar Grama Panchayat, Alappuzha.
b) Appraisal and Recommendation by SEAC			
7	Date of recommendation of SEAC for removal of ordinary earth	:	26/27-09-2014
(c) Environmental Clearance by SEIAA			
8	Date of clearance given by SEIAA	:	24-10-2014
9	Quantity of ordinary earth sanctioned to be removed	:	400 m ³
10	Special condition if any for removal of ordinary earth from the site	:	NA.

2. Environmental Clearance under S.O. No.1533 (E) dated 26.09.2006 read with O.M.No.L-11011/47/2011-1All (M) dated 24.06.2013 is accorded to Sri. P.R. Binoj, Puthettukunnel, Manjoor, P.O., Kottayam- 686603, the applicant, to remove 400 m³ of ordinary earth from the land owned by him in Sy. No. 417/6-4, Kothanalloor Village, Manjoor Panchayath, Vaikom Taluk, Kottayam District in strict compliance with the general conditions in the annexure.
3. Violation of any of above undertakings general or special conditions will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non compliance if any noted shall be reported to the District Collector, Kottayam by the Director of Environment and Climate Change.



For Member Secretary (SEIAA)

To,

Sri. P.R. Binoj,
Puthettukunnel,
Manjoor, P.O.,
Kottayam- 686603.
Ph: 9645892524.


Copy to:

- ✓ 1. The District Collector, Kottayam
- ✓ 2. The Tahsildar, Vaikom
- ✓ 3. The Director, Mining & Geology, Trivandrum-4
- ✓ 4. The Secretary, Manjoor Grama Panchayath, Vaikom
- ✓ 5. The Chairman, SEIAA
6. Stock File
7. Website
- ✓ 8. O/c

ANNEXURE

(vide Item c.1 para 1)

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2 m from the general ground level of the site, which should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2 m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to borrowing/excavation of earth.
- (ix) Workers / labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above conditions.



13/01/2018
DIRECTOR
Ministry of Environment & Climate Change
Government of India
New Delhi