

### ABSTRACT

State Environment Impact Assessment Authority, Kerala – Removal of Ordinary Earth from Sy. No. 382/1, Pullazhi Village, Thrissur Corporation, Thrissur Taluk, Thrissur District -Application of Smt. Soshannam, T.D., Kattiparamban veedu, Chettupuzha P.O., Thrissur, 680621 Environmental Clearance - Issued

### STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY

No. 251/SEIAA/KL/1084/2014

Date: 31.10.2014

- Ref:
1. Application dated 28.02.2014 from Smt. Soshannam, T.D., Kattiparambil veedu, Chettupuzha P.O., Thrissur, 680621
  2. Certificate No. B1-11132/14 dated 01/03/14 of Additioanl Tahsildar, Trissur
  3. Minutes of 34<sup>th</sup> meeting of SEIAA held on 24.10.2014

### ENVIRONMENTAL CLEARANCE NO. 73/2014

Smt. Soshannam, T.D., Kattiparambil veedu, Chettupuzha P.O., Thrissur, 680621 applied for Environmental Clearance for removal of 5000 m<sup>3</sup> of ordinary earth from 0.9581 hectare land comprised in Sy. No. 382/1 of Village, Thrissur Corporation, Thrissur Taluk, Thrissur District for the purpose and in the manner as particularised below:

1	Date of receipt of completed application	:	10.03.2014
<b>a) Undertakings given by applicant</b>			
2	Nature of Land	:	Purayidam
3	Extent of the land in the Sy. No. and extent of land for which permission for removal of ordinary earth is applied for	:	382/1
4	Revenue authority who certified the Application	:	Additioanl Tahsildar, Trissur
5	Purpose of removal of Ordinary Earth	:	Levelling of plot
6	If to be transported out of the site, end use of the ordinary earth removed	:	For the construction of bunds in Kole wetlands of KLDC
<b>b) Appraisal and Recommendation by SEAC</b>			
7	Date of recommendation of SEAC for removal of ordinary earth	:	12/13-08-2014
<b>(c) Environmental Clearance by SEIAA</b>			
8	Date of clearance given by SEIAA	:	24-10-2014
9	Quantity of ordinary earth sanctioned to be removed	:	5000 m <sup>3</sup>
10	Special condition if any for removal of ordinary earth from the site	:	1. Excavated surface must be given a covering of top soil and planted with native species to ensure green cover.

		2. The level of the entire plot after excavation must be at least 3 m above the water level of kole lands.
--	--	--

2. Environmental Clearance under S.O. No.1533 (E) dated 26.09.2006 read with O.M.No.L-11011/47/2011-1AII (M) dated 24.06.2013 is accorded to Smt. Soshannam, T.D., Kattipparambil veedu, Chettupuzha P.O., Thrissur, 680621 the applicant, to remove 5000 m<sup>3</sup> of ordinary earth from the land owned by him in Sy.No. 382/1, Village, Thrissur Corporation, Thrissur Taluk, Thrissur District in strict compliance with the general conditions in the annexure and also as per the special conditions stipulated in item 10 above.

3. Violation of any of above undertakings general or special conditions will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non compliance if any noted shall be reported to the District Collector, Thiruvananthapuram by the Director of Environment and Climate Change.



For Member Secretary (SEIAA)

To,

Smt. Soshannam, T.D.,  
Kattipparambil veedu,  
Chettupuzha P.O.,  
Thrissur, 680621

Copy to:

1. District Collector, Thrissur
2. Tahsildar, Thrissur
3. Director, Mining & Geology
4. Secretary, Thrissur Corporation
5. Chairman, SEIAA
6. Stock File
- ✓ 7. Website
8. O/C

ENVIRONMENT

(vide item 14 para 1)

The activity shall not involve blasting.

- (ii) The maximum depth of removal of earth should not go beyond 2 m from the general ground level of the site, which should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2 m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The borrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the borrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of borrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to borrowing/excavation of earth.
- (ix) Workers / labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above conditions.



G.S. YALAKHI IPS  
DIRECTOR

Ministry of Environment & Climate Change  
Pattinam, Pattah  
Telangana-500004-24