

State Expert Appraisal Committee (SEAC)
Kerala

AGENDA FOR THE 110TH SEAC MEETING HELD ON 11TH AND 12TH FEBRUARY 2020-PART-1

AGENDA -1

Venue: CONFERENCE HALL, STATE ENVIRONMENT IMPACT ASSESSMENT
AUTHORITY, THIRUVANANTHAPURAM

Please Check MoEF&CC Website at www.parivesh.nic.in for details and updates

From Date:11 Feb 2020

TO Date:11 Feb 2020

Date when Agenda was Created:06 Feb 2020

| CONSIDERATION/RECONSIDERATION OF ENVIRONMENTAL CLEARANCE | | | | | |
|---|---|--------------|--------------------|--------------------|----------------|
| S.No | Proposal | | | | |
| (1) | M/s Tasna Mines - ADS received from the proponent | | | | |
| | S. No. | State | District | Tehsil | Village |
| | (1.) | Kerala | Thiruvananthapuram | Chirayinkeezhu | Pallikkal |
| [SIA/KL/MIN/45585/2019 , 1494/EC1/2019/SEIAA] | | | | | |
| (2) | Health and Family Welfare Hospital (District Hospital), Kollam | | | | |
| | S. No. | State | District | Tehsil | Village |
| | (1.) | Kerala | Kollam | Kollam | Kollam East |
| [SIA/KL/MIS/113501/2019 , 1477/EC2/2019/SEIAA] | | | | | |
| (3) | S. No. | State | District | Tehsil | Village |
| | (1.) | Kerala | Alappuzha | Ambalappuzha | Mullackal |
| | [SIA/KL/MIS/115801/2019 , 1467/EC3/2019/SEIAA] | | | | |
| (4) | Brigade Enterprises Limited | | | | |
| | S. No. | State | District | Tehsil | Village |
| | (1.) | Kerala | Thiruvananthapuram | Thiruvananthapuram | Pangappara |
| [SIA/KL/MIS/116490/2019 , 1425/EC1/2019/SEIAA] | | | | | |
| (5) | | | | | |

| | | | | | |
|-----|--|--------------|--------------------|--------------------|----------------|
| | S. No. | State | District | Tehsil | Village |
| | (1.) | Kerala | Malappuram | Ponnani | Edappal |
| | [SIA/KL/MIS/117155/2019 , 1438/EC3/2019/SEIAA] | | | | |
| (6) | S. No. | State | District | Tehsil | Village |
| | (1.) | Kerala | Malappuram | Ernad | Manjeri |
| | [SIA/KL/MIS/119987/2019 , 1468/EC3/2019/SEIAA] | | | | |
| (7) | Prime Property Developers | | | | |
| | S. No. | State | District | Tehsil | Village |
| | (1.) | Kerala | Thiruvananthapuram | Thiruvananthapuram | Attipra |
| | [SIA/KL/MIS/124274/2019 , 1478/EC1/2019/SEIAA] | | | | |
| (8) | Capacity Enhancement of Secured Landfill Facility at Existing Common Hazardous Waste Treatment, Storage and Disposal Facility (TSDF) site proposed by KEIL at Block No. 37, Survey No. 205 of Puthenkuri | | | | |
| | S. No. | State | District | Tehsil | Village |
| | (1.) | Kerala | Ernakulam | Kunnathunad | Puthenkurissu |
| | [SIA/KL/MIS/42326/2018 , 1458/EC3/2019/SEIAA] | | | | |

| CONSIDERATION/RECONSIDERATION OF ENVIRONMENTAL CLEARANCE(Extension/Amendment/Corrigendum) | | | | | |
|--|---|--------------|-----------------|---------------|----------------|
| S.No | Proposal | | | | |
| (1) | Building Stone Quarry of M/s Southern Rocks and aggregates, | | | | |
| | State of the project | | | | |
| | S. No. | State | District | Tehsil | Village |
| | Thrissur | | | | |
| | [SIA/KL/MIN/42268/2014 , 285/SEIAA/KL/1362/2014] | | | | |

| CONSIDERATION OF TOR PROPOSALS | | | | | |
|---------------------------------------|---------------------|--------------|-----------------|---------------|-----------------------------|
| S.No | Proposal | | | | |
| (1) | M/s United Granites | | | | |
| | S. No. | State | District | Tehsil | Village |
| | (1.) | Kerala | Ernakulam | Kunnathunad | |
| | (2.) | Kerala | Ernakulam | Kunnathunad | Mazhuvannur and Arackappady |

| | | | | |
|-----|---|--------------|-----------------|----------------|
| | [SIA/KL/MIN/47065/2019 , 1518/EC3/2019/SEIAA] | | | |
| (2) | Ajikumar, Malayolapuzha | | | |
| | S. No. | State | District | Tehsil |
| | (1.) | Kerala | Pathanamthitta | Kozhenchery |
| | [SIA/KL/MIN/41701/2019 , 1497/EC1/2019/SEIAA] | | | |
| (3) | Building Stone Mine (Quarry, Minor Mineral Mining) project of Sachu Rajan Eapen, Sole Proprietor, Project: M/s Kalluvila Granites | | | |
| | S. No. | State | District | Tehsil |
| | (1.) | Kerala | Pathanamthitta | Kozhenchery |
| | [SIA/KL/MIN/41935/2019 , 1436/EC1/2019/SEIAA] | | | |
| (4) | Building Stone Quarry of M/s. ADANI VIZHINJAM PORT PVT. LTD. | | | |
| | S. No. | State | District | Tehsil |
| | (1.) | Kerala | Pathanamthitta | Adoor |
| | [SIA/KL/MIN/43661/2019 , 1441/EC1/2019/SEIAA] | | | |
| (5) | Building Stone Mine (Quarry, Minor Mineral Mining) project M/s Mukkom Property Developers Private Limited at Survey No. Un Survey at Kumaranellor Village, Kozhikode Taluk, Kozhikode District, Kerala for area of 8.1765 hectares. | | | |
| | S. No. | State | District | Tehsil |
| | (1.) | Kerala | Kozhikode | Kozhikode |
| | [SIA/KL/MIN/43696/2019 , 1448/EC3/2019/SEIAA] | | | |
| (6) | Quarry owned by Sudheesh A T | | | |
| | S. No. | State | District | Tehsil |
| | (1.) | Kerala | Wayanad | Sulthanbathery |
| | [SIA/KL/MIN/37909/2019 , 1396/EC1/2019/SEIAA] | | | |
| (7) | Muhammed Ali P | | | |
| | S. No. | State | District | Tehsil |
| | (1.) | Kerala | Malappuram | Ernad |
| | (2.) | Telangana | Rangareddi | Bantwaram |
| | [SIA/KL/MIN/45729/2019 , 1516/EC3/2019/SEIAA] | | | |

Discussion on any other item with permission of the Chair.

Important Note:

1. The project proponents are requested to send the project details in respect of establishment/identification of violation

(by SEIAA/MoEF&CC) in the format as per Annexure-I, Annexure-II, Annexure-III & Annexure-IV.

- (1) The project proponents should submit the Form-1, Pre-feasibility report for TOR along with other requisite documents, Environment Impact Assessment Report, public hearing report, queries subsequently raised by the Ministry, if any including details of the court matters/Orders of the Court pertaining to the project if any, in original, duly signed by the company authorized signatory for Environmental Clearance, well in advance before meeting to Ministry's project section or utmost at the time of presentation, without which the proposal will not be considered.

Note: Submit a copy of each of above documents - Hard and Soft Copies (CD) to the Member secretary, Violation (Note: Not by Name) by speed post so as to reach well in time.

- (ii) Compliance Report from Regional Office, MoEF&CC (Applicable for projects already having EC).
 - (iii) ***The KML/Shape files should be emailed to mentioned at para No. 7 below at least 5 days prior to the meeting.***
 - (iv) The above all documents are required to be forwarded to the Chairman/Members of the Expert Appraisal Committee along with soft copy.
- 2 All the documents including the hard copy of the presentation material should be legible and printed on both sides on ordinary paper. In case the members of the Expert Appraisal Committee do not receive the proposals/documents before the meeting, the Committee will not consider the project.**
- 3 The Project Proponent or his or her authorized representative /consultant should avoid delivery of documents by hand and seeking meeting with Chairman/Members. Members are also requested to discourage/ avoid the meeting with the PP/ consultants.**
- 4 Further, it is requested that the project proponent or his/her authorized representative should attend the presentation meeting of EAC. They may also depute senior officers from the company (preferably not more than two representatives) who can make a presentation on their behalf on the salient features of the project, the related environmental issues, proposed Environmental Management Plan and also respond to the queries/suggestions of the Committee.**
- 5 Any changes/modification with respect to the Agenda, Venue etc., would be indicated in Ministry's website. You are also requested to keep track of the status of your project from the Ministry's Website i.e., www.envfor.nic.in / www.envclearance.nic.in.**
- 6 Distribution of writing pads, pens, plastic folders and unnecessary stationery**

items during the meeting is not permitted. Distribution of colour print out may be avoided unless it is stated specifically.

- 7** No consultant is permitted into the meeting who has no accreditation with Quality Council of India (QCI)/National Accreditation Board of Education and Training (NABET) according to the MoEF OM dated 2nd December, 2009