

**State Environment Impact Assessment Authority  
(SEIAA) Kerala**

**'Devi Kripa', Pallimukku, Pettah P.O., Thiruvananthapuram - 695 024**

**Ph: +91471-2742264 (Off); +91471-2742554 (Fax)**

**e-mail: [seacseiaakerala@gmail.com](mailto:seacseiaakerala@gmail.com)**

**web [www.seiaakerala.org](http://www.seiaakerala.org)**

***Proceedings of the State Environment Impact Assessment Authority Kerala***

***Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini Member and Sri. V.S. Senthil***

***I.A.S., Member Secretary***

Sub: SEIAA Kerala –Environmental Clearance for removal of ordinary earth. EC Granted – Orders issued.

---

***Environmental Clearance***

**No.904/EC4/3465/2015/SEIAA**

**dated, Thiruvananthapuram 25-07-2016**

---

- Ref: 1. O.M. No. L-11011/47/2011-1AII (M) dated 24.06.2013 of the Ministry of Environment & Forests, Government of India.  
2. Minutes of the 54<sup>th</sup> meeting of SEIAA held on 21-06-2016.

**ENVIRONMENTAL CLEARANCE NO.....97./2016/OE**

Environmental Clearance under notification S.O. No. 1533 (E) dated 26.09.2006 read with O.M. No. L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment & Forest, Government of India, is accorded to the applicants named in column 2 of the annexure hereto in strict compliance with the following general conditions.

**General conditions**

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2m from the general ground level of the site, or that specifically stipulated by the Authority in column 7 of the annexure, whichever is less. The level should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers/ labourers shall be provided with facilities for drinking water and sanitation.

- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of any of the above conditions.

2. Violation of any of above general conditions as applicable to the particular case will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act, 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non-compliance if any shall be reported to the District Collector, Wayanad by the State Environment Impact Assessment Authority.

Sd/-  
V.S. SENTHIL I.A.S  
Member Secretary, SEIAA  
&  
Additional Chief Secretary  
Environment & Forest Department  
Government of Kerala

To,

Sri.Keloth Abooty,  
S/o Ebrahimhaji,  
Keloth Veedu, Kulivayal,  
Cherukattur P.O.,  
Wayanad

Copy to:

1. District Collector, Wayanad
2. Director, Mining & Geology, Kesavadasapuram, Thiruvananthapuram.
3. Secretary, Kalpetta Municipality, Wayanad
4. Chairman, SEIAA
5. Stock File
- ✓ 6. Website
7. O/c



Forwarded/ By Order

Administrator  
SEIAA

**Application for Environmental Clearance for removal of Ordinary Earth / Brick Earth cleared in the 54<sup>th</sup> meeting of SEIAA held on 21-06-2016**

Item No.	Details of Applicant	Description of property with quantity to be excavated	Date of receipt of Application/Details of Recommendation of Revenue authority	Purpose of removal/ use of removed material		Details of recommendations of SEIAA with specific condition if any. And quantity permitted to be excavated	Details of decision of SEIAA
				A	B		
1	2	3	4	5	6	7	8
54.13 (8)	Sri. Preman V.S, S/o Sreedharan, Vellaparambil (H) P.O.Mundoor, Thrissur Kerala - 680 541	Sy. No. 7/1 and 7/2 at Thangalur Village, Thrissur Taluk, Thrissur, Kerala. Quantity=30,000 m <sup>3</sup>	21-08-2015, Additional Tahsil dar, Taluk Office, Thrissur	For levelling the Plot	For commercial purpose (to level the land of Johnson and Jayson (Sy No. 703/3, 704 at Nenmanikkara Village, Mukundapuram Taluk)	Removal should be in a terraced manner limiting maximum depth of removal to 2m. Quantity=20,000 m <sup>3</sup>	File No. 893/SEIAA/EC1/3399/20 15 Approved the recommendations in Column 7
54.14 (9)	Sri.Keloth Abooty, S/o Ebrahimhaji, Keloth Veedu, Kulivayal, Cherukattur P.O., Wayanad	Sy. No. 13/1, Block .19 at Kalpetta Village, Vythiri Taluk, Wayanad District Quantity=1200 m <sup>3</sup>	25-08-15 Dy. Collector, Wayanad	The height of land is 2 meter above the road.	Filling the pit	Removal should be in terraced manner. Quantity=1200 m <sup>3</sup>	File No. 904/EC4/3465/SEIAA/20 15 Approved the recommendations in Column 7



*(Signature)*

**G. RAJEEV**

Administrator

State Environment Impact Assessment Authority  
Pallimukku, Pettah  
Thiruvananthapuram-695024  
Phone: 0471-2742266

