

## ABSTRACT

State Environment Impact Assessment Authority, Kerala - Removal of Ordinary Earth from Sy. No. 386/7, Kottarakkara Village, Kottarakkara Panchayath, Kottarakkara Taluk, Kollam District - Application of Sri. L. Vijayan, Rajesh Bhavan, Karuvelil P.O., Edavattom, Ezhukone, Kottarakkara, Kollam. Environmental Clearance - Issued

### STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY

No. 439/SEIAA/KL/3008/2014

Date: 31.10.2014

- Ref:
1. Application dated 13.03.2014 from Sri. L. Vijayan, Rajesh Bhavan, Karuvelil P.O., Edavattom, Ezhukone, Kottarakkara, Kollam
  2. Certificate No. 6984/14 dated 05/06/14 of RDO, Kollam
  3. Minutes of 34<sup>th</sup> meeting of SEIAA held on 24.10.2014

### ENVIRONMENTAL CLEARANCE NO. 82/2014

Sri. L. Vijayan, Rajesh Bhavan, Karuvelil P.O., Edavattom, Ezhukone, Kottarakkara, Kollam applied for Environmental Clearance for removal of 1250 m<sup>3</sup> of ordinary earth from 63.01 (19.98) ares of land comprised in Sy. No. 386/7, Kottarakkara Village, Kottarakkara Panchayath, Kottarakkara Taluk, Kollam District for the purpose and in the manner as particularised below:

|  |  |   |  |
|--|--|---|--|
| 1  | Date of receipt of completed application   | : | 25.06.2014   |
| <b>a) Undertakings given by applicant</b>      |  |   |  |
| 2  | Nature of Land   | : | Purayidam  |
| 3  | Extent of the land in the Sy. No. and extent of land for which permission for removal of ordinary earth is applied for | : | 19.98 ares from 63.01 ares   |
| 4  | Revenue authority who certified the Application  | : | RDO, Kollam  |
| 5  | Purpose of removal of Ordinary Earth   | : | For ground levelling   |
| 6  | If to be transported out of the site, end use of the ordinary earth removed  | : | Levelling of basement  |
| <b>b) Appraisal and Recommendation by SEAC</b> |  |   |  |
| 7  | Date of recommendation of SEAC for removal of ordinary earth   | : | 12/13.08.2014  |
| <b>(c) Environmental Clearance by SEIAA</b>    |  |   |  |
| 8  | Date of clearance given by SEIAA   | : | 24-10-2014   |
| 9  | Quantity of ordinary earth sanctioned to be removed  | : | 1250 m <sup>3</sup>  |
| 10   | Special condition if any for removal of ordinary earth from the site   | : | Removed earth must be used for filling the land in the property comprised in |

Sy.No. 709/2 at Kilikollur  
Village or given for Govt.  
purpose.

2. Environmental Clearance under S.O. No.1533 (E) dated 26.09.2006 read with O.M.No.L-11011/47/2011-1AII (M) dated 24.06.2013 is accorded to Sri. L. Vijayan, Rajesh Bhavan, Karuvelil P.O., Edavattom, Ezhukone, Kottarakkara, Kollam the applicant, to remove 1250 M<sup>3</sup> of ordinary earth from the land owned by him in Sy.No. 386/7, Kottarakkara Village, Kottarakkara Panchayath, Kottarakkara Taluk, Kollam District in strict compliance with the general conditions in the annexure, and the special condition in Para 1 (c) (10) above.
3. Violation of any of above undertakings general or special conditions will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non compliance if any noted shall be reported to the District Collector, Kollam by the Director of Environment and Climate Change.



  
For Member Secretary (SEIAA)

To,

Sri. L. Vijayan,  
Rajesh Bhavan,  
Karuvelil P.O.,  
Edavattom,  
Ezhukone,  
Kottarakkara,  
Kollam-691505.

Copy to:


1. The District Collector, Kollam
2. The Tahsildar, Kottarakkara
3. The Director, Mining & Geology, Trivandrum-4.
4. The Secretary, Kottarakkara Grama Panchayath
5. The Chairman, SEIAA
6. Stock File
7. Website
8. O/c

ANNEXURE

(vide Item 14 Para I)

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2 m from the general ground level of the site, which should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2 m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The borrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the borrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of borrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to borrowing/excavation of earth.
- (ix) Workers / labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above conditions.



  
C.S. VAIDYANATHAN  
DIRECTOR  
Department of Environment  
Pellimukkam,  
Thiruvananthapuram