

**Abstract of Agenda note for 90<sup>th</sup> SEIAA scheduled to be held on**  
**29<sup>th</sup> March 2019**

| <b>Item No.</b> | <b>Subject/ File No</b>                                                                                                                                                                                                                                                                                                                                   | <b>Whether SEAC has recommended for EC</b> | <b>Note for SEIAA at page</b> | <b>Corresponding Annexure at page</b> |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-------------------------------|---------------------------------------|
| <b>90.01</b>    | <b>Environmental Clearance for the Proposed Pain and Palliative Care Unit within Ernakulam Medical College in Sy No. 321 Part 1 at Thrikkakara North village, Kanayannur Taluk, Ernakulam District, Kerala by Dr. S.Sreekala, Principal, Government Medical College (File No. 1187/A1/2018/SEIAA)</b>                                                     | Recommended                                | 1-4                           | 1-19                                  |
| <b>90.02</b>    | <b>Request for extension of validity period of Environment Clearance issued - Infra Granites, Cherpulassery Village and Panchayat, Ottappalam Taluk, Palakkad File No.3423/EC1/2015/SEIAA (124/SEIAA/KL/2334/2013- main file)</b>                                                                                                                         | Recommended                                | 5-7                           | 21-25                                 |
| <b>90.03</b>    | <b>Environmental clearance for removal of ordinary earth in Re - Sy.No.15-5 at Periganadu Village, Adoor Taluk, Pathanamthitta District , Kerala by Sri. Babu John (File No. 1198(A)/O.E./EC2/2018/SEIAA)</b>                                                                                                                                             | Recommended                                | 8-11                          |                                       |
| <b>90.04</b>    | <b>Environmental clearance for removal of ordinary earth in Re - Sy.No.269/16-1, 269/14-1-1, 268/1-1-2, 269/14-2, 269/16-2, 269/16-2-2, 269/17-5, 269/17-6, 269/17-2, 269/25-1, 269/17-4, 269/24-2, 269/14-1-2 at Kottarakkara Village, Kottarakkara Taluk, Kollam District , Kerala by Sri. Thankappan Pillai (File No. 1205(A)/O.E./EC1/2019/SEIAA)</b> | Recommended                                | 12-15                         |                                       |
| <b>90.05</b>    | <b>Environmental clearance for removal of ordinary earth in Sy.No. 392, 15,16, 39,41, 42, 9, 393/11, 31, 394/5,15, 397/6, 5-1, 5-2, 1, 8, 9, 10, 398/5, 1, 1-2 at Kidaganoor Village, Kozhancheri Taluk, Pathanamthitta District , Kerala by Sri. K.H. Shajahan Rawthar (File No. 1205(B)/O.E./EC2/2018/SEIAA)</b>                                        | Rejected                                   | 16-19                         |                                       |

| <b>Item No.</b> | <b>Subject/ File No</b>                                                                                                                                                                                                                                                                                                                               | <b>Whether SEAC has recommended for EC</b> | <b>Note for SEIAA at page</b> | <b>Corresponding Annexure at page</b> |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-------------------------------|---------------------------------------|
| <b>90.06</b>    | <b>Environmental Clearance for the proposed Commercial cum Residential project in Sy.Nos. 320/8/2, 320/8/3, 320/8/4, 320/8/5, 320/8/6 at Mayyanad village, Kollam Taluk, Kollam District, Kerala by Mr.Fathahudeen, President, M/s Desinganadu Rapid Development &amp; Assistance Cooperative Society Ltd No.Q1666 (File No. 1192/EC1/2018/SEIAA)</b> | Recommended                                | 20-24                         |                                       |
| <b>90.07</b>    | <b>Application for Environmental Clearance for mining of laterite building stone – Shri.Lekshmanan, Perumbuzha, Kundara, Kollam (File No.424/A1/2019/SEIAA)</b>                                                                                                                                                                                       | Recommended                                | 25                            |                                       |
| <b>90.08</b>    | <b>Environmental clearance for removal of Ordinary Earth in Sy.No.533/4 at Navayikkulam Village, Varkala Taluk, Thiruvananthapuram District, Kerala by Sri. G.Vijayakumar (FileNo.481/EC2/2019/SEIAA )</b>                                                                                                                                            | Recommended                                | 26                            |                                       |
| <b>90.09</b>    | <b>Application for Environmental Clearance for removal of Ordinary Earth in Sy.No.3/3 B at Shoranur- 1 Village, Ottapalam Taluk, Palakkad District , Kerala by Sri. Chandra Bose.J. (File No. 563/EC2/2019/SEIAA)</b>                                                                                                                                 | Recommended                                | 27                            |                                       |
| <b>90.10</b>    | <b>Application for Environmental Clearance for removal of Ordinary Earth- Shri. Muhammed Ashraf.P.V. (File No.537/A1/2019/ SEIAA)</b>                                                                                                                                                                                                                 | Recommended                                | 28                            |                                       |
| <b>90.11</b>    | <b>Application for Environmental Clearance for mining of Laterite stone-Sri.Muraleedharan.L., Kollam (File No.540/A1/2019/SEIAA)</b>                                                                                                                                                                                                                  | Recommended                                | 29                            |                                       |
| <b>90.12</b>    | <b>Construction of Hospital Complex at Sy.No. 1545, 1545/1-1, &amp; others of Pettah Village, Thiruvananthapuram Taluk &amp; District- Permission for excavation of earth for basement construction by Mr.P.Subramonian, Managing Partner, M/s Yespeeson's Enterprises (File No.1141/EC/SEIAA/KL/2017)</b>                                            | Recommended                                | 30                            |                                       |

| <b>Item No.</b>      | <b>Subject/ File No</b>                                                                                                                                                                                                                                                           | <b>Whether SEAC has recommended for EC</b> | <b>Note for SEIAA at page</b> | <b>Corresponding Annexure at page</b> |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-------------------------------|---------------------------------------|
| <b>General Items</b> |                                                                                                                                                                                                                                                                                   |                                            |                               |                                       |
| <b>90.13</b>         | <b>Application for EC for change the destination for dumping earth (File No.822/A2/2019/SEIAA)</b>                                                                                                                                                                                |                                            | 31                            |                                       |
| <b>90.14</b>         | <b>Petition by Shri.Noushad.V against suspicious issuance of EC by DEIAA, Kozhikkode (File No.207/A1/2019/SEIAA)</b>                                                                                                                                                              |                                            | 31                            |                                       |
| <b>90.15</b>         | <b>Environmental Clearance for the removal of ordinary earth from survey no.B.24, 391/9 at Mulanthuruty Village, Kanayannur Taluk, Ernakulam District Kerala by Sri.P.M.Paulose, Pathepallil Pulikamyali P.O, Mulanthuruthy, Ernakulam – 682 314. (File No.471/A2/2019/SEIAA)</b> |                                            | 32                            |                                       |