

Abstract of Recommendations of 54th SEIAA held on 21-6-2016

Item No.	Subject/ File No.	Whether SEAC has recommended for EC	Whether conditional or final	Whether there is dissent	Whether site inspection conducted	Extract of minutes at page	Appraisal report at page	Whether the proposals conform to O.M applicable	Note for SEIAA at page	Corresponding Annexure page
54.01	Confirmation of minutes of 53 rd SEIAA meeting	-	-	-	-	-	-	-	1	1-14
54.02	Action taken report on minutes of 53 rd meeting of SEIAA held on 24-5-2016	-	-	-	-	-	-	-	2-3	15-17
54.03	Petitions on EC and general Complaints (Individual cases consolidated)	-	-	-	-	-	-	-	3	-
54.04	Removal of Ordinary earth/Brick earth Environmental Clearance issued- Applications for extension of period of validity of Environmental Clearance	-	-	-	-	-	-	-	4	-
54.05	Environmental clearance for removal of ordinary earth in Re Sy.386/1, 386/2 at Melarkkode Village, Aalathur Taluk, Palakkad District, Kerala by Sri. P. Ananthanarayanan (File No. 840(A)/SEIAA/EC1/2744/2015)	Recommended to delist	-	-	-	19	-	-	5	-
54.06	Environmental clearance for removal of ordinary earth in Block 45 in Re Sy.No. 224/2, 224/24 at Aikkaranadu North Village, Kunnathunadu Taluk, Ernakulam, Kerala by Sri.Kunjamma (File No. 863/SEIAA/EC3/3065/2015)	Recommended for EC	-	-	-	21	-	-	6-7	-

Item No.	Subject/ File No.	Whether SEAC has recommended for EC	Whether conditional or final	Whether there is dissent	Whether site inspection conducted	Extract of minutes at page	Appraisal report at page	Whether the proposals conform to O.M applicable	Note for SEIAA at page	Corresponding Annexure page
54.07	Environmental clearance for removal of ordinary earth in Sy.No. 568/1A at, Aarakuzha Village, Muvattupuzha Taluk, Ernakulam, Kerala by Sri.Renji Joseph (File No. 878/SEIAA/EC3/3159/2015)	Recommended for EC	-	-	-	23	-	-	6	-
54.08	Environmental clearance for removal of ordinary earth in Block - 49, in Sy. No. 41/2 at, Aikkaranadu South Village, Kunnathunadu Taluk, Ernakulam, Kerala by Sri. Paul Mathew (File No. 880/SEIAA/EC3/3261/2015)	Recommended for EC	-	-	-	25	-	-	7-8	-
54.09	Environmental clearance for removal of ordinary earth in Block No 27 in Sy. No. 526/27 at, Pattimattom Village, Kunnathunadu Taluk, Ernakulam Kerala by Sri, Mebin Boban (File No. 881/SEIAA/ EC3/3362/2015)	Recommended for EC		-	-	27	-	-	9-10	-
54.10	Environmental clearance for removal of ordinary earth in Sy.No.80/2 Block No.83, in Re Sy.4B, Block No.83 Re.Sy.No.41/5 Block no.43 at Neyyattinkara Village, Neyyattinkara Taluk, Thiruvananthapuram District, Kerala by Sri.Col.Vijayakumar (File No. 882/SEIAA/EC1/3278/2015)	Recommended for EC	-	-	-	29	-	-	10-11	-

Item No.	Subject/ File No.	Whether SEAC has recommended for EC	Whether conditional or final	Whether there is dissent	Whether site inspection conducted	Extract of minutes at page	Appraisal report at page	Whether the proposals conform to O.M applicable	Note for SEIAA at page	Corresponding Annexure page
54.11	Environmental clearance for removal of ordinary earth in Sy. No. 415/6, 415/7 at, Pattimattom Village, Kunnathunadu Taluk, Ernakulam District, Kerala by Sri. Jibu George (File No. 887/SEIAA/EC3/3288/2015)	Recommended for EC	-	-	-	31	-	-	11-12	-
54.12	Environmental clearance for removal of ordinary earth in Sy. No. 57/1, 3A, 3C at Maneed Village, Muvattupuzha Taluk, Ernakulam, Kerala by Sri. Salim, B.M (File No. 891/SEIAA/EC3/3362/2015)	Recommended for EC	-	-	-	33	-	-	12	
54.13	Environmental clearance for removal of ordinary earth in Sy.No. 7/1, 7/2 at Thangalur Village, Thrissur Taluk, Thrissur District, Kerala by Sri. Preman V.S (File No. 893/SEIAA/EC1/3399/2015)	Recommended for EC	-	-	-	35	-	-	13	-
54.14	Environmental clearance for removal of ordinary earth in Sy.No. 13/1, Block.19 at Kalpetta Village, Vythiri Taluk, Wayanad District, Kerala by Sri.Keloth Abooty (File No. 904/SEIAA/EC4/3465/2015)	Recommended for EC	-	-	-	37	-	-	14	-
54.15	Environmental clearance for removal of Ordinary earth in Sy. No.259/9-1 at Thiruvalla Village, Thiruvalla Taluk, Pathanamthitta District, by Dr.Vivek Sasindran (File No. 904(A) /SEIAA/EC4/3491/2015)	Recommend to delist	-	-	-	39	-	-	15	-

Item No.	Subject/ File No.	Whether SEAC has recommended for EC	Whether conditional or final	Whether there is dissent	Whether site inspection conducted	Extract of minutes at page	Appraisal report at page	Whether the proposals conform to O.M applicable	Note for SEIAA at page	Corresponding Annexure page
54.16	Environmental clearance for Housing Project (Sobha Rio Vista) in Sy. Nos. 159/28B (p) at Calicut, FerokePetta (Chandhakadavu), Feroke Village and Panchayath, Kozhikode Taluk, Kozhikode District, Kerala by M/s Sobha Developers Ltd. (File No. 371/SEIAA/KL/2611/2014)	Recommend to delist	-	-	-	41	-	-	16	-
54.17	Environmental clearance for proposed Apartment Project at Sy.No. 109/1A1, at Nellikode Village, Kozhikode Taluk & Municipality and Kozhikode District, Kerala by Sri.Rameshan P., M/s ULCCS IT Infrastructure (P) Ltd (File No. 831/SEIAA/EC4/2705/2015)	Recommended for EC	-	-	-	-	-	-	20	-
54.18	Environmental clearance for the building project in Sy.Nos 158/3; 407/1-1 at Kazhakootam and Airooppara Villages and Kazhakootam Panchayath Trivandrum Taluk, Trivandrum District, Kerala by Sri. K. Sudhakaran, General Manager (Projects), KINFRA ANNEX (File No. 879/SEIAA/EC1/3222/2015)	Recommended for EC	-	-	-	43	-	-	21	-
54.19	Environmental clearance for the quarry project in Sy.No. 147/1(P), 155/2(P), 155/3(P), 154/16(P) and 154/17(P) at Vazhayoor Village, Vazhayoor Panchayath, Ernad Taluk, Malappuram District by Sri.Mohanan, M.E. (File No. 552/SEIAA/KL/4086/2014).	Recommended for EC (Violation)	-	-	-	45		-	31	-

Item No.	Subject/ File No.	Whether SEAC has recommended for EC	Whether conditional or final	Whether there is dissent	Whether site inspection conducted	Extract of minutes at page	Appraisal report at page	Whether the proposals conform to O.M applicable	Note for SEIAA at page	Corresponding Annexure page
54.20	Environmental clearance for the building stone quarry project in Sy.No.21/1A1 at Kolayad Village and Panchayat, Thalassery Taluk, Kannur District, Kerala by Sri. V.K. Benny (File No. 628/SEIAA/EC4/4811/2014)	Recommended for EC	-	-	-	47	-	-	37	-
54.21	Environmental clearance for the quarry project in Sy. No. 168 at Anakkayam Village, Anakkayam Panchayat, Ernadu Taluk, Malappuram District, Kerala-676122 by Sri. V. Hashim, Partner Ernadu Taluk, Malappuram Dist for Pullanchery Granite Industries of Sri. T. V. Hashim, Partner (File No. 825/SEIAA/EC1/ 2608/08/07/ 2015)	Recommended for EC	-	-	-	49	-	-	41	-
54.22	Environmental clearance for the proposed expansion of ArtecColors, Residential Apartment at Karyavattom in Re Sy.Nos. 351/3-1, 351/3-3, 351/3-4, 351/3-2, Sy.No.3023/14-1, 14, 3023/14-1 at Uliyazhathura Village and Thiruvananthapuram Taluk, Thiruvananthapuram District, Kerala by Sri.Viju Varghese (File No. 827/SEIAA/EC1/2616/2015)	Recommended for EC	-	-	-	51	-	-	47	-
54.23	Environmental clearance for Masonry Stone Mine (quarry) Project in Sy.no.186/1A2, 186/1A/4/5 at Neriymangalam Village, Kavalangad Panchayat, Kothamangalam Taluk, Ernakulam district, Kerala by Shri. K.M. Abdul Rasheed – Managing Director, Ernakulam District, for Ever-One Properties India Pvt. Ltd. (File No. 838/SEIAA/EC3/2716/2015).	Recommended for EC	-	-	-	53	-	-	55	-

[illegible]

Item No.	Subject/ File No.	Whether SEAC has recommended for EC	Whether conditional or final	Whether there is dissent	Whether site inspection conducted	Extract of minutes at page	Appraisal report at page	Whether the proposals conform to O.M applicable	Note for SEIAA at page	Corresponding Annexure page
54.33	Environmental Clearance to the quarry project of M/s K.K. Rocks at Pallichal Village, Thiruvananthapuram – News paper report – (File 541/EC1/2014/SEIAA)	-	-	-	-	-	-	-	80	69-73
54.34	SEIAA orientation Workshop by MoEF for C-Deputation of Chariman SEIAA and Secretary (File No.1505/EC2/2015/SEIAA)	-	-	-	-	-	-	-	80	-
54.35	Environmental clearance for the quarry project in Survey No. 1853/1, 1854, 1855, 1856, 1857, 1858, 1860/1 of Pazhayannur Village, Thalappilly Taluk, Thrissur District, Keralaby Sri. A. G. Madhavan, Managing Director, M/s Nila Metals Pvt. Ltd. (File No. 900/SEIAA/EC1/3461/2015)	-	-	-	-	75	-	-	81	--
54.36	Environmental clearance for the Proposed Building Stone quarry project in Sy. No 36/3 (pt), 37/1(pt), 37/2(pt), 37/3(pt) at Morayoor Village, Kondotty Taluk, Malappuram District, Kerala by Sri. E. A. Abdul Karim. (File No.853/SEIAA/EC1/2977/2015)	-	-	-	-		-	-	86	-

[illegible]

