

**State Environment Impact Assessment Authority  
(SEIAA) Kerala**

**'Devi Kripa', Pallimukku, Pettah P.O., Thiruvananthapuram - 695 024**

**Ph: +91471-2742264 (Off); +91471-2742554 (Fax)**

**e-mail: [seacseiaakerala@gmail.com](mailto:seacseiaakerala@gmail.com)**

**web: [www.envt.kerala.gov.in](http://www.envt.kerala.gov.in); [www.seiaakerala.org](http://www.seiaakerala.org)**

***Proceedings of the State Environment Impact Assessment Authority Kerala***

***Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. P. Mara Pandiyan, I.A.S., Member Secretary.***

**Sub: SEIAA Kerala – 45<sup>th</sup> meeting held on 04-12-2015– Environmental Clearance under EIA Notification 2006 accorded for removal of ordinary/ brick earth - Orders issued.**

***Environmental Clearance***

**No. 714/SEIAA/EC3/6038/2014**

***dated, Thiruvananthapuram 20.01.2016***

- Ref:**
1. O.M. No. L-11011/47/2011-1AII (M) dated 24.06.2013 of the Ministry of Environment & Forests, Government of India.
  2. Minutes of the 38<sup>th</sup> meeting of SEAC held on 28/30-04-2015.
  3. Minutes of the 38<sup>th</sup> meeting of SEIAA held on 04-06-2015.
  4. Minutes of the 45<sup>th</sup> meeting of SEIAA held on 04-12-2015.

**ENVIRONMENTAL CLEARANCE NO. 129/2015/OE**

Environmental Clearance under notification S.O. No. 1533 (E) dated 26.09.2006 read with O.M. No. L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment & Forest, Government of India, is accorded as per the details attached, in strict compliance with the following general conditions. The applicants are sisters.

**General conditions**

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2m from the general ground level of the site, or that specifically stipulated by the Authority in column 7 of the annexure, whichever is less. The level should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.

- (iii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers/ labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above guidelines

Violation of any of above general or specific conditions as applicable to the particular case will entail cancellation of the E.C., in addition to legal action under the provisions of the Environment (Protection) Act, 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non-compliance if any shall be reported to the District Collector, Ernakulam by the Director of Environment and Climate Change.

Sd/-

P. MARA PANDIYAN, I.A.S.,  
Member Secretary (SEIAA)

&

Addl. Chief Secretary to Government  
(Environment & Forest Department)

Smt. Bibitha Mathew W/O Saji,  
Madathikkudi Veedu,  
Karukadam, Kothamangalam,  
Ernakulam-686691

&


Smt. Sabitha Mathew  
W/O Prathap Eeppen,  
Kollettu Veedu, Koorappada Village,  
Pandadakkada, Ernakulam

Copy to:

1. District Collector, Ernakulam.
2. Director, Mining & Geology, Kesavadasapuram,
3. Additional Tahsildar, Kunnathunadu Taluk Office, Ernakulam.
4. Secretary, Rayamangalam Panchayat.
5. DoECC,
6. Chairman, SEIAA
7. Stock File
8. Website
9. O/C




Forwarded/ By Order

  
G. Rajeev,  
Administrator, SEIAA.

**Application for Environmental clearance for removal of Ordinary Earth / Brick Earth cleared in the 45<sup>th</sup> meeting of SEIAA held on 04-12-2015**

Item No.	Details of Applicant	Description of property with quantity to be excavated	Date of receipt of Application/Details of Recommendation of Revenue authority	Purpose of removal/ use of removed material		Details of recommendations of SEAC with specific condition if any. And quantity permitted to be excavated	Details of decision of SEIAA
				A	B		
1	2	3	4	5	6	7	8
45.09	Smt. Bibitha Mathew W/O Saji, Madathikkudi Veedu, Karukadam, Kothamangalam, Ernakulam-686691	03.64 ares of land in Sy. No. 164/3 at Rayamangalam Village, Kunnathunadu Taluk, Ernakulam District. Q= 3000m <sup>3</sup>	27.08.2014	For levelling and building construction	For levelling another plot	5800 m <sup>3</sup>	(File No. 714/SEIAA/EC3/603 8/2014) & (File No. 716/SEIAA/EC3/604 0/2014) Approved the recommendations in Column 7
	Smt. Sabitha Mathew W/O Prathap Eeppen, Kollettu Veedu, Koorappada Village, Pandadakkada, Ernakulam	02.45 ares of land in Sy. No. 164/3, 164/3-2 at Rayamangalam Village, Kunnathunadu Taluk, Ernakulam District. Q= 2800 m <sup>3</sup>	Addl. Tahsildar, Kunnathunadu (Letter no. G2-1896/14&1894/14 DTD. 31.07.2014)				

  
**G. RAJEEV**  
 Administrator  
 State Environmental Impact Assessment Authority  
 Palluvayal, Pottai  
 Thiruvananthapuram-695024  
 Phone: 0471-2741264