



Validity expires on 31.12.2016

## ***Proceedings of the State Environment Impact Assessment Authority Kerala***

*Present : Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. P. Mara Pandiyan, I.A.S.,  
Member Secretary.*

Sub: SEIAA Kerala – 51<sup>st</sup> meeting of SEIAA held on 29-03-2016– Environmental Clearance under EIA Notification, 2006 accorded for removal of ordinary earth for public works- E.C. Granted – Orders issued.

### ***Environmental Clearance***

*No. 1022/SEIAA/EC1/028/2016*

*dated, Thiruvananthapuram 01-06-2016*

Ref: 1. O.M.No.L-11011/47/2011-IAII(M) dated 24.06.2013 of the Ministry of Environment & Forests, Government of India.


2. Minutes of the 52<sup>nd</sup> meeting of SEIAA held on 29-04-2016.

#### **ENVIRONMENTAL CLEARANCE NO. 80/2016/OE**

Environmental Clearance under notification S.O. No. 1533 (E) dated 26.09.2006 read with O.M. No. L-11011/47/2011-IAII(M) dated 24.06.2013 of the Ministry of Environment & Forest, Government of India, is accorded to the applicants named in column 2 of the annexure hereto in strict compliance with the following general conditions.

#### **General conditions**

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2m from the general ground level of the site, or that specifically stipulated by the Authority in column 7 of the annexure, whichever is less. The level should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers/labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.



- (xii) The quantity of O.E being excavated from each site and to be deposited at each work site shall be fixed.
- (xiii) Name of the work, site and quantity permitted to be removed from the site shall be exhibited on the vehicle.
- (xiv) Contractor shall inform the registration number of the vehicle deployed for transportation of the O.E from permitted sites, to the user Govt. Department agency in charge of the work in column 6 of the annexure. The number of the vehicles as intimated may be reported to the concerned police authorities and local authorities by the user agency/department.
- (xv) User agency shall ensure/ oversee that the O.E extracted as permitted is used only for their use and project.
- (xvi) The Environmental Clearance shall be liable to be cancelled in any case of violation of any of the above conditions.

Violation of any of above general conditions as applicable to the particular case will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act, 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non-compliance if any shall be reported to the District Collector, Thrissur by the State Environment Impact assessment Authority.

Sd/-  
P. MARA PANDIYAN, I.A.S.  
Member Secretary, SEIAA  
&  
Addl. Chief Secretary  
Environment & Forests Department  
Government of Kerala.

To,

Sri. P. A. Pauly  
Pullikkal House,  
Mannampettah,  
Varakkara P.O.,  
Thrissur-680302

Copy to:

1. District Collector, Thrissur
2. Addl. Tahsildar, Mukundapuram Taluk Office, Thrissur
3. DoECC, TVM
4. Director, Mining & Geology, TVM
5. Secretary, Thrissur Corporation, Thrissur-680001
6. Chairman, SEIAA
7. Stock File
8. Website
9. O/C



Forwarded/ By order

Administrator, SEIAA

**Application for Environmental clearance for removal of Ordinary Earth / Brick Earth for Public works cleared in the 52<sup>nd</sup> meeting of SEIAA held on 29-04-2016**

Item No.	Details of Applicant	Description of property with quantity to be excavated	Date of receipt of Application/Details of Recommendation of Revenue authority	Purpose of removal/ use of removed material		Details of recommendations of SEIAA with specific condition if any. And quantity permitted to be excavated	Details of decision of SEIAA
				A	B		
				Purpose of removal	Use of removed material		
1			4	5	6	7	8
51.36 (1)	Sri. P. A. Pauly, Pullikkal House, Mannampettah, Varakkara P.O., Thrissur-680302	Sy. No. 720/8 at Amballoor Village, Alagappanagar Panchayat, Mukundapuram Taluk, Thrissur District Quantity = 75,000 m <sup>3</sup>	Ltr. No. B5- 11896/15 dated 21-12-2015. Additional Tahsildar, Mukundapuram, Thrissur	To level the plot	KLDC Bund construction	Quantity = 37,500 m <sup>3</sup>	File No. 1022/SEIAA/E1/028/2015 Approved the recommendations in Column 7



*(Signature)*  
**G. RAJEEV**  
 Administrator  
 State Environment Impact Assessment Authority  
 P.O. Mannampettah, Varakkara P.O.,  
 Thrissur-680302  
 Phone: 0477-2555555

