	IENTAL NCE			(Issued by the	nvironme e State En	nment of India nt, Forest and Climate Change vironment Impact Assessment
ENVIRONMENTAL			सत्यमेव To,	The Applicant GRANITE BUILDIN	NG STONE (	<b>/(SEIAA), Kerala)</b> QUARRY OF ABDUL GAFOOR P.O, Pattambi, Palakkad, Kerala -679336
	ctive,	(9)		under the provisior Madam,	n of EIA Notif	nce (EC) to the proposed Project Activity ication 2006-regarding
	Intera dow <b>H</b> u		SIA/	respect of project su	ubmitted to ated 19 Sep	oplication for Environmental Clearance (EC) o the SEIAA vide proposal number 2020. The particulars of the environmental below.
PARIVESH	and Responsive Facilitation by Interactive,	ous Environmental Single-Window Hub,	1. 2. 3. 4. 5.	EC Identification No. File No. Project Type Category Project/Activity includ	ing	EC22B001KL195829 1795/EC1/2020/SEIAA New B2 1(a) Mining of minerals
N	ive F	nenta	6.	Schedule No. Name of Project		Granite Building Stone Quarry of Abdul Gafoor
AR	suoc	uuo.	7.	Name of Company/Org	ganization	GRANITE BUILDING STONE QUARRY OF ABDUL GAFOOR
0	est	INI	8.	Location of Project		Kerala
		and Virtuous Er		TOR Date project details along with onwards.	n terms and c	N/A conditions are appended herewith from page
	(Pro-Active	and	Date	e: 11/10/2022		(e-signed) Dr. Venu V IAS Member Secretary SEIAA - (Kerala)
	PARVESH	RE 1 28/	num num		ated from F espondenc	



# PROCEEDINGS OF THE STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY – KERALA, THIRUVANANTHAPURAM

(Present : Dr.H.Nagesh Prabhu IFS (Retd), Chairman, Shri.K.Krishna Panicker, Member, Dr.V.Venu IAS, Member Secretary)

Sub: SEIAA - Environmental Clearance for the Granite Building Stone Quarry of Sri. Abdul Gafoor, S/o Saidalavi, Parakkattil House, Vallapuzha P.O, Pattambi, Palakkad - Granted – Orders issued.

## State Level Environment Impact Assessment Authority, Kerala

### Proposal No. SIA/KL/MIN/170229/2020

File No. 1795/EC1/2020/SEIAA

- Ref: 1.Application from Sri. Abdul Gafoor received on 19.05.2020
  - 2. Minutes of the 130<sup>th</sup> SEAC meeting held on 4<sup>th</sup> to 06<sup>th</sup> July, 2022
  - 3. Minutes of the 117<sup>th</sup> SEIAA meeting held on 30<sup>th</sup> & 31<sup>st</sup> August 2022
  - 4. G.O(Rt.) No.29/2019/Envt dt.12.04.2019.

# **ENVIRONMENTAL CLEARANCE NO. 159/Q/2022**

Sri. Abdul Gafoor, S/o Saidalavi, Parakkattil House, Vallapuzha P.O, Pattambi, Palakkad – 679336, submitted an application for Environmental Clearance via PARIVESH on 19.05.2020 for the Granite Building Stone Quarry Project for an area of 0.9122 Ha in Re-Survey Nos. 369/1/2, 368/4/1, 368/3 in Ongallur II Village, Pattambi Taluk, Palakkad, Kerala. The project details are as follows:

SL.No.	Particulars	Details	
1	Name of the Project	Granite Building Stone Quarry Project of Sri. Abdul Gafoor	
2	Proposed Activity	Mining of Granite Building Stone Quarry	

& Schedule No. (in the EIA Notification, 2006)Activity 1(a), Category B24Name & Address of the Project ProponentSri. Abdul Gafoor, S/o Saidalavi, Parakkattil House, Vallapuzha P.O, Pattambi, Palakkad – 6793365Project Locationa) Nos:Re-Survey 369/1/2, 368/4/1, 368/3b) VillageOngallur II Palakkadc) TalukPattambi Patatabi d) District6Geo Co-ordinatesLatitude 10°47'19.78"N to 10°47'23.65"N Longitude 76°14'07.45"E to 76°14'08.94"E7Extent (in Hectare)0.91228Project Cost85 lakh9Capacity of Mining Lease40,000 MTPA	3	Name of the Sector	Non Coal mining,
Notification, 2006)4Name & Address of the Project ProponentSri. Abdul Gafoor, S/o Saidalavi, Parakkattil House, Vallapuzha P.O, Pattambi, Palakkad – 6793365Project Locationa)Re-Survey Nos:b)Village Vallapuzha P.O, Pattambi, Palakkad – 679336c)Taluk Pattambid)Districtpalakkad6Geo Co-ordinates1Latitude 10°47'19.78"N to 10°47'23.65"N Longitude 76°14'07.45"E to 76°14'08.94"E7Extent (in Hectare)9Capacity of40,000 MTPA		& Schedule No. (in	Activity 1(a), Category B2
4       Name & Address of the Project Proponent       Sri. Abdul Gafoor, S/o Saidalavi, Parakkattil House, Vallapuzha P.O, Pattambi, Palakkad – 679336         5       Project Location         a)       Re-Survey Nos:         b)       Village         Ongallur II         c)       Taluk         Pattambi         d)       District         Palakkad         6       Geo Co-ordinates         Latitude 10°47'19.78"N to 10°47'23.65"N Longitude 76°14'07.45"E to 76°14'08.94"E         7       Extent (in Hectare)         9       Capacity of		the EIA	
of the ProjectS/o Saidalavi,ProponentParakkattil House,Vallapuzha P.O,Pattambi,Palakkad – 6793365Project Locationa) Re-Survey369/1/2, 368/4/1, 368/3Nos:b) VillageOngallur IIc) TalukPattambid) DistrictPalakkad6Geo Co-ordinatesLatitude 10°47'19.78"N to 10°47'23.65"NLongitude 76°14'07.45"E to 76°14'08.94"E7Extent (in Hectare)9Capacity of40,000 MTPA		Notification, 2006)	
of the ProjectS/o Saidalavi,ProponentParakkattil House,Vallapuzha P.O,Pattambi,Palakkad – 6793365Project Locationa) Re-Survey369/1/2, 368/4/1, 368/3Nos:b) VillageOngallur IIc) TalukPattambid) DistrictPalakkad6Geo Co-ordinatesLatitude 10°47'19.78"N to 10°47'23.65"NLongitude 76°14'07.45"E to 76°14'08.94"E7Extent (in Hectare)9Capacity of40,000 MTPA			
ProponentParakkattil House, Vallapuzha P.O, Pattambi, Palakkad – 6793365Project Locationa)Re-Survey Nos:b)369/1/2, 368/4/1, 368/3c)Talukpattambid)DistrictPalakkad6Geo Co-ordinatesLatitude 10°47'19.78"N to 10°47'23.65"N Longitude 76°14'07.45"E to 76°14'08.94"E7Extent (in Hectare)9Capacity of40,000 MTPA	4	Name & Address	Sri. Abdul Gafoor,
Vallapuzha P.O, Pattambi, Palakkad – 6793365Project Locationa)Re-Survey Nos:b)VillageC)TalukPattambid)DistrictPalakkad6Geo Co-ordinatesLatitude 10°47'19.78"N to 10°47'23.65"N Longitude 76°14'07.45"E to 76°14'08.94"E7Extent (in Hectare)0.91228Project Cost8Project Cost9Capacity of40,000 MTPA		of the Project	S/o Saidalavi,
Pattambi, Palakkad – 6793365Project Locationa) Re-Survey Nos:369/1/2, 368/4/1, 368/3b) VillageOngallur IIc) TalukPattambid) DistrictPalakkad6Geo Co-ordinatesLatitude 10°47'19.78"N to 10°47'23.65"N Longitude 76°14'07.45"E to 76°14'08.94"E7Extent (in Hectare)0.91228Project Cost85 lakh9Capacity of40,000 MTPA		Proponent	Parakkattil House,
Palakkad – 6793365Project Locationa) Re-Survey Nos: $369/1/2$ , $368/4/1$ , $368/3$ b) VillageOngallur IIc) TalukPattambid) DistrictPalakkad6Geo Co-ordinatesLatitude $10^{\circ}47'19.78$ "N to $10^{\circ}47'23.65$ "N Longitude $76^{\circ}14'07.45$ "E to $76^{\circ}14'08.94$ "E7Extent (in Hectare) $0.9122$ 8Project Cost $85$ lakh9Capacity of $40,000$ MTPA			Vallapuzha P.O,
5       Project Location         a)       Re-Survey         Nos:       369/1/2, 368/4/1, 368/3         b)       Village         Ongallur II         c)       Taluk         Pattambi         d)       District         Palakkad         6       Geo Co-ordinates         Latitude 10°47'19.78"N to 10°47'23.65"N         Longitude 76°14'07.45"E to 76°14'08.94"E         7       Extent (in Hectare)         0.9122         8       Project Cost         85       lakh         9       Capacity of			Pattambi,
a)Re-Survey Nos:369/1/2, 368/4/1, 368/3b)VillageOngallur IIc)TalukPattambid)DistrictPalakkad6Geo Co-ordinatesLatitude 10°47'19.78"N to 10°47'23.65"N Longitude 76°14'07.45"E to 76°14'08.94"E7Extent (in Hectare)0.91228Project Cost85 lakh9Capacity of40,000 MTPA			Palakkad – 679336
Nos:b) VillageOngallur IIc) TalukPattambid) DistrictPalakkad6Geo Co-ordinatesLatitude 10°47'19.78"N to 10°47'23.65"N Longitude 76°14'07.45"E to 76°14'08.94"E7Extent (in Hectare)0.91228Project Cost85 lakh9Capacity of40,000 MTPA	5	Project Location	
b) VillageOngallur IIc) TalukPattambid) DistrictPalakkad6Geo Co-ordinatesLatitude 10°47'19.78"N to 10°47'23.65"N Longitude 76°14'07.45"E to 76°14'08.94"E7Extent (in Hectare)0.91228Project Cost85 lakh9Capacity of40,000 MTPA		a) Re-Survey	369/1/2, 368/4/1, 368/3
c) TalukPattambid) DistrictPalakkad6Geo Co-ordinatesLatitude 10°47'19.78"N to 10°47'23.65"N Longitude 76°14'07.45"E to 76°14'08.94"E7Extent (in Hectare)0.91228Project Cost85 lakh9Capacity of40,000 MTPA		Nos:	
d)DistrictPalakkad6Geo Co-ordinatesLatitude 10°47'19.78"N to 10°47'23.65"N Longitude 76°14'07.45"E to 76°14'08.94"E7Extent (in Hectare)0.91228Project Cost85 lakh9Capacity of40,000 MTPA		b) Village	Ongallur II
6       Geo Co-ordinates       Latitude 10°47'19.78"N to 10°47'23.65"N Longitude 76°14'07.45"E to 76°14'08.94"E         7       Extent (in Hectare)       0.9122         8       Project Cost       85 lakh         9       Capacity of       40,000 MTPA		c) Taluk	Pattambi
Cleor Co-ordinates         Longitude 76°14'07.45"E to 76°14'08.94"E           7         Extent (in Hectare)         0.9122           8         Project Cost         85 lakh           9         Capacity of         40,000 MTPA		d) District	Palakkad
Cleor Co-ordinates         Longitude 76°14'07.45"E to 76°14'08.94"E           7         Extent (in Hectare)         0.9122           8         Project Cost         85 lakh           9         Capacity of         40,000 MTPA			
Cleor Co-ordinates         Longitude 76°14'07.45"E to 76°14'08.94"E           7         Extent (in Hectare)         0.9122           8         Project Cost         85 lakh           9         Capacity of         40,000 MTPA	6		Latitude 10°47'19 78"N to 10°47'23 65"N
7     Extent (in Hectare)     0.9122       8     Project Cost     85 lakh       9     Capacity of     40,000 MTPA	0	Geo Co-ordinates	
8     Project Cost     85 lakh       9     Capacity of     40,000 MTPA	7	Extant (in Uastara)	5
9   Capacity of   40,000 MTPA	/	Extent (III Hectale)	0.9122
9     Capacity of     40,000 MTPA			
	8	Project Cost	85 lakh
Mining Lease	9	Capacity of	40,000 MTPA
		Mining Lease	
10 Date of Field 02.06.2022	10	Date of Field	02.06.2022
Inspection		Inspection	

## **CER Details**

SL NO.	AREA OF INTERVENTION	EXPENSE (Rs.)
	1 <sup>st</sup> YEAR	
1	Installing Solar Street Light (TATA) and operation in Ward 10, Maadu of Ongallur Panchayath. (In 6 unit @ Rs.27,000/- per one unit)	Rs.1,62,000/-

	2 <sup>nd</sup> YEAR	
1	Construction of new bore well and installing the pipe line connection for supplying water to the residents in Mozhiyodu Colony Ward 10, Maadu of Ongallur Panchayath	
	BORE WELL a.4 <sup>3</sup> / <sub>4</sub> " 380 feet (380 x 85) b. 6 guage PVC (ISI) pipe (Rs.290 per feet) c. Labour, Supervision charges d. Bore Cleaning charges e. Motor (20 stage) Kirloskar 3HP f. Electrical, Fitting, Cable, Labour g. Borewell pipe (375 feet) TOTAL	Rs. 32,300/- Rs. 18,850/- Rs. 2,500/- Rs. 5,000/- Rs. 27,000/- Rs. 12,900/- Rs. 31,850/- Rs. 1,30,400/-
	Motor shed a. Foundation work for motor shed b. Solid Bricks, cement, sand c. Labour, Masonry, plastering d. GI sheet, GI tubes e. Labour TOTAL	Rs. 8,000/- Rs. 16,000/- Rs. 6,000/- Rs. 4,900/- Rs. 5,200/- Rs. 40,100/-
	ELECTRICITY CONNECTION, WATER TANK a. Estimation cost for KSEB connection (12100 x 3 post) b. Service Charges TOTAL	Rs. 36,300/- Rs. 4,850/- Rs. 41,150/-
	WATER TANK (3 LAYER) – 20,000 ltrs Fabrication Cost, Materials, Labour TOTAL	Rs. 2,30,000/- Rs. 21,000/- Rs. 2,51,000/-
2	Construction of new bore well and installing the pipe line connection for supplying water to the residents in Manchithara Colony Ward 10, Maadu of Ongallur Panchayath.	
	<ul> <li>BORE WELL</li> <li>a.4 <sup>3</sup>/<sub>4</sub>" 380 feet (380 x 85)</li> <li>b. 6 guage PVC (ISI) pipe (Rs.290 per feet)</li> <li>c. Labour, Supervision charges</li> <li>d. Bore Cleaning charges</li> <li>e. Motor (20 stage) Kirloskar 3HP</li> </ul>	Rs. 32,300/- Rs. 18,850/- Rs. 2,500/- Rs. 5,000/- Rs. 27,000/- Rs. 12,900/-

f. Electrical, Fitting, Cable, Labour	Rs. 31,850/-
g. Borewell pipe (375 feet)	Rs. 1,30,400/
TOTAL	1.5. 1,50,100/
IOTAL	
Motor shed a. Foundation work for motor shed b. Solid Bricks, cement, sand c. Labour, Masonry, plastering d. GI sheet, GI tubes e. Labour TOTAL	Rs. 8,000/- Rs. 16,000/- Rs. 6,000/- Rs. 4,900/- Rs. 5,200/- Rs. 40,100/
ELECTRICITY CONNECTION, WATH TANK a. Estimation cost for KSEB connection (12100 x 3 post) b. Service Charges TOTAL	Rs. 4,850/-
WATER TANK (3 LAYER) – 20,000 l Fabrication Cost, Materials, Labour TOTAL	trs Rs. 2,30,000/- Rs. 21,000/- Rs. 2,51,000/-
GRAND TOTAL	Rs. 4,62,650/-

DETAILS OF MAINTENANCE COST			
Sl .no.	Area of Intervention	Amount (Rs.) per year	
1	Maintenance of Solar Street Light (TATA)		
	from 2 nd year to 5 th year (Six Nos, @	Rs. 15,000/	
	Rs.2,500/- per one unit)		
2	Cleaning of bore well and pump Mozhiyodu		
	Colony Ward 10, Maadu of Ongallur	Rs. 11,350 /-	
	Panchayath from 3rd year to 5 <sup>th</sup> year		
3	Cleaning of bore well and pump		
	Manchithara Colony Ward 10, Maadu of	Rs. 11,350 /-	
	Ongallur Panchayath from 3rd year to 5 <sup>th</sup>		
	year		
	GRAND TOTAL	Rs. 37,700 /-	

2. In the 130<sup>th</sup> SEAC meeting held on 4<sup>th</sup> to 06<sup>th</sup> July, 2022, the Committee examined the proposal, verified the documents and discussed field inspection report. The distance to the nearest Reserve Forest is 54.6m. One side of the proposed site in an abandoned quarry and the other is a working quarry. The distance to the nearest house is 212m. The life of mine proposed is 5 year and depth to water table is 15m bgl. Based on discussions, the Committee

recommended issuance of EC for the period of 5 years subject to the certain Specific Conditions in addition to the General Conditions

**3.** In the 117<sup>th</sup> SEIAA meeting held on 30<sup>th</sup> & 31<sup>st</sup> August 2022, the Authority decided to issue Environmental Clearance for the project life of 5 (five) years for the quantity mentioned in the approved Mining Plan subject to the following Specific Conditions in addition to the General Conditions.

- 1. The proponent shall carry out quarrying as per the approved Mining Plan and the proponent should strictly follow the Kerala Minor Mineral Concession Rules 2015 and amendments thereby.
- 2. The EC shall be valid from the date of execution of permit/lease from the Department of Mining and Geology. The copy of the lease order should be provided to the SEIAA before commencing the mining activity.
- 3. Green belt should be developed all along the entire buffer zone in the first year itself and it should be nurtured and maintained
- 4. Compensatory afforestation should be done prior to the commencement of mining with indigenous species and the geocoordinates of the afforested place with photographs should be provided along with HYCR.
- 5. The overburden dump should be protected with retaining wall.
- 6. Garland drain should be laid covering the entire project area and it should be provided with intermittent silt traps at every 10m interval, siltation pond and outflow channel and it should be connected to the nearest natural drain.
- 7. Garland drain, silt traps, siltation pond and outflow channel should be desilted periodically and geo-tagged photographs should be incorporated in the half yearly compliance report.
- 8. The CER should be implemented in total during the first two years and it should be operated and maintained during the rest of the project life till the mine closure plan is implemented in total.
- 9. The haulage road should be maintained well.

- 10. Transportation of mined material should not be done during the peak hours in the forenoon (8.00am to 10.00am) and afternoon (3.30pm to 5 pm).
- 11. The lowest bench should be well above local groundwater table.
- 12. As per OM no F.No.22-65/2017-IA.III dated 30th September 2020, under Corporate Environmental Responsibility (CER) the project Proponent shall prepare an Environment Management Plan (EMP) as directed by SEAC during appraisal, covering the issues to address the environmental problems in the project region, indicating both physical and financial targets year wise. The EMP shall be implemented in consultation with local self Govt. Institutions. The indicated cost for CER shall be 2% of the project cost depending upon the nature of activities proposed. The follow up action on implementation of CER shall be included in the Half Yearly Compliance Report which will be subjected to field inspection at regular intervals. A copy of the approved EMP shall be made available to the concerned Panchayat for information and implementation support.
- 13. In the wake of occurrence of large scale landslides in the state, as per the information provided by the Department of Mining & Geology, it is directed to use only NONEL (Non Electrical) technology for blasting to reduce the vibration of the ground, which is one of the causative factors that triggers landslides, formation of cracks in the surrounding buildings and disturbance to human and wildlife.
- 14. Blasting mats should be used during rock blasting to contain the blast, prevent fly rocks and suppress dust.
- 15. As per the directions contained in the OM F.No.22-34/2018-IA.III dated 16<sup>th</sup> January 2020 issued by MoEF&CC, in obedience to the directions of the Hon'ble Supreme Court the Project Proponent shall, undertake re-grassing the mining area and any other area which may have been disturbed due to his mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc. The compliance of this direction shall be included in the

Half Yearly Compliance Report which will be monitored by SEAC at regular intervals.

16. The violation of EC condition may lead to cancellation of EC and action under The Environment (Protection) Act 1986.

4. Environmental Clearance as per the EIA Notification 2006 is hereby accorded for the Granite Building Stone Quarry Project of Sri. Abdul Gafoor, S/o Saidalavi, Parakkattil House, Vallapuzha P.O, Pattambi, Palakkad – 679336, for an area of 0.9122 hectares in Re-Survey Nos. 369/1/2, 368/4/1, 368/3 in Ongallur II Village, Pattambi Taluk, Palakkad, Kerala for the quantity mentioned in the approved Mining Plan, for the project life of 5 (five) years from the date of execution of valid lease / permit from the Mining & Geology Department subject to the Specific Conditions in Para 3 above, and all the environmental impact mitigation and management measures undertaken by the Project Proponent in the Form I, EMP, PFR and Mining plan submitted to SEIAA. The assurances and clarifications given by the proponent will be deemed to be a part of this Proceedings as if incorporated herein. Also the General Conditions for projects stipulated for mining (items 1 to 57), mentioned below will be applicable and have to be strictly adhered to.

**5.** The Environmental Clearance issued will also be subject to full and effective implementation of all the undertakings given in the Application Form, mitigation measures as assured in the Environment Management Plan and the mining features including Progressive Mine Closure Plan as submitted with the application. The above undertakings and conditions and the undertakings in (Mining), (Blasting), (Mines Drainage), (Stacking of Mineral rejects and Disposal of waste), (Environment Management Plan) & (Progressive Mine Closure Plan) of the Mining Plan as submitted will be deemed to be part of this Proceedings as conditions as undertaken by the proponent, as if incorporated herein.

6. Validity of the Environmental Clearance will be **Five** (5) years from the date of execution of the mining lease/permit from the Mining & Geology Department as per SO 1807(E) dated 12.04.2022 of MoEF & CC, subject to inspection by SEIAA on annual basis and compliance of the conditions, subject to earlier review of EC in case of violation or non-

compliance of conditions or genuine complaints from residents within the security area of the quarry.

7. Compliance with the conditions herein will be monitored by the State Environment Impact Assessment Authority or its authorised offices and also by the Regional Office of the Ministry of Environment, Forest & Climate Change, Govt. of India, Bangalore. Necessary assistance for entry and inspection should be provided by the Project Proponent and those who are engaged or entrusted by him to the staff for inspection or monitoring. Instances of violation if any shall be reported to the District Collector, Palakkad

8. The Half Yearly Compliance Report (HYCRs) with its contents, covering letter, compliance report and environmental monitoring data have to be uploaded in the PARIVESH portal and the website of the Project Proponent. The HYCR with the name of the project, EC No and date & the period of submission should be sent to the Regional Office of MoEF & CC & ID rosz.bng-mef@nic.in to **SEIAA** by email only at email & seacseiaakerala@gmail.com, respectively. Hardcopy of HYCRs shall not be acceptable.

**9.** The given address for correspondence with the authorised signatory of the project is Sri. Abdul Gafoor, S/o Saidalavi, Parakkattil House, Vallapuzha P.O, Pattambi, Palakkad – 679336.

#### **GENERAL CONDITIONS**

- 1. The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.
- 2. All the statutory clearances should be obtained, as applicable, by the project proponent from the respective competent authorities including that for blasting and storage of explosives. Copies of all statutory clearances shall be submitted along with First Half Yearly Compliance Report.
- 3. The project proponent should advertise in news papers that the project has been accorded Environmental Clearance and copies of clearance letters are available in the Office of State Environment Impact Assessment Authority (SEIAA) and on the website of the Authority at <u>www.seiaakerala.in</u>. The

advertisement should be in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language. The advertisement should be made within 10 days from the date of receipt of the Environmental Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.

- 4. The proponent shall send a copy of the EC to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The Environmental Clearance shall also be uploaded on the website of the company.
- 5. The lease area shall be fenced with barbed wire to a minimum height of 4ft around, before starting mining. All the boundary indicators (boards, markings, etc) shall be conspicuous and maintained at all times.
- 6. The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public.
- 7. Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department. Mats to reduce fly rock blasts to a maximum of 10 PPV should be provided.
- 8. Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged stipulated by Explosive Department.
- 9. Access roads to the quarry shall be black topped to contain dust emissions that may arise during transportation of materials. The transportation of minerals should be done in covered trucks to contain dust emissions.
- 10. A separate Environmental Management Cell (EMC) with suitable qualified personnel should be set-up under the chairmanship of a Senior Executive, who will report directly to the Head of the Organization. The Cell should have representative of Biodiversity Management Committee of the Panchayath and a representative of NGO, if any active in the area. The EMC should meet at least once in six months and review the activities and minutes

should be a part of the compliance report.

- 11. Quarrying has to be carried out as per approved mining plan with the suggestions from SEAC incorporated and following KMMC rules 2015 and the Amendments thereby.
- 12. The quarrying operation shall be restricted between 7 AM and 5PM
- 13. Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR/KPBR, unless otherwise specified. Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.
- 14. Maximum depth of mining shall be as per the mining plan and as per specific direction of SEAC after field inspection. The maximum depth of mining should not be deeper than the local ground water table. No mining operations should be carried out at places having a slope greater than 45°.
- 15. The height of any bench shall not exceed five meters and breadth shall not be less than the height.
- 16. The Project proponent shall ensure that no perennial or intermittent natural water course and/or water resources are obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.
- 17. A minimum buffer distance specified as per existing rules and statutory orders shall be maintained from the boundary of the quarry to the nearest dwelling unit or other structures, and from forest boundaries or any other ecologically sensitive and archeologically important areas or the specific distance specified by SEIAA in EC as per the recommendations of SEAC depending on specific local conditions.
- 18. The proponent should plant seedlings at least 5 times of the loss of trees that has occurred while clearing the land for the project and follow planting measures as suggested by SEAC. Suitable avenue trees should be planted along the sides of the approach road and internal roads and open parking areas, if any. Preference should be given to endemic native and fruit bearing species. Planting in buffer areas should be taken up beforehand. Proper upkeep and maintenance of planted seedlings shall be ensured by the project

proponent.

- 19. The proponent should ensure that the vegetation in the buffer is retained, maintained and strengthened with additions of native broad leaved plants.
- 20. Eco-restoration including the closure of mine as per the progressive closure plan and final closure plan shall be done at the cost of the project proponent. This eco-restoration should follow scientific standards available for restoration, full recovery of the original vegetation and improving the resilience of different ecosystems. Overburden materials should be managed within the site and used for reclamation of mined pit as per mine closure plan / specific conditions.
- 21. At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with suitable indigenous plant species, if no other specific condition on reclamation of pit is stipulated in the E.C. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.
- 22. Control measures on noise and vibration prescribed by KSPCB should be implemented. Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.
- 23. Periodical monitoring of the vibration at specified location (preferably at a distance of 50 m and 100 m) to be conducted and records kept for inspection. This could also form a part of the compliance reports.
- 24. Speed of trucks entering or leaving the mine site is to be limited to moderate speed of 25 kmph to prevent undue noise from empty trucks.
- 25. Acoustic enclosures should be provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standard limit indicated by CPCB/KSPCB.
- 26. Blasting should be done in a controlled manner using NONEL technique as specified by the regulations of Petroleum and explosive safety organization (GOI) or any other concerned authorized agency. A licensed person should supervise/ control the blasting operations.

- 27. Measures should be taken for maintaining noise levels below 85 dBA in the work environment.
- 28. Project proponent should obtain necessary prior permission of the competent authorities for drawing requisite quantity of surface water and ground water for the project.
- 29. Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly compliance reports to SEIAA.
- 30. Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps, to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, and for green belt development etc. The drains shall be regularly desilted and maintained properly, particularly after monsoon.
- 31. Regular monitoring of ground water level and quality shall be carried out around the mine area during mining operation. If any stage ,if it is observed that ground water table is getting depleted due to the mining activity; necessary corrective measures shall be carried out.
- 32. Garland drains and silt traps are to be provided in the slopes around the core area to channelize storm water. De-silting of Garland canal and silt traps have to be attended on a daily basis. A labour has to be specifically assigned for the purpose. The proponent shall ensure the quality of the discharging storm water as per the General Effluent Discharge Standards of CPCB.
- 33. In the case of any change(s) in the scope of the project, extent, quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which the E.C was issued, the project would require a fresh appraisal by this Authority, for which the proponent shall apply and get the approval of this Authority. In the case of transfer of ECs, the matter shall be intimated and get the approval from the Authority as per the existing norms.
- 34. The stipulations by Statutory Authorities under different Acts and

Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.

- 35. The top soil, if any, shall be temporarily stored at earmarked place (s) and used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained at 45<sup>0</sup>. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. At critical points, use of geo textile shall be undertaken for stabilization of the dump. Protective wall or gabions should be made around the dump to prevent erosion / flow of sediments during rains. The entire excavated area shall be backfilled.
- 36. All the mining equipment used in Mining like backhoe loaders and excavators cause pollution and hence shall be serviced regularly & maintained for their efficient functioning and for reducing pollution. Disposal of spent oil from diesel engines should be as specified under relevant Rules/ Regulations.
- 37. All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution checking centre. Washing of all vehicles shall be inside the lease area.
- 38. Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution such as haul road, loading and unloading points and transfer points and having high levels of  $PM_{10}$  and  $PM_{2.5}$ . Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board.
- 39. Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement at project site, parking area, on haul roads, loading and unloading and at transport points should be provided and properly maintained.

- 40. Corporate Environmental Responsibilities (CER) as prescribed by SEIAA/SEAC should be carried out leading to Environmental stability of the Project region. The activities carried out under CER should be a part of the half yearly compliance report. The certificates from the beneficiaries, if the CER part is completed should also be submitted to the State Environment Impact Assessment Authority (SEIAA) along with year wise expenditure .
- 41. The project proponent is responsible for implementing all the provisions of labour laws applicable from time to time to quarrying /Mining operations. The workers on the site should be provided with on-site accommodation or facilities at a suitable boarding place, protective equipment such as ear muffs, helmet, etc.
- 42. The proponent has to provide insurance protection to the workers in the case of existing mining or provide the affidavit in case of fresh lease before execution of mining lease.
- 43. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed. The report of health surveillance programme should be included in the half yearly compliance reports.
- 44. The pits in the abandoned quarries and in the mined area shall be used for activities like water harvesting, aqua culture etc. in an eco friendly manner.
- 45. If Government land is partly or fully used for mining, the area shall be returned at the end of lease period after mine closure with separate demarcation with suitable survey marks.
- 46. Any accident occurring in the mined out area after the lease period due to negligence in carrying out safety measures and non-closure, will lead to suspension of all EC obtained for mining by the Proponent.
- 47. In case of transfer of EC the matter shall be intimated and approval from the Authority shall be obtained as per the existing norms.
- 48. The proponent shall submit Half Yearly Compliance Reports (1<sup>st</sup> of June & 1<sup>st</sup> of December) on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions,

including results of monitored data on their website and shall update the same periodically. It shall be simultaneously sent to the respective Regional Office of Ministry of Environment, Forests and Climate Change, Govt. of India and also to the Office of State Environment Impact Assessment Authority (SEIAA). The proponent has to submit Environmental statement in form V of Environment (Protection) Rules 1986 to SPCB on 31<sup>st</sup>March every year.

- 49. The project authorities should extend full cooperation to the officer (s) from the Regional Office of MOEF & CC located at and Geology, Bangalore/SEAC/SPCB/CPCB/dept of Mining while monitoring compliance of the stipulated conditions, by furnishing the requisite data/information/monitoring reports.
- 50. The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any other authority for the same project.
- 51. The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the Environment Clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- 52. The EC given will be withdrawn at any time if the area is declared high hazardous by the SDMA.
- 53. The Environmental Clearance will be subject to the final order of the courts on any pending litigation related to the land or project, in any court of law.
- 54. Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- 55. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- 56. The SEIAA may revoke or suspend the order, for non implementation of any

of the specific or any of the above conditions. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environmental protection.

57. As per regulation no. 106(2) of metalliferous mines regulation under Mine act, the height of any bench shall not exceed six meters and breadth shall not be less than the height.

#### Administrator, SEIAA For Member Secretary, SEIAA

To,

Sri. Abdul Gafoor, S/o Saidalavi, Parakkattil House, Vallapuzha P.O, Pattambi, Palakkad – 679336

Copy to,

- MoEF Regional Office, Southern Zone, Kendriya Sadan, 4<sup>th</sup> Floor, E&F Wing, II Block, Koramangala, Bangalore-560034.(through e-mail: rosz.bngmefcc@gov.in)
- 2. The Additional Chief Secretary to Government, Environment Department, Government of Kerala
- 3. The Director, Directorate of Environment & Climate Change, 4th Floor KSRTC Bus Terminal, Thampanoor, Thiruvananthapuram, Kerala 695001.
- 4. The District Collector, Palakkad
- 5. The Director, Mining & Geology, Thiruvananthapuram -4.
- 6. The Member Secretary, Kerala State Pollution Control Board
- 7. The District Geologist, Palakkad
- 8. The Tahsildhar, Pattambi Taluk, Palakkad District
- 9. The Secretary, Ongallur Gama Panchayath, Palakkad District
- 10.The Chairman, SEIAA.
- 11.Website.
- 12.S/f

13.O/c