



Validity expires on 29/03/2017

## ***Proceedings of the State Environment Impact Assessment Authority Kerala***

*Present : Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. V. S. Senthil, I.A.S.,  
Member Secretary.*

Sub: SEIAA Kerala – 57<sup>th</sup> meeting of SEIAA held on 26-08-2016– Environmental Clearance under EIA Notification, 2006 accorded for removal of ordinary earth/brick earth - E.C. Granted – Orders issued.

### ***Environmental Clearance***

**No. 1024/SEIAA/EC4/115/2016**

**dated, Thiruvananthapuram 30-09-2016**

- Ref: 1. O.M.No.L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment & Forests, Government of India.  
2. Minutes of the 58<sup>th</sup> meeting of SEAC held on 28/29-06-2016  
3. Minutes of the 57<sup>th</sup> meeting of SEIAA held on 26-08-2016.

#### **ENVIRONMENTAL CLEARANCE NO.137/2016/OE**

Environmental Clearance under notification S.O. No.1533 (E) dated 26.09.2006 read with O.M.No.L-11011/47/2011-1AII (M) dated 24.06.2013 of the Ministry of Environment & Forest, Government of India, is accorded to the applicant named in column 2 of the annexure hereto in strict compliance with the following general conditions and the specific conditions stipulated in column 7 against each application in the annexure.

##### **General conditions**

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2m from the general ground level of the site, or that specifically stipulated by the Authority in column 7 of the annexure, whichever is less. The level should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers/labourers shall be provided with facilities for drinking water and sanitation.

- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The quantity of O.E being excavated from each site and to be deposited at each work site shall be fixed.
- (xiii) The Environmental Clearance shall be liable to be cancelled in any case of violation of any of the above conditions.

Violation of any of above general conditions as applicable to the particular case will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act, 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non-compliance if any shall be reported to the District Collector, Kottayam by the State Environment Impact assessment Authority.

Sd/-

V.S. SENTHIL I.A.S  
Member Secretary, SEIAA  
&  
Additional Chief Secretary  
Environment & Forest Department  
Government of Kerala

To,

Sri James Jacob,  
Karottumundaackal,  
Perumbayikkadu P.O.,  
Kottayam – 686 016.

Copy to:

1. District Collector, Kottayam
2. Deputy Collector, Kottayam
3. Director, Mining & Geology, TVM
4. Secretary, Kottayam Municipality, Kumaranellur P.O., Kottayam-686016.
5. Chairman, SEIAA
6. Stock File
7. Website
8. O/C



Forwarded/ By order

Administrator, SEIAA

**Application for Environmental clearance for removal of Ordinary Earth / Brick Earth/Laterite cleared in the 57<sup>th</sup> meeting of SEIAA held on 26-08-2016**

Item No.	Details of Applicant	Description of property with quantity to be excavated	Date of receipt of Application/Details of Recommendation of Revenue authority	Purpose of removal/ use of removed material		Details of recommendations of SEAC with specific condition if any. And quantity permitted to be excavated	Details of decision of SEIAA
				A	B		
1	2	3	4	Purpose of removal	Use of removed material	7	8
57.16	Smt. Saneerja, W/o Wilson, Thozhupadan House, Kandanad P.O., Kureekkod Road, Ernakulam - 682 305	0.5666 ha of land in Sy. Nos. 385/2 & 385/3 at Mulanthuruthy Village and Kanayannoor Taluk, Ernakulam District Quantity = 50,000 m <sup>3</sup>	31-12-2015 Additional Tahsildhar, Kanayannoor, Ernakulam No.H-23427/2015 Dated 09/12/15	Plot is higher than road level.	For Cochin Port Trust, Fort Kochi	Removal should be in terraced limiting depth of removal to 1m. Quantity = 5000 m <sup>3</sup>	File No.1020/SEIAA/EC3/5 449/15 Approved the recommendations in Column 7
57.17	Sri.James Jacob, Karottumundackal, Perumbayikkadu P.O., Kottayam - 686 016	0.31.23 ha of land in Sy. Nos. 298/4, 297/5, 297/5-2 at Perumbayikkode Village, Kottayam Taluk, Kottayam District Quantity = 9,340 m <sup>3</sup>	11-01-2016 Deputy Collector (LR) Kottayam (Lr.No.E9.55758/1 5 dt.09.12.15)	For making land suitable for cultivation	Agriculture purpose	Removal should be in terraced limiting depth of removal to 2m. Quantity = 3000 m <sup>3</sup>	File No. 1024/SEIAA/EC4/115/ 2016 Approved the recommendations in Column 7
57.18	Sri.Joseph John, Konnackappally, Thathampally Ward, Alappuzha - 688 006	0.44 ha of land in Sy. No. 384/4/2 at Thanneermukkam South Village, Cherthala Taluk, Alappuzha District Quantity = 7,900 m <sup>3</sup>	21-01-2016. Additional Tahsildhar, Cherthala (Lr.No.23264/15/ G3 dt.15.01.16)	For making Drydock at Alappuzha vide G.O.(MS) No.06/2015/F& PD dated 2.3.2015	Not mentioned	Removal of ordinary earth in connection with setting up a dry dock facility. Quantity = 7,900 m <sup>3</sup>	File No. 1030/SEIAA/EC4/203/ 2016 Approved the recommendations in Column 7

G. RAJEEV  
Administrator

State Environment Impact Assessment Authority  
Pallimurukku, Pattukh

Tel: 0471-2742264  
Fax: 0471-2742264

