

Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Prof. (Dr.) K.P. Joy, Chairman, Dr. J. Subhashini. Member. Sri. V.S. Senthil, I.A.S; Member Secretary.

Project at Survey Environmental clearance for proposed Hospital Sub: Nos.534/10, 534/10-2, 534/12, Thiruvanvandoor Village to be developed by Fr.Reji.K.J., Managing Director, M/s Dr.K.M.Cherian Institute of Medical Sciences Pvt.Ltd - Environmental Clearance-Granted

State Environment Impact Assessment Authority, Kerala

No.1008/EC4/5102/2015/SELA

Dated, Thiruvananthapuram 16/02/2017

Ref:

- 1. Application dated 09/12/2015 from M/s.Dr.K.M.Cherian Institute of Medical Sciences Pvt.Ltd , Thazhathetil No.11, Kallissery. P.O., Chenganoor, Alappuzha, Kerala- 689 124.
- 2. Minutes of the 55th meeting of SEAC held on 10/11/20-05/2016
- Minutes of the 59th meeting of SEAC held on 11/12-07/2016
- Minutes of the 60th meeting of SEAC held on 28/29-07/2016
- Minutes of the 61st meeting of SEAC held on 11/08/2016 Minutes of the 62^{nt} meeting of SEAC held on 06/07-09/2016
- Minutes of the 60th meeting of SEIAA held on 27/10/2016

Environmental Clearnce No. 17/2017

Fr.Reji.K.J, Managing Director, M/s Dr. K.M. Cherian Institute of Medical Sciences Pvt. Ltd., Chengannur, Alappuzha vide his application received on 09.12.15 and has sought Environmental Clearance under the EIA Notification, 2006 for the Residential cum Commercial project in Sy. Nos. 534/10, 534/10-2, 534/12 at Thiruvanvandoor Panchayat Chengannur Taluk, Alappuzha District, Kerala. It is interalia, noted that the project comes under the category B, 8(a) of Schedule of EIA Notification 2006.

File No.	1008 / SEIAA / EC3 / 5102 / 2015			
Name of project	Environmental Clearance for the proposed hospital project to be developed by M/s Dr. K.M. Cherian Institute of Medical Sciences Pvt. Ltd.			
Brief description of the project	Proposed 300 bedded hospital project with total plot area 1.2276 ha. (12,276 sq. m.) and total built-up area 29,254.19 sq. m.			
Category/Subcategory & Schedule	Category 'B', Schedule 8 (a)			
Location Sy no/ district,	Survey Nos. 534/10, 534/10-2, 534/12, Thiruvanvandoor Village &			
Taluk/ village etc.	Panchayat, Chenganoor Taluk, Alappuzha District, Kerala.			
GPS co-ordinates	Latitude (N Longitude (·		
Extent of area (in hectares)	Not applicab	ole		
Minimum and maximum height of excavation (MSL)	Not applicable			
Life of mine proposed	Not applicable			
Life of mine proposed Ultimate depth of mining (in MSL)	Not applicable			
Distance from the adjacent quarry	Not applicable			
Eapacity of production	Not applicable			
Details of project cost	Not applicable			
Financial statement				
including funding source and details of insurance	Not applicable			
Built up area (in m²)		29,254.19 sq.m		
No. of floors	Basement + Gro	ound + 9 floors		
Maximum height from ground level	35.25 m.			
E Faculties proposed	300 Bedded hospital with supporting infrastructure facilities			
Details of project cost	About Rs. 123.06 Crores			
Financial statement including funding source and details of insurance	Source: Own source & bank loan Insurance: Insurance to the workers and machinery during construction phase.			
Activity schedule of the project	About 36 months			
CRZ recommendations Forest clearances	Not applicable			
Does it attract violation proceedings	Not applicable			
EnvtMgmt plan/Eco		MANAGEMENT PLAN:		
restoration plan (brief	Air pollution Provision will be made for D.G. sets with noise			
details)	control measures and stack for flue gas.			
	Water Provision of STP/ETP for treatment of sewage/effluent and it's fully recycling for			
pollution sewage/effluent and it's fully recycling for meeting the water requirement for flushing				
	horticulture, boiler & make-up water requirement			
L	L.L.	morniograme, bottor or make-up water requirement		

Noise Provision will be made for D.G. sets with noise control measures. Solid Waste Provision of bio-gas generation plant within the management solid waste. Eco As part of the eor restoration, large number of sapings of native species would be planted. **BOUT THE PROJECT** Description WATER The total domestic water requirement of about 219 KLD (which includes daily fresh water requirement of about 170 KL). Treated water from STP/ETP to be used for flushing of foilets about (69 KLD). Source :: Stored Rain water (Tanks), Open Well, KWA water supply and treated water from STP. RWH units proposed Facilities for liquid waste treatment Impoundment, damming culverting, realignment or other changes to the hydrology of watercourses or aguifers? Water quality meeting requirements Proximity to forest lands Access road to the site with the XC system LAND None within the study area About 10 m. wide Kallisery-Kuthiyathodu Road, NW side Proximity for solid waste might for solid waste water with the study area About 10 m. wide Kallisery-Kuthiyathodu Road, NW side Proximity for solid waste might The cycleable waste would be disposed through the bio-gas generation plant. Topographic features/ slope Proneness of the area for Topographic features/ slope Proneness of the area for the site is towards east side. Topographic features/ slope Proneness of the area for the site is towards east side. Proneness of the area for the site is towards east side. The proneness of the area for the site is towards east side. The proneness of the area for the site is towards east side. The proneness of the area for the site is towards east side. The proneness of the area for the site is towards east side. The proneness of the area for the site is towards east side. The proneness of the area for the site is towards east side. The proneness of the area for the site is towards east side. The proneness of the area for the site is towards east side.		T	C 1:		
Control measures. Solid Waste Provision of biogas generation plant within the Management Management Provision of biogas generation plant within the project site for disposal of the bio-degradable solid waste. Eco restoration native species would be planted.	· ·		for cooling towers attached with HVAC system		
Solid Waste Management Provision of bio-gas generation plant within the Management Project site for disposal of the bio-degradable solid waste. Eco restoration As part of the eco restoration, large number of sapings of native species would be planted. **BOUT THE PROJECT** **Description** WATER** The total domestic water requirement of about 219 KLD (which includes daily fresh water requirement of about 170 KL). Treated water from STP/ETP to be used for flushing of toilets about (69 KLD), Horticulture requirement for cooling towers attached with HVAC system (85 KLD). Source: Stored Rain water (Tanks), Open Well, KWA water supply and treated water from STP. Yes, The project has provision for fain water storage tanks which will be used as source of water during rating waste water. Impoundment, damming culverting, realignment or other changes to the hydrology of watercourses or aquifers? Water quality meeting requirements Water quality meeting for use of recycled water from STP to be used for flushing, horticulture, boiler for use of recycled water from STP to be used for flushing, horticulture, boiler for use of recycled water from STP to be used for flushing, horticulture, boiler for use of recycled water from STP to be used for flushing, horticulture, boiler for use of recycled water from STP to be used for flushing, horticulture, boiler for use of recycled water from STP to be used for flushing, horticulture, boiler for use of recycled water from STP to be used for flushing, horticulture, boiler for use of recycled water from STP to be used for flushing, horticulture, boiler for use of recycled water from STP to be used for flushing, horticulture, boiler for use of recycled water from STP to be used for flushing, horticulture, boiler for use of recycled water from STP to be used for flushing, horticulture, boiler for use of recycled water from STP to be used for flushing, horticulture, boiler for use of recycled water from STP to be used for flushing, horticulture, boiler for use of recycled water flu		Noise			
Management project site for disposal of the bio-degradable solid waste.					
solid waste. Eco As part of the eco restoration, large number of saplings of native species would be planted. ABOUT THE PROJECT Description WATER The total domestic water requirement of about 219 KLD (which includes daily fresh water requirement of about 170 KL). Treated water from STP/ETP to be used for flushing of toilets about (69 KLD). Horticulture requirement (5 KLD), Boilet requirement (15 KLD) about 170 KL). Treated water from STP. RWH units proposed RWH units proposed RWH units proposed Facilities for liquid waste treatment Impoundment, damming, culverting, realignment or other changes to the hydrology of watercourses or aguifers? Water quality meeting requirements Water quality meeting requirements Toposat have provisions for real waster. Water quality meeting requirements Water quality meeting requirements Treated water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND Proximity to forest lands Access road to the site—Width & Condition Storage of explosives About 10 m. wide Kallisery-Kuthiyathodu Road, NW side Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. > Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). > The recyclable waste would be disposed through the bio-gas generation plant. Topographic features/ slope			1		
Eco restoration As part of the eco restoration, large number of salings of native species would be planted. ABOUT THE PROJECT		Management			
Revironmental parameters considered					
Environmental parameters considered WATER The total domestic water requirement of about 219 KLD (which includes daily fresh water requirement of about 170 KL). Treated water from STP/ETP to be used for flushing of toilets about (69 KLD), Horticulture requirement (5 KLD). Source : Stored Rain water (Tanks), Open Well, KWA water supply and treated water from STP. Yes, The project has provision for fain water storage tanks which will be used as source of water during rainy days & non-rainy days. Yes, Sewage Treatment Plant for domestic sewage & Effluent Treatment Plant for other changes to the hydrology of watercourses or aquifers? Water quality meeting requirements Water quality meeting requirements Water quality meeting requirements Proximity to forest lands Access road to the site—Width & Condition Storage of explosives hazardous substances Proximity for solid water Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. > Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (bite bins). The recyclable waste like packaging material, paper etc. would be sold through vendors. Bio-degradable waste would be disposed through the bio-gas generation plant. Topographic features/ slope			-		
Environmental parameters considered WATER WATER The total domestic water requirement of about 219 KLD (which includes daily fresh water requirement of about 170 KL). Treated water from STP/ETP to be used for flushing of toilets about (69 KLD), Horticulture requirement (5 KLD), Boiler requirement (15 KLD), Boiler requirement for cooling towers attached with HVAC system (85 KLD). Source: Stored Rain water (Tanks), Open Well, KWA water supply and treated water from STP. Yes, The project has provision for fain water storage tanks which will be used as source of water during rainy days & non-rainy days. Facilities for liquid waste treatment Impoundment, damming, culverting, realignment or other changes to the hydrology of water courses or aquifers? Water quality meeting requirements WATER The total domestic water requirement of about 219 KLD (which includes daily fresh water requirement for collete with HVAC system (21 kLD). Source: Storage for water from STP. Water quality meeting retailed water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND Proximity to forest lands Access road to the site — Width & Condition Storage of explosives / hazardous substances Facility for solid waste mgmt Topographic features/ slope The recyclable waste would be disposed through the bio-gas generation plant. The slope of the site is towards east side.	·	restoration	- -		
Description		17.07	· · · · · · · · · · · · · · · · · · ·		
WATER The total domestic water requirement of about 219 KLD (which includes daily fresh water requirement of about 170 KL). Treated water from STP/ETP to be used for flushing of toilets about (69 KLD). Horticulture requirement (5 KLD). Source: Stored Rain water (Tanks), Open Well, KWA water supply and treated water from STP. RWH units proposed Facilities for liquid waste treatment Impoundment, damming culverting, realignment or other changes to the hydrology of watercourse or aquifers? Water quality meeting requirements Does it have provisions for use of recycled water of uses requirement for cooling towers attached with HVAC system Proximity to forest lands Access road to the site—Width & Condition Storage of explosives / hazardous substances Facility for solid waste mgmt Topographic features/ slope The total domestic water requirement of about 170 KL). Treated water requirement for cooling towers attached with HVAC system (Tanks), Open Well, KWA water supply and treated water from STP. Yes, The project has provision for rain water storage tanks which will be used as source of water during rainy days & non-rainy days. Yes, Swage Treatment Plant for domestic sewage & Effluent Treatment Plant for hospital / laundry waste water. Water quality flustion is disinfection). Yes, Treated water from STP to be used for flushing, horticulture, boiler & nake-up water requirement for cooling towers attached with HVAC system LAND None within the study area About 10 m. wide Kallisery-Kuthiyathodu Road, NW side Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. Facility for solid waste green bins) & non-biodegradable waste (blue bins). The recyclable waste like packaging material, paper etc, would be sold through vendors. Bio-degradable waste would be disposed through the bio-gas generation		ABOUT	THE PROJECT		
WATER The total domestic water requirement of about 219 KLD (which includes daily fresh water requirement of about 170 KL). Treated water from STP/ETP to be used for flushing of toilets about (69 KLD), Horticulture requirement (5 KLD), Boiler requirement (15 KLD) & make-up water requirement (5 KLD), Boiler requirement (15 KLD) & make-up water requirement for cooling towers attached with HVAC system (85 KLD). Facilities for liquid waste treatment Impoundment, damming, culverting, realignment or other changes to the hydrology of water courses or aquifers? WATER The total domestic water requirement of about 219 KLD (which includes daily fresh water requirement for cooling towers attached with HVAC system LAND Proximity to forest lands Access road to the site—Width & Condition Storage of explosives (Azer and to the site—Width & Condition Storage of explosives (Azer and to the site—Width & Condition Facility for solid waste mgmt Topographic features/ slope The total domestic water requirement of about 219 KLD (which includes daily fresh water requirement for soloning towers attached with HVAC system LAND None within the study area About 10 m. wide Kallisery-Kuthiyathodu Road, NW side Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. Facility for solid waste mgmt Topographic features/ slope The recyclable waste like packaging material, paper etc. would be sold through vendors. Bio-degradable waste would be disposed through the bio-gas generation plant. There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.		Description			
Water requirement & sources Water requirement & sources Water requirement & sources Water requirement & sources KLD), Horticulture requirement (5 KLD), Boiler requirement (15 KLD), Boiler requirement for cooling towers attached with Plant for bospital value of water from STP. Yes, Treatilet water from STP to be used for flushing, horticulture, boiler & make-up water requirements after the treatment of water (filtration & disinfec	parameters considered		VV I A PANANA		
Water requirement & sources Water requirement & sources Water requirement & sources KLD), Borticulture requirement (5 KLD), Boiler requirement (15 KLD) & make-up water requirement for cooling towers attached with HVAC system (85 KLD). Source : Stored Rain water (Tanks), Open Well, KWA water supply and treated water from STP. Yes, The project has provision for rain water storage tanks which will be used as source of water during rainy days & non-rainy days. Yes, Sewage Treatment Plant for domestic sewage & Effluent Treatment Plant for hospital / laundry waste water. Impoundment, damming culverting, realignment or other changes to the hydrology of watercourses or aguifers? Water quality meets requirements after the treatment of water distration & disinfection). Yes, Treated water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND Proximity to forest lands Access road to the site—Width & Condition Storage of explosives hazardous substances About 10 m. wide Kallisery-Kuthiyathodu Road, NW side Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. Yes, all precautionary measures in the storage water (green bins) & non-biodegradable waste (blue bins). The recyclable waste like packaging material, paper etc. would be sold through vendors. Biodegradable waste would be disposed through the bio-gas generation plant. There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.					
Water requirement & sources Water requirement & SCLD), Horticulture requirement (5 KLD), Boiler requirement (15 KLD), Boiler requir					
Water requirement & KLD), Borlet requirement (15 KLD), Source: Stored Rain water (Tanks), Open Well, KWA water supply and treated water from STP. Yes, The project has provision for rain water storage tanks which will be used as source of water during rainy days. Yes, Sewage Treatment Plant for domestic sewage & Effluent Treatment Plant for other changes to the hydrology of watercourses or aquifers? Water quality meeting requirements Water quality meets requirements after the treatment of water (fibration & disinfection). Yes, Treated water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND Proximity to forest lands Access road to the site — Width & Condition Storage of explosives / hazardous substances Facility for solid waste mgmt Topographic features/ slope					
Sources KLD) & make-up water requirement for cooling towers attached with HVAC system (85 KLD). Source - Stored Rain water (Tanks), Open Well, KWA water supply and treated water from STP. Yes, The project has provision for rain water storage tanks which will be used as source of water during rainy days & non-rainy days. Yes, Sewage Treatment Plant for domestic sewage & Effluent Treatment Plant for hospital / laundry waste water. Impoundment, damming culverting, realignment or other changes to the hydrology of watercourses or aquifers? Water quality meeting requirements Water quality meets requirements after the treatment of water (filtration & disinfection). Yes, Treated water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND Proximity to forest lands Access road to the site— Width & Condition Storage of explosives About 10 m. wide Kallisery-Kuthiyathodu Road, NW side Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. > Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). > The recyclable waste like packaging material, paper etc. would be sold through vendors. > Bio-degradable waste would be disposed through the bio-gas generation plant. There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.	Water asin-us and 0				
with HVAC system (85 KLD). Source :- Stored Rain water (Tanks), Open Well, KWA water supply and treated water from STP. Yes, The project has provision for rain water storage tanks which will be used as source of water during rainy days & non-rainy days. Yes, The project has provision for rain water storage tanks which will be used as source of water during rainy days & non-rainy days. Yes, The project has provision for rain water storage tanks which will be used as source of water during rainy days & non-rainy days. Yes, Impoundment, damming, culverting, realignment or other changes to the hydrology of watercourses or aquifers? Water quality meeting requirements Water quality meets requirements after the treatment of water (fibration & disinfection). Yes, Toes it have provisions for use of recycled water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND Proximity to forest lands Access road to the site—Width & Condition Storage of explosives hazardous substances PNG waste will be followed. > Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). > The recyclable waste like packaging material, paper etc. would be sold through vendors. > Bio-degradable waste would be disposed through the bio-gas generation plant. There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.	_				
Source: Stored Rain water (Tanks), Open Well, KWA water supply and treated water from STP. Yes, The project has provision for fain water storage tanks which will be used as source of water during rainy days & non-rainy days. Yes, Facilities for liquid waste treatment Impoundment, damming culverting, realignment or other changes to the hydrology of watercourses or aquifers? Water quality meeting requirements Water quality meets requirements after the treatment of water (filtration & disinfection). Yes, Does it have provisions for use of recycled water To use of recycled water To use of recycled water LAND Proximity to forest lands Access road to the site—Width & Condition Storage of explosives About 10 m. wide Kallisery-Kuthiyathodu Road, NW side PNG waste will be followed. > Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). > The recyclable waste like packaging material, paper etc. would be sold through vendors. > Bio-degradable waste would be disposed through the bio-gas generation plant. There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.	SOULCES				
supply and treated water from STP. Yes, The project has provision for rain water storage tanks which will be used as source of water during rainy days & non-rainy days. Yes, Sewage Treatment Plant for domestic sewage & Effluent Treatment Plant for hospital / laundry waste water. Impoundment, damming, culverting, realignment or other changes to the hydrology of watercourses or aquifers? Water quality meeting requirements Water quality meets requirements after the treatment of water (filtration & disinfection). Yes, Does a have provisions for use of recycled water Treated water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND Proximity to forest lands Access road to the site—Width & Condition Storage of explosives / hazardous substances Facility for solid waste mgmt Topographic features/ slope Topographic features/ slope Topographic features/ slope Topographic features/ slope Time to water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND None within the study area About 10 m. wide Kallisery-Kuthiyathodu Road, NW side Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). The recyclable waste like packaging material, paper etc. would be sold through vendors. Bio-degradable waste would be disposed through the bio-gas generation plant. There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.					
RWH units proposed Facilities for liquid waste treatment Facilities for liquid waste treatment Impoundment, damming, culverting, realignment or other changes to the hydrology of watercourses or aquifers? Water quality meeting requirements Does it have provisions for use of recycled water Proximity to forest lands Access road to the site—Width & Condition Storage of explosives (hazardous substances Facility for solid waste mgmt Topographic features/ slope Topographic features/ slope Topographic features/ slope Tealignment or domestic sewage & Effluent Treatment Plant for domestic sewage & Effluent Treatment Plant for domestic sewage & Effluent Treatment Plant for hospital / laundry waste water. No Yes, Sewage Treatment Plant for domestic sewage & Effluent Treatment Plant for hospital / laundry waste water. No Water quality meets requirements after the treatment of water (filtration & disinfection). Yes, Treated water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND None within the study area About 10 m. wide Kallisery-Kuthiyathodu Road, NW side Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. > Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). > The recyclable waste like packaging material, paper etc. would be sold through vendors. > Bio-degradable waste would be disposed through the bio-gas generation plant. There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.					
RWH units proposed The project has provision for rain water storage tanks which will be used as source of water during rainy days & non-rainy days. Yes, Sewage Treatment Plant for domestic sewage & Effluent Treatment Plant for hospital / laundry waste water. Impoundment, damming culverting, realignment or other changes to the hydrology of watercourses or aquifers? Water quality meeting requirements Water quality meets requirements after the treatment of water (filtration & disinfection). Yes, Treated water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND Proximity to forest lands Access road to the site—Width & Condition Storage of explosives / hazardous substances Ping waste will be followed. Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. > Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). > The recyclable waste like packaging material, paper etc. would be sold through vendors. > Bio-degradable waste would be disposed through the bio-gas generation plant. Topographic features/ slope The project has provision for rain water storage tanks which will be used for flushing horticulture to water (filtration & disinfection). Yes, Treated water from STP to be used for flushing, horticulture to boiler & make-up water requirements for cooling towers attached with HVAC system LAND None within the study area About 10 m. wide Kallisery-Kuthiyathodu Road, NW side Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. > Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). > The recyclable waste like packaging material, paper etc. would be sold through vendors. > Bio-degradable waste would be disposed through the bio-gas generation plant. There are some of native species of trees and different varieties of		Yes,			
Facilities for liquid waste treatment Impoundment, damming culverting, realignment or other changes to the hydrology of watercourses or aquifers? Water quality meeting requirements Does it have provisions for use of recycled water water. Water quality meeting requirements To use of recycled water water water water requirement for cooling towers attached with HVAC system LAND Proximity to forest lands Access road to the site—Width & Condition Storage of explosives hazardous substances Facility for solid waste mgmt Topographic features/slope Topographic features/slope Topographic features/slope Topographic features/slope Water quality meets requirements after the treatment of water (filtration & disinfection). Yes, Water quality meets requirements after the treatment of water (filtration & disinfection). Yes, Treated water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND None within the study area About 10 m. wide Kallisery-Kuthiyathodu Road, NW side Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. > Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). > The recyclable waste like packaging material, paper etc. would be sold through vendors. > Bio-degradable waste would be disposed through the bio-gas generation plant. There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.	RWH units proposed				
Facilities for liquid waste treatment Impoundment, damming culverting, realignment or other changes to the hydrology of watercourses or aquifers? Water quality meeting requirements Does it have provisions for use of recycled water Proximity to forest lands Access road to the site—Width & Condition Storage of explosives / hazardous substances Facility for solid waste mgmt Topographic features/slope Topographic features/slope Topographic features/slope Timpoundment, damming culvering requirement for domestic sewage & Effluent Treatment Plant for hospital / laundry waste water. No Water quality meeting requirements after the treatment of water (filtration & disinfection). Yes, Treated water from STP to be used for flushing, horticulture , boiler & make-up water requirement for cooling towers attached with HVAC system LAND None within the study area About 10 m. wide Kallisery-Kuthiyathodu Road, NW side Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. > Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). > The recyclable waste like packaging material, paper etc. would be sold through vendors. > Bio-degradable waste would be disposed through the bio-gas generation plant. There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.	Kwii units proposed				
Sewage Treatment Plant for domestic sewage & Effluent Treatment Plant for hospital / laundry waste water. Impoundment, damming, culverting, realignment or other changes to the hydrology of watercourses or aquifers? Water quality meeting requirements Water quality meets requirements after the treatment of water (filtration & disinfection). Yes		9000	I water during ramy days & non-ramy days.		
Impoundment, damming culverting, realignment or other changes to the hydrology of watercourses or aquifers? Water quality meeting requirements Water quality meets requirements after the treatment of water (fibration & disinfection). Yes, Treaded water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND Proximity to forest lands Access road to the site—Width & Condition Storage of explosives / hazardous substances Facility for solid waste mgmt Topographic features/ slope The readed water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND None within the study area About 10 m. wide Kallisery-Kuthiyathodu Road, NW side Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. > Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). > The recyclable waste like packaging material, paper etc. would be sold through vendors. > Bio-degradable waste would be disposed through the bio-gas generation plant. There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.	Facilities for liquid waste		ent Diant for domestic services & Efficient Treatment		
Impoundment, damming culverting, realignment or other changes to the hydrology of watercourses or aquifers? Water quality meeting requirements Water quality meets requirements after the treatment of water (fibration & disinfection). Yes Treated water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND Proximity to forest lands Access road to the site—Width & Condition Storage of explosives / hazardous substances Facility for solid waste mgmt Topographic features/ slope Topographic features/ slope Topographic features/ slope Water quality meets requirements after the treatment of water fill water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND None within the study area About 10 m. wide Kallisery-Kuthiyathodu Road, NW side Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). The recyclable waste like packaging material, paper etc. would be sold through vendors. Bio-degradable waste would be disposed through the bio-gas generation plant. There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.	treatment				
culverting, realignment or other changes to the hydrology of watercourses or aquifers? Water quality meeting requirements Water quality meeting requirements Water quality meets requirements after the treatment of water (filtration & disinfection). Yes, Treated water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND Proximity to forest lands Access road to the site— Width & Condition Storage of explosives /hazardous substances Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. > Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). > The recyclable waste like packaging material, paper etc. would be sold through vendors. > Bio-degradable waste would be disposed through the bio-gas generation plant. There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.	Impoundment damming		17 laulidig waste water.		
or other changes to the hydrology of watercourses or aquifers? Water quality meeting requirements Does it have provisions for use of recycled water Topographic features/ slope Topographic features/ slope Water quality meets requirements after the treatment of water (fibration & disinfection). Water quality meets requirements after the treatment of water (fibration & disinfection). Yes, Treated water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND Proximity to forest lands Access road to the site—Width & Condition Storage of explosives /hazardous substances Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. > Collection & segregation within the site (bio-degradable waste (green bins)) & non-biodegradable waste (blue bins). > The recyclable waste like packaging material, paper etc. would be sold through vendors. > Bio-degradable waste would be disposed through the bio-gas generation plant. There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.					
hydrology of watercourses or aquifers? Water quality meets requirements after the treatment of water (fibration & disinfection). Yes, Treated water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND Proximity to forest lands Access road to the site—Width & Condition Storage of explosives / hazardous substances Facility for solid waste mgmt Facility for solid waste mgmt Topographic features/slope Topographic features/slope Water quality meets requirements after the treatment of water (fibration & disinfection). Yes, Treated water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND None within the study area About 10 m. wide Kallisery-Kuthiyathodu Road, NW side Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. > Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). > The recyclable waste like packaging material, paper etc. would be sold through vendors. > Bio-degradable waste would be disposed through the bio-gas generation plant. There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.					
watercourses or aquifers? Water quality meets requirements after the treatment of water (filtration & disinfection). Yes, Treated water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND Proximity to forest lands Access road to the site—Width & Condition Storage of explosives /hazardous substances Facility for solid waste mgmt Topographic features/ slope Water quality meets requirements after the treatment of water (filtration & disinfection). Yes, Treated water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND None within the study area About 10 m. wide Kallisery-Kuthiyathodu Road, NW side Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. > Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). > The recyclable waste like packaging material, paper etc. would be sold through vendors. > Bio-degradable waste would be disposed through the bio-gas generation plant. There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.		No			
Water quality meeting requirements Water quality meets requirements after the treatment of water (filtration & disinfection). Yes, Treated water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND Proximity to forest lands Access road to the site—Width & Condition Storage of explosives /hazardous substances Facility for solid waste mgmt Topographic features/slope Topographic features/slope Water quality meets requirements after the treatment of water (filtration & disinfection). Yes, ILAND None within the study area About 10 m. wide Kallisery-Kuthiyathodu Road, NW side Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. > Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). > The recyclable waste like packaging material, paper etc. would be sold through vendors. > Bio-degradable waste would be disposed through the bio-gas generation plant. There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.					
Water quality meets requirements after the treatment of water (filtration & disinfection). Yes Treated water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND Proximity to forest lands Access road to the site — Width & Condition Storage of explosives /hazardous substances Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. > Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). > The recyclable waste like packaging material, paper etc. would be sold through vendors. > Bio-degradable waste would be disposed through the bio-gas generation plant. Topographic features/ slope The slope of the site is towards east side.	*/A:/*000000,				
Treated water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND Proximity to forest lands Access road to the site — Width & Condition Storage of explosives / hazardous substances Facility for solid waste mgmt Topographic features/ slope (filtration & disinfection). Yes, ITreated water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND None within the study area About 10 m. wide Kallisery-Kuthiyathodu Road, NW side Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. > Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). > The recyclable waste like packaging material, paper etc. would be sold through vendors. > Bio-degradable waste would be disposed through the bio-gas generation plant. There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.		Water quality me	eets requirements after the treatment of water		
Does it have provisions for use of recycled water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND Proximity to forest lands Access road to the site – Width & Condition Storage of explosives / hazardous substances Facility for solid waste mgmt Topographic features/ slope Yes, In precautionary measures in the storage & handling of HSD & PNG waste will be followed. Topographic features/ slope Treated water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND About 10 m. wide Kallisery-Kuthiyathodu Road, NW side Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. > Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). > The recyclable waste like packaging material, paper etc. would be sold through vendors. > Bio-degradable waste would be disposed through the bio-gas generation plant. There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.	1 2000 -				
Treated water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND Proximity to forest lands Access road to the site — Width & Condition Storage of explosives / hazardous substances Facility for solid waste mgmt Topographic features/ slope Treated water from STP to be used for flushing, horticulture, boiler & make-up water requirement for cooling towers attached with HVAC system LAND None within the study area About 10 m. wide Kallisery-Kuthiyathodu Road, NW side Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. > Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). > The recyclable waste like packaging material, paper etc. would be sold through vendors. > Bio-degradable waste would be disposed through the bio-gas generation plant. Topographic features/ slope There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.					
## About 10 m. wide Kallisery-Kuthiyathodu Road, NW side Storage of explosives / hazardous substances	Does it have provisions		om STP to be used for flushing, horticulture, boiler		
HVAC system LAND Proximity to forest lands Access road to the site— Width & Condition Storage of explosives /hazardous substances PNG waste will be followed. Facility for solid waste mgmt Topographic features/ slope HVAC system LAND None within the study area About 10 m. wide Kallisery-Kuthiyathodu Road, NW side Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). The recyclable waste like packaging material, paper etc. would be sold through vendors. Bio-degradable waste would be disposed through the bio-gas generation plant. There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.					
Access road to the site—Width & Condition Storage of explosives /hazardous substances PNG waste will be followed. Facility for solid waste mgmt Topographic features/slope None within the study area About 10 m. wide Kallisery-Kuthiyathodu Road, NW side Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). The recyclable waste like packaging material, paper etc. would be sold through vendors. Bio-degradable waste would be disposed through the bio-gas generation plant. There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.			1		
Access road to the site — Width & Condition Storage of explosives /hazardous substances Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. > Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). > The recyclable waste like packaging material, paper etc. would be sold through vendors. > Bio-degradable waste would be disposed through the bio-gas generation plant. Topographic features/ slope There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.			LAND		
Access road to the site — Width & Condition Storage of explosives /hazardous substances Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. > Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). > The recyclable waste like packaging material, paper etc. would be sold through vendors. > Bio-degradable waste would be disposed through the bio-gas generation plant. Topographic features/ slope There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.	Proximity to forest lands	None within the	rese .		
Storage of explosives /hazardous substances Yes, all precautionary measures in the storage & handling of HSD & PNG waste will be followed. Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). The recyclable waste like packaging material, paper etc. would be sold through vendors. Bio-degradable waste would be disposed through the bio-gas generation plant. There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.	77114		· · · · · · · · · · · · · · · · · · ·		
PNG waste will be followed. ➤ Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). ➤ The recyclable waste like packaging material, paper etc. would be sold through vendors. ➤ Bio-degradable waste would be disposed through the bio-gas generation plant. Topographic features/slope There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.		About 10 m. W10	E Kamsery-Kutmyatnodu Koad, NW Side		
PNG waste will be followed. ➤ Collection & segregation within the site (bio-degradable waste (green bins) & non-biodegradable waste (blue bins). ➤ The recyclable waste like packaging material, paper etc. would be sold through vendors. ➤ Bio-degradable waste would be disposed through the bio-gas generation plant. Topographic features/slope There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.	Storage of explosives	Yes, all precaution	onary measures in the storage & handling of HSD &		
(green bins) & non-biodegradable waste (blue bins). The recyclable waste like packaging material, paper etc. would be sold through vendors. Bio-degradable waste would be disposed through the bio-gas generation plant. Topographic features/ slope There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.					
(green bins) & non-biodegradable waste (blue bins). The recyclable waste like packaging material, paper etc. would be sold through vendors. Bio-degradable waste would be disposed through the bio-gas generation plant. Topographic features/ slope There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.		➤ Collection &	segregation within the site (bio-degradable waste		
Facility for solid waste mgmt The recyclable waste like packaging material, paper etc. would be sold through vendors. Bio-degradable waste would be disposed through the bio-gas generation plant. Topographic features/ slope There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.		 (green bins) & non-biodegradable waste (blue bins). The recyclable waste like packaging material, paper etc. would be sold through vendors. Bio-degradable waste would be disposed through the bio-gas 			
be sold through vendors. Bio-degradable waste would be disposed through the bio-gas generation plant. Topographic features/ slope There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.	Facility for solid waste				
generation plant. Topographic features/ slope There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.	mgmt				
Topographic features/ slope There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.					
shrubs, herbs, grass & climbers at site. The slope of the site is towards east side.					
slope Shrubs, neros, grass & chimoers at site. The slope of the site is towards east side.	Tonographic features/	There are some of native species of trees and different varieties of shrubs, herbs, grass & climbers at site.			
I he slope of the site is towards east side.	. "				
Proneness of the area for No			site is towards east side.		
	Proneness of the area for	No			

landslides					
	No.				
Significant land	No				
disturbance resulting in	·				
erosion, subsidence &					
instability					
	Excavation of earthwork will be carried out at site. The top soil				
Top soil, overburden etc.	which is fertile will be kept at site for landscaping work, back filling				
	& internal road construction purposes.				
	<u> </u>				
Air quality meeting	Yes				
requirements	168				
Noise level meeting	Yes				
requirements	168				
Likely emissions		-1			
affecting environment	Emissions from D.G. sets and from the vehice	cies only.			
	ENERGY				
Energy requirement	1,500 kVA				
Energy sources	KSEB & D. G. Sets (750 kVA x 3 nos. as ba	ack-up)			
Extent of usage of	Solar water heating system for the hot water generation and solar				
alternative energy	power operated street lights.				
resources	berrar abarrar				
BIODIVERSITY					
Presence of any	No	<u> </u>			
endangered species or	NO				
red listed category					
red fisted category	Yes				
·	There are some native tree species and differ	rent variaties of shrubs			
Loss of native species					
and genetic diversity. heros, grass, earnbers existing at sit e. For the development of the					
	proposed project, some of the existing trees will be cut and remaining will, shrubs, herbs, grass & climbers will be cleared.				
T '1-1-1'-1		ers will be cleared.			
Likely displacement of	No				
fauna	T.				
Any introduction of alien	No				
/ invasive species	COCYAL AGDECTES				
	SOCIAL ASPECTS	1			
Proximity to nearest The project site is within the Panchayat limits and several houses					
	V-9//05-2	is and several nouses			
habitation	located within the 500 m. radius.	us and several nouses			
	located within the 500 m. radius.				
	located within the 500 m. radius. Common CSR ACTIVITIES already ca	arried out			
	located within the 500 m. radius.	arried out			
	Common CSR ACTIVITIES already common	arried out			
	located within the 500 m. radius. Common CSR ACTIVITIES already ca	arried out			
habitation	Common CSR ACTIVITIES already cars. SI Particulars N o.	arried out			
CSR related to the	Common CSR ACTIVITIES already cars. SI Particulars N	arried out			
CSR related to the project/ allocation/ time	Common CSR ACTIVITIES already cs Sl Particulars N o. New unit	arried out Rs in lakhs			
CSR related to the project/ allocation/ time frame (details	Common CSR ACTIVITIES already cars. SI Particulars N o.	arried out Rs in lakhs			
CSR related to the project/ allocation/ time	Common CSR ACTIVITIES already cs Sl Particulars N o. New unit	arried out Rs in lakhs			
CSR related to the project/ allocation/ time frame (details	Common CSR ACTIVITIES already carried SI Particulars N o. New unit Proposed common CSR Bu	arried out Rs in lakhs dget			
CSR related to the project/ allocation/ time frame (details	Common CSR ACTIVITIES already castle St. No. New unit Proposed common CSR Bu. St.N Particulars O. Construction of toilets nearby	dget Amount Rs. In lakhs			
CSR related to the project/ allocation/ time frame (details	Common CSR ACTIVITIES already cares of the second common CSR ACTIVITIES already cares of the second care of	arried out Rs in lakhs dget Amount Rs. In			
CSR related to the project/ allocation/ time frame (details	Common CSR ACTIVITIES already cases a second common CSR ACTIVITIES already cases a second common CSR Buston CS	dget Amount Rs. In lakhs About 0.5			
CSR related to the project/ allocation/ time frame (details	Common CSR ACTIVITIES already cares of the state of the s	dget Amount Rs. In lakhs			

	Participating in the social 3. forestry activities of the Panchayat	About 0.5		
	The project proponent has earmarked an amount of Rs. 15 lakhs (non recurring) and Rs. 17 lakhs annually (Recurring) for implementing the activities under Corporate Social Responsibility.			
	GENERAL	distrinty.		
Does it propose environment management plan	Yes			
Does it have eco restoration programmes	Yes Provision for the green area development which includes native species such as medicinal trees, flowering trees, deciduous & evergreen trees, fruit trees, medicinal trees, shrubs & grass coverage.			
Biomedical waste management	Yes, From the proposed hospital, bio-medical waste like infectious beddings, cotton, swabs, used syringes, discarded medicines, etc. would be generated. The bio-medical waste would be segregated at source by providing appropriate colour coded bins / containers as per the colour coding provided in the Bio-Medical Waste (Management & Handling) Rules. The Bio-medical waste from the proposed hospital would be outsourced through a Kerala State Pollution Control Board authorized agency (M/s Indian Medical Association Goes Eco Friendly, IMAGE).			
E-waste management	Yes Discarded computer parts, monitor, key boa waste and this waste will be stored in an ear will be disposed as per e Waste (Manageme 2012.	rmarked area. E-waste		
Sufficiency of parking spaces/ traffic management	Yes, 354 Cars + 107 Two wheelers			
Litigation/court cases, if any, against the project (provide details)	No	·		
Right & nature of ownership of land Is the property forest land/govt. land/own land	Private land Own land			
Details of Authorised Signatory	Fr. Reji K.J., Managing Director, M/s Dr. K.M. Cherian Institute of Medical	Sciences Pvt. Ltd.		

- 2. The height of the proposed building is 35.25m and the total plot area of the proposed project is 12,276m² and the total built-up area is 29,254.19 m². The total power requirement is 1,500 KW which will be sourced through Kerala State Electricity Boards. Renewable energy devices used are solar water heater and solar photovoltaic cells. The total project cost is Rs.123.06 crores. The proponent has stated that there is no litigation pending against the project or land in which project is proposed to be set up.
- 3. The proposed project is registered with the Indian Green Building Council. As per the OM No. 19-58/2011-1A.111 dated 27/06/2011 of MOEF notification, the proposal for

EC in respect of building construction which have obtained Green building rating(pre-certification or provisional certification) under the rating programme of GRIHA,IGBC including LEED India etc by integrating high level of environmental norms in to their building plans, shall get priority for their consideration, out of turn, by the expert appraisal committee/State Level Expert Appraisal Committee, as the case may be. The proponent submitted the Indian Green Building Council certificate.

- 4. The proposal was considered in the 55th meeting of SEAC held on 10/11/20-05/2016. The Committee DEFERRED the item for field visit. It was decided that the subcommittee, among all aspects, may specially look into the aspects of storage of nuclear waste and disposal of other wastes.
- 5. The proposal was again considered in 59th SEAC meeting field on 11th&12th, July, 2016. But the committee deferred the item that the proponent was asked to submit the following additional documents and to inform the proponent regarding this.
 - 1. The land falls in the flood plain of Pamba River with the river at a distance of 70 m. The high flood level is reported to be confined to the river banks. However, the main hospital block should be at least 100m distance from the river.
 - 2. The ground level of the block/ approach road level must be elevated at least by 1 m from the present level to avoid inundation in case of a flood like condition.
 - 3. Considering the general slope of the site towards north, Storm water management plan with connectivity to nearby drain should be provided. The storm water should not be directly discharged into the river.
 - 4. The basement floor planned for parking involves excavation. The excavation should be limited to 2 in considering the shallow water table condition. The excavated earth with a high content of sand must be used internally.
 - 5. RWH facility be enhanced to 600KL
 - 6. Mechanism for waste treatment and disposal was explained. But it should not entrain the river of the local shallow aquifer. Plan should be submitted.
 - 7. Maximise use of solar energy. The detailed plan with quantity to be given.
 - 8. Additional land has been acquired for parking and other ancillary facilities. The precise plan of parking facility with number of vehicles and traffic movement plan should be provided.
 - The proponent submitted the clarification on 23/07/2016.
- 6. The proposal was considered in 60th SEAC meeting held on 28th & 29th, July, 2016. The Committee decided to **defer** the item to submit enhanced parking plan. The proponent submitted the clarification on 09.08.2016. The proposal was considered in the 61st SEAC meeting held on 11th August, 2016. The Committee after examining the Form I, Form IA, Conceptual plan, Field Inspection Report and the other documents and details provided by the proponent, decided to defer the item for verification of the clarifications submitted and further appraisal by a subcommittee consisting of Sri. S. Ajaya Kumar, Sri. P.Sreekumaran Nair and Sri. John Mathai.

- 7. The proposal was again considered in the 62nd SEAC meeting held on 6th & 7th September 2016. The Committee appraised the proposal based on the details provided by the applicant and decided to Recommend for issuance of Environmental Clearance subject to the general conditions and the specific condition that the parking facility should enhance as committed in the revised plan.
- 8. SEIAA in its 60th meeting held on 27th October 2016 decided to accept the recommendation of SEAC on the condition that all the general and specific conditions should be strictly implemented.
- 9. Therefore Environmental Clearance as per the EIA notification 2006 is hereby accorded for the proposed M/s Dr.K.M.Cherian Institute of Medical Sciences Pvt.Ltd Survey Nos.534/10, 534/10-2, 534/12, Thiruvanvandoor Village Alappuzha District, Kerala subject to the clarifications, conditions mentioned in para 5 & 7 above. The clearance will be subject to all the environmental impact mitigation and management measures envisaged by the project proponent in the documents submitted to SEIAA, the mitigation measures specified against each in the table in para 1 above. The assurances in form 1A of the application (Appendix II) and clarifications given by the proponent will be deemed to be part of these proceedings as if incorporated herein. Also the general conditions for projects other than mining appended hereto and the following green guidelines will be applicable and have to be strictly adhered to.
 - Technology and capacity of the STP to be indicated with discharge point (if any) of the treated effluent.
 - Effluent water not conforming to specifications shall not be let out to water bodies.
 - Maximum reuse of grey water for toilet flushing and gardening and construction work shall be ensured.
 - Dual plumbing for flushing shall be done.
 - Provisions for disposal of e-wastes, solid wastes, non-biodegradables and separate parking facility for the buildings shall be provided.
 - Generation of solar energy to be mandatory for own use and/or to be provided to the grid
 - Mitigation measures to reduce carbon dioxide production as part of climate change action shall be adopted.
- 9. Validity of the Environmental Clearance will be seven years from 16/2/2017 subject to earlier review in the event of noncompliance or violation of any of the conditions stipulated herein.
- 10. Compliance of the conditions herein will be monitored by the Directorate of Environment and Climate Change or its agencies and also by the Regional Office of the Ministry of Environment and Forests, Govt. of India, Bangalore.
 - i) Necessary assistance for entry and inspection by the concerned officials and staff should be provided by the project proponents.

- ii) Instances of violation if any shall be reported to the District Collector, Alappuzha to take legal action under the Environment (Protection) Act 1986.
- iii) The given address for correspondence with the authorized signatory of the project is, Fr. Reji.K.J., Managing Director, M/s Dr.K.M.Cherian Institute of Medical Sciences Pvt.Ltd, Thazhathetil No.II, Kallissery.P.O., Chenganoor, Alappuzha, Kerala- 689 124.

Sd/-V.S. SENTHIL, I.A.S., Member Secretary (SEIAA)

To,

Fr.Reji.K.J., Managing Director,
M/s.Dr. K.M.Cherian Institute of Medical Sciences Pvt Ltd.,
Thazhathetil No.II, Kallissery.P.O.,
Chenganoor, Alappuzha, Kerala – 689 124

Copy to

- 1. MoEF Regional Office, Southern Zone, KendriyaSadan, 4th Floor, E&F Wing, II Block, Koramangala, Bangalore-560034
- 2. Additional chief Secretary to Government, Environment Department,
- 3. The District Collector, Alappuzha
- 4. The District Town Planner, Alapouzha
- 5. Tahsildar, Chenganoor Taluk
- 6. Member Secretary, Kerala State Pollution Control Board, Pattom
- The Secretary Thiruvan vandoor Grama Panchayat, Chenganoor, Alappuzha Chairman, SEIAA
- 9. Website
- Stock File

11. O/c

Forwarded/By Order

Administrator (SEIAA)

GENERAL CONDITIONS (for projects other than mining)

- (i) Rain Water Harvesting capacity should be installed as per the prevailing provisions of KMBR / KPBR, unless otherwise specified elsewhere.
- (ii) Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.
- (iii) Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, inclusive of approach road and internal roads.
- (iv) The project shall incorporate devices for solar energy generation and utilization to the maximum possible extent with the possibility of contributing the same to the national grid in future.
- (v) Safety measures should be implemented as per the Fire and Safety Regulations.
- (vi) STP should be installed and made functional as per KSPCB guidelines including that for solid waste management.
- (vii) The conditions specified in the Companies Act, 2013 should be observed for Corporate Social Responsibility.
- (viii) The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the project.
- (ix) Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating activity.
- (x) All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.
- (xi) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Authority.
- (xii) The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- (xiii) The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
- (xiv) The environmental safeguards contained in the EIA Report should be implemented in letter and spirit.
- (xv) Provision should be made for supply of kerosene or cooking gas and pressure cooker to the labourers during construction phase.
- (xvi) Officials from the Regional of MOEF, Banglore who would be monitoring the implementation of environmental safeguards should be given full co-operation, facilities and documents/data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF should be forwarded to the CCF, Regional Office of MOEF, Bangalore.
- (xvii) These stipulations would be enforces among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control Pollution) at 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.

(xviii) Environmental Clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No.460 of 2004 as may be applicable to this project.

(xix) Any appeal against this Environmental Clearance shall lie with the National Environment Appellate Authority, if preferred, within a period of 30 days as prescribed under section

11 of the National Environment Appellate Act, 1997.

The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the Department of Environment and Climate Change, Govt. of Kerala and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.

(xxi) A copy of the clearance letter shall be sent by the proponent to concerned GramaPanchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The Environmental Clearance shall also be put

on the website of the company by the proponent.

- The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the Directorate of Environment and Climate Change, Govt. of Kerala.
- (xxiii) The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40.
- (xxiv) The proponent should provide notarized afficient (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.

SPECIFIC CONDITIONS

I.Construction Phase

- i. "Consent for Establishment" shall be obtained from Kerala State Pollution Control Board under Air and Water Act and a copy shall be submitted to the Ministry before start of any construction work at the site.
- ii. All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
- iii. A First Aid Room will be provided in the project both during construction and operation of the project.
- iv. Adequate drinking water and sanitary facilities should be provided for construction workers at the site, Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- v. All the topsoil excavated during construction activities should be stored for use in horticulture/landscape development within the project site.

- vi. Disposal of muck during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- vii. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- viii. Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into the ground water.
- ix. Any hazardous waste generated during construction phase, should be disposed off as per applicable rules and norms with necessary approval of the Kerala State Pollution Control Board.
- x. The diesel generator sets to be during construction phase should be low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.
- xi. The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.
- xii. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to the applicable air and noise emission standards and should be operated only during non-peak hours.
- xiii. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/KSPCB.
- xiv. Fly ash should be used as building material in construction as per the provisions of Fly Ash Notification of September, 1999 and amended as on 27th August 2003. (The above condition is applicable Power Stations).
- xv. Ready mixed concrete must be used in building construction.
- xvi. Storm water control and its re-use per CGWB and BIS standards for various applications.
- xvii. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- xviii. Permission to draw ground shall be obtained from the Computer Authority prior to construction/operation of the project.
- xix. Separation of grey and black water should be done by the use of dual plumbing line for separation of grey and black water.
- xx. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- xxi. Use of glass may be reduced by upto 40% to reduce the electricity consumption and load on airconditioning. If necessary, use high quality double glass with special reflective coating in windows.
- xxii. Roof should meet prespective requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfil requirement.
- Opaque wall should meet perspective requirement as per energy Conservation Building Code which is proposed to be mandatory for all airconditioned spaces while it is aspirational for non-airconditioned spaces by use of appropriate thermal insulation material to fulfil requirement.

- xxiv. The approval of the competent authority shall be obtained for structural safety of the buildings due to earthquake, adequacy of fire fighting equipments, etc. as per National, Building Code including protection measures from lightening etc.
- xxv. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
- xxvi. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the protect proponent if it was found that construction of the project has been started without obtaining environmental clearance.

II. Operation Phase

- i. The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the Ministry before the project is commissioned for operation. Treated affluent emanating from STP shall be recycled / reused to the maximum extent possible. Treatment of 100% grey water by decentralised treatment should be done. Discharge of unused treated affluent shall conform to the norms and standards of the Kerala State Pollution Control Board. Necessary measures should be made to mitigate the odour problem from STP.
- ii. The solid waste generated should be properly collected and segregated. Wet garbage should be composted and dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
- iii. Diesel power generating sets proposed as source of back up power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Kerala State pollution Control Board.
- iv. Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
- v. The green belt of the adequate width and density preferably with local species along the periphery of the plot shall be raised so as to provide protection against particulates and noise:
- vi. Weep holes in the compound walls shall be provided to ensure natural drainage of rain water in the catchment area during the monsoon period.
- vii. Rain water harvesting for roof run-off and surface run-off, as plan submitted should be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease. The borewell for rainwater recharging should be kept at least 5 mts.above the highest ground water table.
- viii. The ground water level and its quality should be monitored regularly in consultation with Central Ground Water Authority.
 - ix. Traffic congestion near the entry and exit points from the roads adjoining the purposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
 - x. A Report on the energy conservation measures confirming to energy conservation norms finalise by Bureau of Energy Efficiency should be prepared incorporating details about building materials & technology, R & U Factors etc and submit to the Ministry in three months time.

- xi. Energy conservation measures like installation of CFLs/TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible.
- xii. Adequate measures should be taken to prevent odour problem from solid waste processing plant and STP.
- xiii. The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.

III Post Operational Phase

Environmental Monitoring Committee with defined functions and responsibility should foresee post operational environmental problems e.g. development of slums near the site, increase in traffic congestion, power failure increase in noise level, natural calamities, and increase in suspended particulate matter etc. solve the problem immediately with mitigation measures

For Member Secretary, SEIAA

