

Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. P.H.Kurian, I.A.S., Member Secretary.

Sub:

SEIAA- Environmental Clearance for the proposed Masonry Stone Mine (Quarry) project of Sri. P.K. Prasad in survey Nos. 396/1B2, 397/1-1,

396/1B2, 397/1-1, 397/1-1, of Varapetty Village & Panchavat.

Kothamangalam Taluk, Ernakulam District, Kerala - Granted - Orders issued.

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, KERALA

No. 1103/EC/SEIAA/KL/2017

Dated, Thiruvananthapuram. 27/02/2018

Ref:

- 1. Application dated 27.10.2016 from Mr. P.K. Prasad, "Parackal House", North Mazhuyanoor P.O., Ernakulam District, Kerala-686669
- 2. Minutes of the 72nd meeting of SEAC held on 08th & 09th May 2017.
- 3. Minutes of the 76th meeting SEAC held on 25th & 26th July 2017.
- 4. Minutes of the 74th meeting of SEIAA held on 9th October 2017.
- 5. Minutes of the 79th meeting of SEIAA held on 9th January 2018
- 6. Affidavit received on 4/11/2017 from Mr. P.K. Prasad, "Parackal House", North Mazhuvanoor P.O., Ernakulam District, Kerala-686669

ENVIRONMENTAL CLEARANCE NO.26/2018

Mr. P.K. Prasad, "Parackal House", North Mazhuvanoor P.O., Ernakulam District, Kerala-686 669. vide his application received on 02.03.2017, has sought Environmental Clearance under EIA Notification, 2006 for the proposed quarry project in survey Nos. 396/1B2, 397/1-1, 396/1B2, 397/1-1 & 397/1-1, Varapetty Village & Panchayat, Kothamangalam Taluk, Ernakulam District, Kerala for an area of 7.6606 Hectares. The project comes under Category B, Activity 1(a), (i) as per the Schedule of EIA Notification 2006 (since it is below 50 hectares) and as per O.M. No. L-11011/47/2011-IA.II(M) dated 18th May 2012 of Ministry of Environment and Forests. The project comes under Category B2 as per Notification No.S.O.141 (E) dt.15.01.2016 of Ministry of Environment and Forests, since the area of the project is below 25 hectares.

Details of the project as furnished by the applicant are as follows:

BASIC INFORMATION OF QUARRY PROJECT PART A

I. Project details		
File No.	1103 / EC / SEIAA / KL / 2017	
Name /Title of the project	The Masonary Stone Mine Qaurry Project of Mr.P.K.Prasad Survey Nos. 396/1B2, 397/1-1, 396/1B2, 397/1-1 & 397/1-1 of Varapetty Village & Panchayat, Kothamangalam Taluk, Ernakulam District, Kerala in area 7.6606 hectares.	
Name and address of project proponent.	Mr. P.K. Prasad, "Parackal House", North Mazhuvanoor P.O., Ernakulam District, Kerala-686669. Mobile No. 09447747315. E-mail:-parackalgranite@gmail.com	
Owner of the land	Private owned land with rocky area	
Survey No. District/Taluk/ and Village etc.	Survey Nos. 396/1B2, 397/1-1, 396/1B2, 397/1-1, 397/1-1 of Varapetty Village & Panchayat, Kothamangalam Taluk, Emakulam District, Kerala.	
Details of period of lease or permit with number including the and expiry of lease/permit (Copy to be	The quarry is working with a mining lease for an area of 3.4900 ha. (Order No. 842/2008-09/1403/M3/2009 with validity up to June, 2019). Further, the quarry has obtained another mining lease for an area of 4.8563 ha (Order No. 831/2006-07/9297/M3/2006 with validity up to April, 2019), but there is no mining activity started in this area. The copies of leases are attached with this Performa.	
attached)		
Present Status of the project a. Date & Year of starting the work of the quarry project.	Working Quarry since June, 2009.	
b. whether the quarry is working at present or not?	Yes, the quarry is working with a mining lease for an area of 3.4900 ha. (Order No. 842/2008-09/1403/M3/2009 with validity up to June, 2019). Further, the quarry has obtained another mining lease for an area 4.8563 ha (Order No. 831/2006-07/9297/M3/2006 with validity up to April, 2019), but there is no mining activity started in this area. The copies of mining leases are attached with this Performa.	
c. If stopped working since when?	No, not applicable	
Date of submission of Application	02.03.2017	
Brief description of the project.	The land for the proposed quarry is a private owned land and the land is possessed in the name of Mr. P. K. Prasad. The targeted production of mine	

_	· <u> </u>	will be 3,	20,000 MTA. The estima	ated project cost will be about Rs. 10
		mining ope	er expected life of mine exaction will be carried out	estimated will be about 12 years. The by opencast semi-mechanized method as
	<u> </u>	per the app	roved Mining Plan.	
	Details of Mr. P.K. P.		rasad, Owner,	
	uthorized		House", North Mazhuvan	oor P.O.,
	ignatory and		District, Kerala-686669.	
	ddress for orrespondence		. 09447747315.	
	П.	_Б-тап :- р	arackalgranite@gmail.com	Land Details
a)			7.6606 Hectare	
<u> </u>	Extent of area in	n hectares	7.0000 Hectare	
b)				
	Is the property f land/Govt. land		Private own land	
	/patta land	own land		
	Tpatta fanti		It is estimated that are	und 29,220 cu. m. of top soil will be
			generated from the prop	osed pit, which will be properly stacked
			and will be utilized for r	plantation over the reclaimed areas. Also
1			it is estimated that area	mid 52,415 cu. m. of OB is generated
	•		throughout the mine life.	
(c)				y of 29,220 cg. m, of topsoil is proposed
	Quantity of top:		to be removed during	the mining operations. The topsoil
	burden produced	d and		rry will be dumped separately at pre-
	managed	.k	determined place and su	bsequently will be utilized in spreading
		a Šia		plantation. Precautions will be taken to
ĺ		2077	limit the height of the to	psoil dump to 5 to 6 meters in order to
				shelf life. It will be suitably protected
!	.04		leguminous plants during	afertility by planting fodder grass and
d)			Latitude (N)	10° 00'39.06" to 10° 00'52.94" N
	Latitude and Lor	ngitude	Longitude (E)	76° 38'26.64" to 76° 38'43.28" E
		V. X.		l is rock area and the remaining land is
اها				, shrubs, herbs, grass, climbers, bushes
e)	Topography of la	and and	etc. The topography of	the lease area is hilly. The highest
•	elevation	and and	elevation of the lease ar	ea is 90 m MSL and lowest is 45 m
				ea is hill rock, the drainage of the lease
	413.1423		area is towards NE.	
f)	Clama amalamia		The drainage of the lease	area is towards NW.
g)	Slope analysis		· · · · · · · · · · · · · · · · · · ·	
5)	Will there be any	7		i
	significant land	!	Zone-III, Moderate da	mage risk zone as par BMTPC,
	disturbance resul	ting in	Vulnerability atlas Seismi	ic zone of India IS: 1893-2002.
	soil erosion, subs			201011111111111111111111111111111111111
	natural drainage.			
h)				
	Access road to th		7m tarred road	
**	width and condit	ion		
i)	W7:11 41 1		No, the land used will b	e fully reclaimed and rehabilitated by
	Will there be any		backfilling the pond and	plantation. Plantation and afforestation
	impact on the aes	unetics of	will add to the improvement	ent in environment and aesthetic beauty

the proposal site	of the area.
Minimum and Maximum height of excavation.	The exploitation of mineral is being done from 90 m to 45 MSL in conceptual phase.
b) Life of mine proposed.	About 12 years.
c) Underground mining if any proposed	method as per the approved withing rian.
d) Method of Mining	The working will be carried out by opencast semi-mechanized method as per the approved Mining Plan
e) Distance from the adjact	A quarry of M/s Parackal Granite Kerala Pvt. Ltd. with an area of 2.6802 ha is the nearest quarry in operation with Environment Clearance and mining lease.
f) Cluster condition if any	No cluster condition
g) Has "No cluster certificate" submitted?	Yes, cluster certificate is already submitted with Environment Clearance Application.
h) Distance from nearby habitation	About 101m towards NW
i) Distance from nearby forest, if applicable	None within the study area.
j) Distance from protected area, Wildlife Sanctuary National Park etc.	None within study area
k) Distance from nearby streams/rivers/National Highway and Roads	Muvattupuzha River, 4 km, W Kaliyar Rivet, 5 km, S
l) Is ESA applicable? If so distance from ESA limit	
m) Has approved mining plan, prepared by RQP submitted?	Yes, the approved mining plan prepared by RQP is already submitted with E.C. Application.
n) Capacity of production TPA	3,20,000 MIL/S
o) Details of mining process	mechanized method as per the approved withing 1 mm.
П.	Details of Project cost
a) Land cost	₹. 10 Cr
b) Plant and Machinery	₹. 10 Crores
c) Total Cost	Rs. 20 Crores (All inclusive)

-	 	
	Financial Statement including funding source	Rs. 10 Crores (All inclusive)
	and details of insurance etc.	Insurance = Insurance to the quarry workers would provide through insurance company.
		Funding = Own source & bank loan
	Management Plan	Mining activities will generate certain quantities of dust during drilling, blasting, loading and transportation operations. The following measures will be taken to mitigate the fugitive dust from different operations. Laying of haul road as per the standards, black topping of permanent haul road and service road to avoid or eliminate air—borne dust. To avoid the dust generation from the drilling operations, wet drilling method will be adopted. Drill machines will be equipped with dust collectors. Use of appropriate explosives for blasting and avoiding overcharging of blast holes. Controlled blasting techniques will be adopted. Watering of haul road and other road at regular intervals. Provision of dust filters/ mask to workers working at highly dust prone and affected areas. Provision of green belt all along the periphery of the lease area. Periodical monitoring of ambient air quality in and around the lease area. The extracted mineral will be transported from the quarry to the end user by adopting following measures so as to minimize dust emissions. In case of long transportation the trucks after loading will be covered with tarpaulin sheets. Speed of the vehicles will be maintained within the prescribed limits. Trucks will not be over loaded

		and will be maintained to the
At		body level
	Water Pollution	Provision of storm water collection pond with an appropriate capacity. The water requirement for sprinkling on sources of dust
	Noise	emission, on roads, landscaping etc. Can be met from the stored rainwater in the pond. The major noise generating source
	NOISC	from the proposed activity is working machinery, drilling, blasting and plying of vehicles. The following control measures are to be undertaken to bring down the noise levels:-
		Proper maintenance of machinery, equipments and improvement on design of machines. Use of personal protective
		devices i.e., carmulfs and earplugs by workers, who are working in high noise generating areas. Creation of wide green belt of dense foliage between mine
		areas and residential colonies. • Proper training to personnel to create awareness about adverse noise level effects. • Planned noise monitoring at
	Solid	suitable locations in the plant and outside location for proper effective remedial actions.
	Waste Manageme nt	The year wise programme of eco-restoration for life
	restoration	of mine will be made and about 5,900 trees will be planted in an area of 5.927 ha.
VI. Whether Environment Management Plan or Eco restoration Plan satisfactory?	Detailed Env E.C. Applicat	rironment Management Plan is already submitted with tion.
VII. Does it suggest mitigation measures for each activity	E.C. Applicat	<u> </u>
VIII. If Pre-Feasibility	Detailed Pre-	Feasibility Report (PFR) is already submitted with E.C.

Report (PFR)	Application.
satisfactory	Approaton.
IX. Does it need	NT-4 A1:11
public hearing	Not Applicable
X. Details of	
litigation and Court	No litigation pending
verdict if any	
XI. Details of public	None
complaint, if any	
	The following Govt. Orders / Policies are to be followed:-
	 Kerala Minor Mineral Concession Rules, 2015. Mines Act, 1952
XII. Details of	Explosive Rules, 2008
statutory sanction	➤ Kerala Panchayat Raj Act, 1994
required	➤ Environment Protection Act, 1986
	➤ EIA Notification, 2006 / 2009
]	> The Kerala Promotion of Tree Growth in Non-Forest Areas
Year To Go	(Amendment) Act 2007.
XIII. If CRZ recommendation	
applicable?	Not Applicable
appheable?	DADED
Fnviro	PART B onment Impact Assessment and Mitigation Measures
2,117110	Impact on water
a)	The total water requirement is about 15 KLD in which 1 KLD is for
Details of water	domestic purpose which would be sourced from open well, 12 KLD
requirement per day	for dust suppression in mine as well as ancillary unit and 2 KLD for
in KLD	plantation purposes and will be sourced from storm water pond.
b)	1 KLD is for domestic purpose which would be sourced from open
Water source /	well, 12 KLD for dust suppression in mine as well as ancillary unit
sources.	and 2 KLD for plantation purposes and will be sourced from storm water pond.
c)	matter pond.
Expected water use	15 KLD
per day in KLD.	
d) (
Details of water	12 KLD for dust suppression in mine as well as ancillary unit and 2
requirements met	KLD for plantation purposes and will be sourced from storm water
from water	pond.
harvesting,	
That are the impact	No significant impact anxionand and
of the proposal on	No significant impact envisaged on ground water due to the mining project.
the ground water?	projecti.
f)	
How much of the	
water requirement	
can be met from the	No STP proposed for treatment of waste water.
recycling of treated	21. proposed for a calificial of waste water.
waste water?	
(Facilities for liquid waste treatment)	
waste treatment)	

(-)	· · · · · · · · · · · · · · · · · · ·	
(g)	What is the	
	incremental pollution load from waste water generated from the proposed activities?	The sewage to a tune of 0.80 KLD generated from the mine office will be diverted to the septic tank followed by soak pit.
h)	How is the storm water from within the site managed?	The run-off from the lease area will be suitably collected through channels and will be stored in storm water pond for further utilization in Mine/ Crusher units. However, all measures will be taken to not to disturb the natural drainage system of the surrounding area.
	Impac	t on Biodiversity and Eco restoration Programmes
a)	Will the project involve extensive clearing or modification of vegetar (Provide details)	species and vegetation. However, some of these species will be
b)	What are the measures proposed to minimize the likely impact on vegetation (details of proposal for tree plantation/landscaping	The year wise programme of eco-restoration for life of mine will be made and about 5,900 trees will be planted in an area of 5.927 ha.
***	Is there any displacement of faut both terrestrial and aquatic. — If so what the mitigation mease ? d) Presence of any endangered species red listed category (detail)	Not applicable are are are or No endangered species found at site
	w (tetarr)	Impact on Air Environment
		Mining activities will generate certain quantities of dust during drilling, blasting, loading and transportation operations. The following measures will be taken to mitigate the fugitive dust from different operations.
a	What are the mitigation measures or generation of dust, smoke and air quality	 Laying of haul road as per the standards, black topping of permanent haul road and service road to avoid or eliminate air – borne dust. To avoid the dust generation from the drilling operations, wet drilling method will be adopted. Drill machines will be equipped with dust collectors. Use of appropriate explosives for blasting and avoiding overcharging of blast holes. Controlled blasting techniques will be adopted. Watering of haul road and other road at regular intervals.

	Provision of Aust Cleary/ mode to available evaluation at highly
	Provision of dust filters/ mask to workers working at highly dust prone and affected areas.
	 Provision of green belt all along the periphery of the lease area. Periodical monitoring of ambient air quality in and around the lease area.
b) Details of internal traffic management of the site.	 The extracted mineral will be transported from the quarry to the end user by adopting following measures so as to minimize dust emissions. In case of long transportation the trucks after loading will be covered with tarpaulin sheets. Speed of the vehicles will be maintained within the prescribed limits. Trucks will not be over loaded and will be maintained to the body level
c) Details of noise from traffic, machines and vibrator and mitigation measures	 Creation of wide green pelt of dense foliage between mine areas and residential colonies. Proper training to personnel to create awareness about adverse noise level effects.
	Planned noise monitoring at suitable locations in the plant and outside location for proper effective remedial actions.
d) Impact of DG sets and other equipments on noise and vibration and ambient air quality around the project site and mitigation	
measures	
e) Air quality monitoring in detail	The ambient air quality monitoring of the project site was carried out and the copy of report is already submitted with E.C. Application.
a) Details of power requirement and source of supply.	The total power requirement will be 75 kW, which will be drawn from diesel engine. Fuel Quantity – 16 to 20 lt/ hr.
b) Details of renewable energy (non – conventional) used.	The total power requirement will be 75 kW, which will be drawn from diesel engine. Fuel Quantity – 16 to 20 lt/ hr.
	Risk Management
a) Are there sufficient measures proposed for risk hazards in case of emergency such as accident at the site?	Detailed Environment Management Plan is already submitted with E.C. Application.

b)				
b) Are proposals for				,
fencing around the quarry satisfactory?	Barbed wire fencing will be	_		
c) Storage of explosives /hazardous substance in detail.	The stone quarry mine will remining the mineral. However of holes will be carried out envisaged due to mishandling with utmost care in comp Controller of Explosive & Me	; controlled blasting with to loosen the rock. Explo- g of explosives. Explosive liance of conditions im	optimum charge sion hazards are s will be handled posed by Chief	
d) Facility for solid waste management	Top soil and over burden separately on earmarked place internal road development.			\$
a) Will the project cause adverse effects on local communities disturbance to sacred sites or other cultural values. What are the safe guards proposed?	The proposed project will of providing employment development in and arou facilities/ infrastructure eventhe area.	opportunities. With	the proposed be supporting	
b) Will the proposal result in any changes to the demographic structure of local population. If so, provide details	Part of the proposed land is rocky area and there is no vegetation in that area. The remaining land in the proposed land is mostly covered with native trees, shrubs, herbs, grass, climbers, bushes etc. The topography of the lease area is hilly terrain. The highest elevation of the lease area is 90 MSL and lowest is 45 m MSL. As the proposed area is hill rock, the drainage of the lease area is towards NE.			
	No Areas of Interventio	n Recurring Expenses (in Rs.)	Non Recurring Expenses (in Rs.)	
	T. Environmental Sustainability	4,75,000	3,00,000	
c) Arcthe CSR proposals	2 Development of Infrastructure	4,25,000	5,75,000	
satisfactory. Give details	3 Health care	2,80,000	Nil	
detalls	4 Promotion of Education	2,50,000	6,00,000	
	Total	14,30,000 Say Rs. 15 Lakhs	14,75,000 Say Rs. 15 Lakhs	
	The detailed CSR activitie brief summary of CSR acti		application and	
d) What are the projects benefits in terms of employment potentia	Due to the mining activit there will be workers attu-	y and due to the attacheracted to the project area		
	TAKIC			
Details of NABET approved				

	M/s Environmental Engineers & Consultants Pvt. Ltd.
accreditation details	(NABET-Accredited Consultant Organization) Head Office: - A1-198, Janak Puri, New Delhi. Branch Office: - C-306, Kanchanjunga Apartments, Palarivattom P.O., Kochi, Kerala.
a) Overall justification for implementation of the project.	It is predicted that socio-economic impact due to this project will positively increase the chance of more employment opportunities for local inhabitants. There are no Resettlement and Rehabilitation issues involved in this project. The project infrastructures will be of use to people of the area. The revenue of the State Govt. will be definitely increasing due to the proposed activity. The entire project area is devoid of any endangered flora and fauna. It is proposed to reclaim the land and develop green cover for eco-restoration with native species to a maximum possible extent. Additionally, an area is earmarked outside the proposed mining area for compensatory mass plantation. Also, a storm water pond is proposed outside the mining area for storage of rain water and for its subsequent use so as to conserve fresh water consumption. Thus the proposed project is not likely to affect the environment or adjacent ecosystem adversely.
b) Explanation of how adverse impacts have been mitigated.	Detailed Pre-Feasibility Report (PFR) with Environment Management Plan (EMP) is already submitted with E.C. Application.

2. The proposal was placed in the 72nd meeting of SEAC held on 08th & 09th May 2017. The Committee appraised the proposal based on the Mining Plan, Pre-feasibility Report and all other documents submitted along with Form1.

The proponent agreed to set apart Rs.25 lakh (non-recurring) and Rs.20 lakh per annum (recurring) for CSR activities for the welfare of the local community in consultation with the local Panchayat. The Committee decided to defer the item for field inspection.

Field visit to the above project site was carried out on 07th July 2017 by the sub-committee of SEAC comprising of Er.P.Sreekumaran Nair & Dr.K.G.Padmakumar. The report stated that:

The office and quarry premises are maintained well. Benching is adhered to in quarrying. The storm water collection pond is maintained properly. The proponent had also communicated willingness for providing Rs.25 lakhs on CSR activities. However, the nearest habitation is at 101 m. down side towards NW and several houses are located within the 500 m radius. The proponent has agreed to increase the buffer distance from the quarry by another 10 m over and above the present buffer distance of 7 m on the NW side so that the ultimate operating distance from the nearest house will be 118 m to help reduce impacts to the habitant on this side. This shall be

insisted to. Also, the proponent shall put up safety fences all around the inner margin of the benches in the operational quarry as a matter of safety for men and machinery.

- 3. The proposal was considered in the 76th meeting SEAC held on 25th & 26th July 2017. The Committee appraised the proposal based on Form I, Pre-feasibility Report, Mining Plan, field inspection report of the Sub Committee and all other documents submitted with the proposal. The Committee decided to Recommend for issuance of EC subject to general conditions in addition to the following specific condition for mining.
 - 1) If any rare, endemic and threatened plant species are noticed, they shall be properly protected insitu or transplanted to a suitable site inside the lease area.
- 4. The proposal was considered in the 74th meeting of SEIAA held on 9th October 2017. Authority accepted the recommendation of SEAC and decided to issue EC subject to obtaining legal opinion as decided in the 66th SEIAA meeting whether quarrying on lease areas without Environmental Clearance also come under the scope of violation. EC is recommended subject to the general condition in addition to the above specific condition mentioned in the inspection report.

The proponent should set apart an amount of Rs.25 lakhs (non-recurring) and 20 lakhs (recurring) per year for CSR activities for the welfare of the local community in consultation with the local Panchayat. A notarised affidavit for the commitment of CSR activities and also agreeing all the general and specific conditions should be submitted before the issuance of EC.

- 5. The proposal was again placed in the 79th meeting of SEIAA held on 9th January 2018 for obtaining legal opinion. The Authority has noted that there is no violation in this case and hence decided to issue EC. The proponent has submitted an affidavit vide reference 6th cited, satisfying all the above conditions.
- 6. Environmental clearance as per the EIA notification 2006 is hereby accorded for the proposed building stone quarry project of Mr.P.K.Prasad, "Parackal House", North Mazhuyanoor, P.O., Ernakulam District- 686 669 in Survey Nos.396/1B2, 397/1-1, 396/1B2, 397/1-1 of Varapetty Village & Panchayat, Kothamangalam Taluk, Ernakulam District in an area of 7.6606 hectares subject to the specific conditions as recommended by SEIAA in para 4th above, all the environmental impact mitigation and management measures undertaken by the project proponent in the Form I, EMP, PFR and Mining plan submitted to SEIAA. The assurances and clarifications given by the proponent will be deemed to be a part of these proceedings as if incorporated herein. Also the general conditions for projects stipulated for mining (items 1 to 61), appended hereto will be applicable and have to be strictly adhered to.

- 7. The clearance issued will also be subject to full and effective implementation of all the undertakings given in the application form, mitigation measures as assured in the Environment Management Plan and the mining features including progressive mine closure plan as submitted with the application and relied on for grant of this clearance. The above undertakings and the conditions and the undertakings in Chapter 2.1 (Mining), Chapter 18.c (Blasting), Chapter 19(Progressive Mine Closure Plan) of the Mining Plan as submitted will be deemed to be part of this proceedings as conditions as undertaken by the proponent, as if incorporated herein.
- 8. Validity of the Environmental Clearance will be five years from the date of this clearance, subject to inspection by SEIAA on annual basis and compliance of the conditions, subject to earlier review of E.C in case of violation or non-compliance of conditions or genuine complaints from residents within the security area of the quarry.
- 9. Compliance of the conditions herein will be monitored by the State Environment Impact Assessment Authority or its authorised offices and also by the regional office of the Ministry of Environment & Forests, Govt. of India. Bangalore.
 - i. Necessary assistance for entry and inspection should be provided by the project proponent and those who are engaged or entrusted by him to the staff for inspection or monitoring.
 - ii. Instances of violation if any shall be reported to the District Collector, Ernakulam to take legal action under the Environment (Protection) Act 1986.
- iii. The given address for correspondence with the authorised signatory of the project is Mr.P.K.Prasad, "Parackal House", North Mazhuvanoor.P.O., Ernakulam District, Kerala 686 669.

Sd/-P.H.Kurian I.A.S, Member Secretary (SEIAA)

To.

Mr.P.K.Prasad,
"Parackal House",
North Mazhuvanoor.P.O.,
Ernakulam District, Kerala – 686 669.

Copy to,

- 1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block, Koramangala, Bangalore-560034.
- 2. The Additional Chief Secretary to Government, Environment Department, Government of Kerala.
- 3. The Director, Mining & Geology, Thiruvananthapuram -4.
- 4. The Member Secretary, Kerala State Pollution Control Board
- 5. The District Collector, Ernakulam
- 6. The District Geologist, Ernakulam
- 7. The Tahsildhar, Kothamangalam Taluk
- 8. Chairman, SEIAA.
- 9. Website.
- 10. S/f
- 11. O/c

Forwarded /By Order

Administrator (SEIAA)

olc

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA

GENERAL CONDITIONS (for mining projects)

- 1. Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR / KPBR, unless otherwise specified.
- 2. Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.
- 3. Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including of approach road and internal roads.
- 4. Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.
- 5. Sprinklers shall be installed and used in the project site to contain dust emissions.
- 6. Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.
- 7. At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of pit is stipulated in the E.C.
- 8. Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented
- 9. The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc) shall be protected at all times and shall be conspicuous.
- Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.
- 11. Control measures on noise and vibration prescribed by KSPCB should be implemented.
- 12. Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.
- Blasting should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
- 14. A licensed person should supervise/ control the blasting operations.
- Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.
- 16. Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan / specific conditions.
- 17. Height of benches should not exceed 5 m, and width should not be less than 5 m, if there is no mention is the mining plan/specific condition.
- 18. Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.
- 19. Maximum depth of mining from general ground level at site shall not exceed 10m
- 20. No mining operations should be carried out at places having a slope greater than 45°.
- 21. Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.
- 22. The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.
- 23. Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.
- 24. The transportation of minerals should be done in covered trucks to contain dust emissions.
- 25: The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the project.
- 26. Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.
- 27. Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.
- A minimum buffer distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.
- 29. 100 m buffer distance should be maintained from forest boundaries.

- 30. Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.
- 31. All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.
- 32. In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which only the E.C is issued, the project would require a fresh appraisal by this Authority, for which the proponentshall apply and get the approval of this Authority.
- 33. The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- 34. The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
- The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.
- A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.
- The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office.
- The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public
- 39. The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.
- 40. No change in mining technology and scope of working should be made without prior approval of the SEIAA, No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.
- 41. The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.
- 42. Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points & transfer point to reduce fugitive emissions.
- 43. The top soil, if any, shall temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.

- 44. Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.
- 45. Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM₁₀ and PM_{2.5} such as haul Road, loading and unloading points and transfer points it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- 46. Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.
- 47. Measures should be taken for control of noise levels below 85 dBA in the work environment.
- 48. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 49. The funds earmarked for environmental protection measures and CSR activate should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.
- The Regional Office of MOEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (S) of the Regional Office by furnishing the requisite data/information/monitoring reports.
- Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- The SEIAA may revoke or suspend the order, for non implementation of any of the specific or thisimplementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
- 54. The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any other authority for the same project.
- This order is valid for a period of 5 years or the expiry date of mine lease period issued by the Government of Kerala, whichever is earlier.
- 56. The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.
- 57. The mining operation shall be restricted to above ground water table and it should not intersect ground water table.
- All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution taking centre. Washing of all vehicles shall be inside the lease area'
- 59. Project proponent should obtain necessary prior permission of the competent authorities for drawal of requisite quantity of surface water and ground water for the project.
- Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly reports to SEIAA.
- 61. Occupational health surveillance program of the workers should be under taken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.

For Member Secretary, SEIAA Kerala

