

ABSTRACT

State Environment Impact Assessment Authority, Kerala - Removal of Ordinary Earth from Sy. no. 143/17 at Melila Village and Melila Panchayath, Kottarakkara Taluk, Kollam District, Kerala. Application of Sri. Rajan George, Charuvila Puthen Veedu, Karikkom P.O. Kottarakkara- 691531
Environmental Clearance - Issued

STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY

No. 355/SEIAA/EC3/2510/2014

Date: 18.04.2015

- Ref: 1. Application dated 26-04-2014 from Sri. Rajan George, Charuvila Puthen Veedu, Karikkom P.O. Kottarakkara- 691531
2. Certificate No. nil dated 23.04.2014 of Revenue Divisional Officer & Sub Divisional Magistrate, Kollam
3. Minutes of 35th meeting of SEIAA held on 09.04.2015


ENVIRONMENTAL CLEARANCE NO. 44/2015

Sri. Rajan George, Charuvila Puthen Veedu, Karikkom P.O. Kottarakkara- 691531 has applied for Environmental Clearance for removal of 7050 m³ of ordinary earth from 12.14 ares of land comprised in Sy. no. 143/17 at Melila Village and Melila Panchayath, Kottarakkara Taluk, Kollam District, Kerala for the purpose and in the manner as particularised below:

1	Date of receipt of completed application	:	02.06.2014
<i>a) Undertakings given by applicant</i>			
2	Nature of Land	:	Purayidam
3	Extent of the land in the Sy. No. and extent of land for which permission for removal of ordinary earth is applied for	:	143/17
4	Revenue authority who certified the Application	:	Revenue Divisional Officer, Kollam
5	Purpose of removal of Ordinary Earth	:	Levelling the plot for construction of shop and house
6	If to be transported out of the site, end use of the ordinary earth removed	:	Levelling the plot owned by Dewaswom in Kulashekhara puram village, Karunagappalli taluk
<i>b) Appraisal and Recommendation by SEAC</i>			
7	Date of recommendation of SEAC for removal of ordinary earth	:	17/18.10.2014
<i>(c) Environmental Clearance by SEIAA</i>			
8	Date of clearance given by SEIAA	:	09-04-2015
9	Quantity of ordinary earth sanctioned to be removed	:	2500 m ³

10	Special condition if any for removal of ordinary earth from the site	:	<p>1. The earth shall be removed from the steep cutting in the form of benches.</p> <p>2. The ultimate depth of removal must be at least 1 m above the level of MC road.</p> <p>3. A buffer distance of at least 10 m to be provided from the edge of the nearest dwelling unit.</p>
----	--	---	--

2. Environmental Clearance under S.O. No.1533 (E) dated 26.09.2006 read with O.M.No.L-11011/47/2011-1AII (M) dated 24.06.2013 is accorded to Sri. Rajan George, Charuvila Puthen Veedu, Karikkom P.O. Kottarakkara- 691531 the applicant, to remove 2500 m³ of ordinary earth from the land owned by him in Sy. no. 143/17 at Melila Village and Melila Panchayath, Kottarakkara Taluk, Kollam District, Kerala in strict compliance with the general conditions in the annexure and also the specific conditions stipulated in item 10 above.
3. Violation of any of above undertakings general or special conditions will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non compliance if any noted shall be reported to the District Collector, Kollam by the Director of Environment and Climate Change.



Member Secretary (SEIAA)

To,

Sri. Rajan George
Charuvila Puthen Veedu,
Karikkom P.O.
Kottarakkara- 691531

Copy to:

1. District Collector, Kollam
2. Tahsildar, Kottarakkara
3. Director, Mining & Geology, Kollam
4. Secretary, Melila Panchayath
5. Chairman, SEIAA
6. Stock File
7. Website



Received by
Sri Rajan
6/8/15

201

Annexure

(vide item 2)

General conditions

- (i) The activity shall **not** involve blasting.
- (ii) The maximum depth of removal of earth should **not** go beyond 2 m from the general ground level of the site, which should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2 m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers / labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above guidelines.

