



**PROCEEDINGS OF THE ADMINISTRATOR, STATE
ENVIRONMENT IMPACT ASSESSMENT AUTHORITY,
THIRUVANANTHAPURAM**
(Present. MINIMOL V.G)

Sub:- SEIAA – Environmental Clearance for removal of ordinary earth in Sy. Nos. 6-10-250 of Kasaba Village, Kozhikode Taluk, Kozhikode District by Shri. Muhammed – Granted - Orders issued.

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. 326/A1/2019/SEIAA

dated, Thiruvananthapuram 16.05.2019

- Ref: 1. O.M.No.L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment & Forests, Government of India.
2. Application received on 13.02.2019
3. Minutes of the 94th meeting of SEAC held on 12th & 13th March 2019.
4. Minutes of the 96th meeting of SEAC held on 26th & 27th April 2019.
5. Minutes of the 92nd meeting of SEIAA held on 02nd May 2019
6. G.O(Rt.) No.29/2019/Envr dated.12.04.2019

ENVIRONMENTAL CLEARANCE NO. 20/2019

Sri.Muhammed, Mundayil House, Ealamkulam, Cherukara, Malappuram – 679 340, has submitted an application for Environmental Clearance in SEIAA as per the reference read as second above for removal of ordinary earth from the land at Sy. Nos. 6-10-250 of Kasaba Village, Kozhikode Taluk, Kozhikode District, Kerala. The proposal is for extraction of ordinary earth from an area of 0.1426 Ha and the quantity proposed to be extracted is 10267.2 m³.

The proposal was placed in the 94th meeting of SEAC held on 12th & 13th March 2019. The Committee entrusted Dr.S.Sreekumar & Dr. A.V.Raghu for the site inspection and the site visit was conducted on 16 April 2019.

The proposal was again placed in the 96th meeting of SEAC held on 26th & 27th April 2019. The Committee recommended for issuance of EC upto a quantity of 7800m³

The proposal was finally placed in the 92nd meeting of SEIAA held on 02nd May 2019. Authority decided to issue EC for the removal of 7800 m³ of earth subject to general conditions in addition to the following specific conditions.

- 1) The Corporate Environmental Responsibilities to be carried out as per OM F.No.22-65/2017-IA-III dt.01.05.2018 in consultation with the District Collector.*
- 2) The Proponent should follow Kerala Minor Mineral Concession Rules 2015 and amendments thereby.*

Environmental Clearance, under Notification S.O. No.1533 (E) dated 26.09.2006 read with O.M. as first paper above of the Ministry of Environment & Forest, Government of India, is hereby accorded to Sri.Muhammed, Mundayil House, Ealamkulam, Cherukara, Malappuram – 679 340 subject to the conditions suggested by SEIAA for the removal of 7800 m³ of ordinary earth from an area of 0.1426 Ha of land at Sy. Nos. 6-10-250 of Kasaba Village, Kozhikode Taluk, Kozhikode District, Kerala. The Environmental Clearance is accorded subject to the following general conditions.

General conditions

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2m from the general ground level of the site (lithomark). The level should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent

any mishap.

- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers/labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The quantity of O.E being excavated from each site is to be deposited at each work site, shall be fixed.
- (xiii) The Environmental Clearance shall be liable to be cancelled in any case of violation of any of the above conditions.

Violation of any of above general conditions as applicable to the particular case will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act, 1986. Non-compliance if any shall be reported to the District Collector, Kozhikkode by the State Environment Impact assessment Authority.


MINIMOL.V.G
Administrator, SEIAA

To,

Sri.Muhammed,
Mundayil House, Ealamkulam,
Cherukara, Malappuram – 679 340

Copy to:

1. District Collector, Kozhikkode
2. Tahsildhar, Kozhikkode Taluk, Kozhikkode District
3. Director, Mining & Geology, Trivandrum
4. District Geologist, Kozhikkode
5. Village Officer, Kasaba Village, Kozhikkode Taluk
6. Chairman, SEIAA
7. Stock File
- ✓ 8. Website
9. O/C