

Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. James Varghese, I.A.S., Member Secretary.

Sub: SEIAA- Environmental Clearance for the proposed stone quarry project in Sy. No. 3, 21/1, 21/2, 22, 23 & 24 of Kannamangalam Village, Kannamangalam Panchayat, Thirurangadi Taluk, Malappuram District, Kerala by Sri. C.K. Abdul Azeez, Managing Director M/s Grand Stone Metals Pvt. Ltd. - Granted - Orders issued.

STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY, KERALA

No. 906/SEIAA/EC1/3538/2015

Dated, Thiruvananthapuram 16.11.2017

- Ref: 1. Application received on 02.09.2015 from Sri. C.K. Abdul Azeez, Managing Director M/s Grand Stone Metals Pvt. Ltd. Cheenthamkuzhiyil House, Malayamma P.O., Kozhikode, Ker: la-673601
 - 2. Minutes of the 68th meeting of SEAC held on 20th & 21st February 2017
 - 3. Minutes of the 74th meeting of SEAC held on 14th & 15th June 2017
 - 4. Minutes of the 72nd meeting of SEIAA held on 01st August 2017
 - 5. Affidavit dt 29.09,2017 received from Sri.C.K.Abdul Azeez
 - 6. Certificate from the Village Officer, Kannamangalam

ENVIRONMENTAL CLEARANCE NO.80/2017

Shi: C.K. Abdul Azeez, Managing Director M/s Grand Stone Metals Pvt. Ltd. Cheenthamkuzhiyil House, Malayamma P.O., Kozhikode, Kerala-673601, vide his application received on 02.09.2015, has sought Environmental Clearance under EIA Notification, 2006 for the quarry project in Sy. No. 3, 21/1, 21/2, 22, 23 and 24 of Kannamangalam Village, Kannamangalam Panchayat, Thirurangadi Taluk, Malappuram District, Kerala State for an area of 4.8240 hectares. The project comes under Category B, Activity 1(a), (i) as per the Schedule of EIA Notification 2006 (since it is below 50 hectares) and as per O.M. No. L-11011/47/2011-IA.II(M) dated 18th May 2012 of Ministry of Environment and Forests. It is further categorized as Category B2 as per Notification No.S.O.141 (E) dt.15.01.2016 of Ministry of Environment and Forests, since the area of the project is below 25 hectares.

Details of the project as furnished by the applicant are as follows;

The proposed project site falls within Latitude 11°06'09.02" to 11°06'18.54" and Longitude 75°59'01.79" to 75°59'12.23". The proposed project is for quarrying of 1,00,000 MTA of building stone. Distance of the mining area from the nearest human settlement is recorded as more than 135 m. The total power requirement will be 75 kW for compressions, which will be drawn from diesel engine. The total water requirement is about 15 KLD in which 1 KLD is for domestic which would be sourced from open well, 12 KLD for dust suppression system in mine as well as ancillary unit (Crusher / M sand Unit) and 2 KLD for plantation purposes and will be sourced from storm water pond. The total project cost is 4.50 Crores.

BASIC INFORMATION OF QUARRY (To be filled in by the Project Proponent) PART A

		Project details
	File No.	906 / SEIAA / EC1 / 3538 / 2015
	1 110 110.	The Stone Quarry Mine (Minor Mineral) of M/s Grand Stone Metals
1.	Name /Title of the project	Pvt. Ltd. is situated at Survey Nos. 3, 21/1, 21/2, 22, 23, 24 of Kannamangalam Village, Thirurangadi Taluk, Malappuram District,
		Kerala for area of 4.8240 hectares.
	Name and	Mr. C.K. Abdul Azeez, Managing Director M/s Grand Stone Metals Pvt. Ltd.,
2.	address of	Cheenthamkuzhiyil House,
	project proponent.	Malayamma P.O., Kozhikode District,
		Kerala-673601.
3.	Owner of the land	Private own land
ļ .	Survey No.	
4.	District/ Taluk/	Survey Nos. 3, 21/1, 21/2, 22, 23 & 24 of Kannamangalam Village,
	and Village etc.	Thirurangadi Taluk, Malappuram District, Kerala
"	Details of period	
	of lease or permit with	
	number	
5.	including the	New quarry proposal and hence not applicable.
	beginning and	
	expiry date of lease/permit	
	period	·
	Present Status of	New quarry proposal.
	the project	
6.	a) Date & Year	NT 4 11- 11
	of starting the work of the	Not applicable
	quarry	Not applicable

project. b) whether the quarry is working at present or not? c) If stopped working since when? Date of	
quarry is working at present or not? c) If stopped working since when? Date of	
working at present or not? c) If stopped working since when? Date of	
present or not? c) If stopped working since when? Date of	
not? c) If stopped working since when? Date of	
not? c) If stopped working since when? Date of	
c) If stopped working since when? Date of	
working since when? Date of	
when? Date of	
Date of	
17 mhariaging of 00.00.0015	
7. submission of 02.09.2015	
Application	
The land for the proposed quarry is private owned lar	and the land
is possessed in the name of M/s Grand Stone Metals	
Brief description torgeted production of mine will be 1 00 000 MTM	
of the project. project cost will be Rs. 4.50 Crores. The expected	
estimated will be about 22 years. The working will be	
opencast semi-mechanized method as per the approved	d Mining Plan.
Details of Mr. C.K. Abdul Azeez, Managing Director	
Authorized M/s Grand Stone Metals Pvt. Ltd.,	
9. Signatory and Cheenthamkuzhiyil House	
address for Malayamma P.O., Kozhikode District,	
correspondence Kerala-673601.	. * *
Land Details	
1000	· · ·
10. Extent of area in 4.8240 hectares	
nectares	
Is the property	
11. forest land/Private own land	•
Govt. land/own Private own land	
land/patta land	
A total quantity of 7,236 cu. m. of topsoil is proposed	io bresenorowen
during the mining operations. The topsoil excavated fr	
untagene interng operations. The topson excavated in	on the quarry
Quantity of top will be dumped / stacked separately at pre-determine	ned place and
soil/over-hurden subsequently will be utilized in spreading over reclai	med areas for
12. produced and plantation as part of eco-restoration.	
I I I AMOUT UNAX OU IN OF AVERDITARY IT IN THE	be generated
throughout the mine life. This waste will be utilized	_
for lying of haul roads. At the end use, OB can be rea	
base for plantation.	attitized do bott
I stitude and I stitude (NI) 11906100 0211 45 11906119 54	111
() ===================================	
Longitude Longitude (E) 75°59'01.79" to 75°59'12.23	
Part of the proposed land is exposed rock and the rem	una larrate an at
Part of the proposed land is exposed rock and the rem	rs, busnes etc.
Topography of Part of the proposed land is exposed rock and the removered with native trees, shrubs, herbs, grass, climber the topography of the lease area is hilly. The highest	
Part of the proposed land is exposed rock and the rem covered with native trees, shrubs, herbs, grass, climbe The topography of the lease area is hilly. The highest the lease area is 150 m MSL and lawsest is 100 m.	st elevation of
Part of the proposed land is exposed rock and the rem covered with native trees, shrubs, herbs, grass, climbe The topography of the lease area is hilly. The highest the lease area is 150 m MSL and lowest is 100 m	st elevation of MSL. As the
Part of the proposed land is exposed rock and the rem covered with native trees, shrubs, herbs, grass, climber The topography of the lease area is hilly. The highest the lease area is 150 m MSL and lowest is 100 m proposed area is hill rock, the drainage of the lease area.	st elevation of MSL. As the
Topography of land and elevation Part of the proposed land is exposed rock and the rem covered with native trees, shrubs, herbs, grass, climber The topography of the lease area is hilly. The highest the lease area is 150 m MSL and lowest is 100 m proposed area is hill rock, the drainage of the lease a South-West.	st elevation of MSL. As the area is towards
Part of the proposed land is exposed rock and the rem covered with native trees, shrubs, herbs, grass, climber The topography of the lease area is hilly. The highest the lease area is 150 m MSL and lowest is 100 m proposed area is hill rock, the drainage of the lease area.	st elevation of MSL. As the area is towards

16.	Will there be any significant land disturbance resulting in soil erosion, subsidence & natural drainage.	Due care will be taken to provide channel all around the foot hill to collect run off and also to avoid soil erosion. There is no danger of flood or inundation as the proposed working is above the normal ground level. The area is not susceptible to flood.
17.	Access road to the site width and condition	7m wide road
18.	Will there be any adverse impact on the aesthetics of the proposal site	No, the land used will be fully reclaimed and rehabilitated by backfilling the pond and plantation. Plantation and forestation will add to the improvement in environment and aesthetic beauty of the area.
		Mining details
19.	Minimum and Maximum height of excavation.	The exploitation of mineral is being done from 150 m to 95m MSL in conceptual phase.
20.	Life of mine proposed.	About 22 years
21.	Underground mining if any proposed	No underground mining proposed and the working will be carried out by opencast semi-mechanized method as per the approved Mining Plan.
22.	Method of Mining	The working will be carried out by opencast semi-mechanized method as per the approved Mining Plan.
23.	Distance from the adjacent quarry	There is no working quarry located within 500m radius of the proposed quarry.
24	Cluster condition	No cluster condition
	if any	
25.	Has "No cluster certificate" submitted?	Cluster certificate issued by District Geologist is already submitted with EC Application.
26.	Distance from nearby habitation	Nearest habitation is at 135m towards South-West.
27.	Distance from nearby forest, if applicable	None within the study area
28.	Distance from protected area, Wildlife Sanctuary, National Park etc.	None within the study area
29.	Distance from nearby streams / rivers / National Highway and	Water Bodies: Kadalundipuzha – about 10 km. (SW) & Cherala Thodu, about 5 km (NW) NH / Highway: SH-65 (Parapanangal-Areecode Road), 5 km, W

	Roads	<u> </u>		
30.	Is ESA applicable? If so distance from ESA limit	Not falling in ES	6A.	
31.	Has approved mining plan, prepared by RQP submitted?	Yes, the approved mining plan prepared by RQP is already submitted with E.C. Application.		
32.	Capacity of production in TPA	1,00,000 MTA		
33.	Details of mining process	mining. The be Excavated mate the complex for	be done by open cast semi-mechanized method of each height and width will be maintained 5 m. erial is transported to the crusher unit existing near further processing. The ultimate depth of the mine mated to reach up to 95m MSL.	
 -			ls of Project cost	
34.	Land cost	Rs. 4.50 Crores	(All inclusive)	
35.	Plant and Machinery		(All inclusive)	
36.	Total Cost	Rs. 4.50 Crores	(All inclusive)	
37.	Financial Statement including funding source and details of insurance etc.	Rs. 4.50 Crores (All inclusive) Insurance = Insurance to the quarry workers would provide through insurance company. Funding = Own source & bank loan		
		Air Pollution	Mining activities will generate certain quantities of dust during drilling, blasting, loading and	
38.	Management Plan		 will be taken to mitigate the fugitive dust from different operations. Laying of haul road as per the standards, black topping of permanent haul road and service road to avoid or eliminate air – borne dust. To avoid the dust generation from the drilling operations, wet drilling method will be adopted. Drill machines will be equipped with dust collectors. Use of appropriate explosives for blasting and avoiding overcharging of blast holes. Controlled blasting techniques will be adopted. Watering of haul road and other road at regular intervals. Provision of dust filters/ mask to workers working at highly dust prone and affected 	

	areas.
	Provision of green belt all along the periphery of the lease area.
	Periodical monitoring of ambient air quality in
	and around the lease area.
	The extracted mineral will be transported from
	the quarry to the end user by adopting
	following measures so as to minimize dust emissions.
	• In case of long transportation the trucks after
	loading will be covered with tarpaulin sheets.
	Speed of the vehicles will be maintained within
	the prescribed limits.
·	• Trucks will not be over loaded and will be
Water	maintained to the body level and Provision of storm water collection pond with an
Pollution	appropriate capacity. The water requirement for
	sprinkling on sources of dust emission, on roads,
	landscaping etc. Can be met from the stored
	rainwater in the pond.
Noise	The major noise generating source from the proposed activity is working machinery, drilling,
	blasting and plying of vehicles. The following
	control measures are to be undertaken to bring
	down the noise levels:-
	Proper maintenance of machinery, equipments
	and improvement on design of machines.
	• Use of personal protective devices i.e., earmuffs and earplugs by workers, who are working in
	high noise generating areas.
	Creation of wide green belt of dense foliage
	between mine areas and residential colonies.
	• Proper training to personnel to create awareness
	about adverse noise level effects.
	Planned noise monitoring at suitable locations in
	the plant and outside location for proper effective remedial actions.
Solid Waste	Topsoil Management
Management	The topsoil excavated from the quarry will
	be dumped / stacked separately at pre-
	determined place and subsequently will be
	utilized in spreading over reclaimed areas for plantation as part of eco-restoration.
	Precautions will be taken to limit the height
	of the topsoil dump / stacked to 5 to 6
	meters in order to preserve its fertility and
	shelf life. It will be suitably protected from
	soil erosion and infertility by planting

			fodder grass and leguminous plants during			
			temporary storage.			
			Overburden Management			
			This waste will be utilized within the pit for lying			
			of haul roads. At the end use, OB can be reutilized			
			as soil base for plantation.			
		Eco-	The year wise programme of eco-restoration for			
	İ	restoration	life of mine will be made and about 4,800 trees			
			will be planted in an area of 4.7740 ha.			
	Whether		Arra.			
	Environment					
20	Management	Detailed Environment Management Plan is already submitted with				
39.	Plan or Eco	E.C. Applicatio	n.			
	restoration Plan					
	satisfactory?					
	Does it suggest					
10	mitigation		letailed Environment Management Plan is already			
40.	measures for	submitted with E.C. Application.				
	each activity					
	If Pre-Feasibility	D-tailed Due E	annihility Penort (PER) is already submitted with			
41.	Report (PFR)	Detailed Pre-Feasibility Report (PFR) is already submitted with				
	satisfactory	E.C. Application.				
	Does it need					
42.	public hearing	Not Applicable	<u> </u>			
	Details of					
	litigation and		11			
43.	Court verdict if	No litigation pe	ending.			
	any					
	Details of public	NT				
44.	complaint, if any	None				
-		The following	Govt. Orders / Policies are to be followed:-			
		> Kerala Mine	or Mineral Concession Rules, 2015.			
460		➤ Mines Act,				
1	Details of	➤ Explosive R				
45.	statutory	Kerala Panc	hayat Raj Act, 1994			
'''	sanction required		nt Protection Act, 1986			
			eation, 2006 / 2009			
		> The Kerala	Promotion of Tree Growth in Non-Forest Areas			
1			nt) Act, 2007.			
	XIII. If CRZ					
46.	recommendation	Not Applicable	2			
70.	applicable?	Trock x sppingage	-			
	арричане.		PART B			
	Enviro	nment Imnact A	Assessment and Mitigation Measures			
-	12117110		mpact on water			
-		The total water	r requirement is about 15 KLD in which 1 KLD is for			
	Details of water	domestic which	h would be sourced from open well, 12 KLD for dust			
47.	requirement per	ginnrection ex	ystem in mine as well as ancillary unit (Crusher / M			
	day in KLD	and Unit) on	1 2 KLD for plantation purposes and will be sourced			
l	<u> </u>	Sand Omey and	1 Z IXDD for plantation perposes and first se sometime			

!		from storm water pond.
	-	15 KLD in which 1 KLD is for domestic which would be sourced
	Water source	
48.		from open well, 12 KLD for dust suppression system in mine a
	/sources.	well as ancillary unit (Crusher / M sand Unit) and 2 KLD fo
		plantation purposes and will be sourced from storm water pond.
	Expected water	
49.	use per day in	15 KLD
	KLD.	
	Details of water	10 XX D C 1
~ 0	requirements met	12 KLD for dust suppression system in mine as well as ancillary
50.	from water	unit (Crusher / M sand Unit) and 2 KLD for plantation purposes and
	harvesting.	will be sourced from storm water pond.
	What are the	
]	impact of the	No significant impact environced on around water de 1997 in in-
5 1.	_	No significant impact envisaged on ground water due to the mining
	proposal on the	project.
	ground water?	
	How much of the	
	water	
	requirement can	
	be met from the	
52.	recycling of	Nil
52.	treated waste	
	water? (Facilities	
	for liquid waste	
	treatment)	
	7777	12.
	What is the	
	what is the incremental	
	10,000	
53.	incremental pollution load	The sewage to a tune of 0.80 KLD generated from the mine office
53.	incremental	The sewage to a tune of 0.80 KLD generated from the mine office will be diverted to the septic tank followed by soak pit.
53.	incremental pollution load from waste water generated from	The sewage to a tune of 0.80 KLD generated from the mine office will be diverted to the septic tank followed by soak pit.
53.	incremental pollution load from waste water generated from the proposed	The sewage to a tune of 0.80 KLD generated from the mine office will be diverted to the septic tank followed by soak pit.
53.	incremental pollution load from waste water generated from	will be diverted to the septic tank followed by soak pit.
53.	incremental pollution load from waste water generated from the proposed	will be diverted to the septic tank followed by soak pit. Storm water drains with silt traps will be suitably constructed all
53.	incremental pollution load from waste water generated from the proposed	will be diverted to the septic tank followed by soak pit. Storm water drains with silt traps will be suitably constructed all along the periphery of the pit area to collect the run-off from the
53.	incremental pollution load from waste water generated from the proposed	Storm water drains with silt traps will be suitably constructed all along the periphery of the pit area to collect the run-off from the lease area and divert into the storm water pond /tanks proposed
53.	incremental pollution load from waste water generated from the proposed activities?	Storm water drains with silt traps will be suitably constructed all along the periphery of the pit area to collect the run-off from the lease area and divert into the storm water pond /tanks proposed within the complex.
53.	incremental pollution load from waste water generated from the proposed activities? How is the storm	Storm water drains with silt traps will be suitably constructed all along the periphery of the pit area to collect the run-off from the lease area and divert into the storm water pond /tanks proposed within the complex. All measures will be taken not to disturb the existing drainage
	incremental pollution load from waste water generated from the proposed activities? How is the storm water from	Storm water drains with silt traps will be suitably constructed all along the periphery of the pit area to collect the run-off from the lease area and divert into the storm water pond /tanks proposed within the complex. All measures will be taken not to disturb the existing drainage pattern adjacent to the other property.
	incremental pollution load from waste water generated from the proposed activities? How is the storm water from within the site	Storm water drains with silt traps will be suitably constructed all along the periphery of the pit area to collect the run-off from the lease area and divert into the storm water pond /tanks proposed within the complex. All measures will be taken not to disturb the existing drainage pattern adjacent to the other property. De-siltation traps and storm water collection pond proposed for
	incremental pollution load from waste water generated from the proposed activities? How is the storm water from	Storm water drains with silt traps will be suitably constructed all along the periphery of the pit area to collect the run-off from the lease area and divert into the storm water pond /tanks proposed within the complex. All measures will be taken not to disturb the existing drainage pattern adjacent to the other property. De-siltation traps and storm water collection pond proposed for silt removal.
53.	incremental pollution load from waste water generated from the proposed activities? How is the storm water from within the site	Storm water drains with silt traps will be suitably constructed all along the periphery of the pit area to collect the run-off from the lease area and divert into the storm water pond /tanks proposed within the complex. All measures will be taken not to disturb the existing drainage pattern adjacent to the other property. De-siltation traps and storm water collection pond proposed for silt removal. The storm water collected from the lease area will be utilized for
	incremental pollution load from waste water generated from the proposed activities? How is the storm water from within the site	Storm water drains with silt traps will be suitably constructed all along the periphery of the pit area to collect the run-off from the lease area and divert into the storm water pond /tanks proposed within the complex. All measures will be taken not to disturb the existing drainage pattern adjacent to the other property. De-siltation traps and storm water collection pond proposed for silt removal. The storm water collected from the lease area will be utilized for dust suppression on haul roads, plantation within the premises
	incremental pollution load from waste water generated from the proposed activities? How is the storm water from within the site	Storm water drains with silt traps will be suitably constructed all along the periphery of the pit area to collect the run-off from the lease area and divert into the storm water pond /tanks proposed within the complex. All measures will be taken not to disturb the existing drainage pattern adjacent to the other property. De-siltation traps and storm water collection pond proposed for silt removal. The storm water collected from the lease area will be utilized for
	incremental pollution load from waste water generated from the proposed activities? How is the storm water from within the site managed?	Storm water drains with silt traps will be suitably constructed all along the periphery of the pit area to collect the run-off from the lease area and divert into the storm water pond /tanks proposed within the complex. All measures will be taken not to disturb the existing drainage pattern adjacent to the other property. De-siltation traps and storm water collection pond proposed for silt removal. The storm water collected from the lease area will be utilized for dust suppression on haul roads, plantation within the premises etc.
	incremental pollution load from waste water generated from the proposed activities? How is the storm water from within the site managed?	Storm water drains with silt traps will be suitably constructed all along the periphery of the pit area to collect the run-off from the lease area and divert into the storm water pond /tanks proposed within the complex. All measures will be taken not to disturb the existing drainage pattern adjacent to the other property. De-siltation traps and storm water collection pond proposed for silt removal. The storm water collected from the lease area will be utilized for dust suppression on haul roads, plantation within the premises
	incremental pollution load from waste water generated from the proposed activities? How is the storm water from within the site managed?	Storm water drains with silt traps will be suitably constructed all along the periphery of the pit area to collect the run-off from the lease area and divert into the storm water pond /tanks proposed within the complex. All measures will be taken not to disturb the existing drainage pattern adjacent to the other property. De-siltation traps and storm water collection pond proposed for silt removal. The storm water collected from the lease area will be utilized for dust suppression on haul roads, plantation within the premises etc. on Biodiversity and Eco restoration Programmes Due to the mining activities, there will be loss of some native
	incremental pollution load from waste water generated from the proposed activities? How is the storm water from within the site managed?	Storm water drains with silt traps will be suitably constructed all along the periphery of the pit area to collect the run-off from the lease area and divert into the storm water pond /tanks proposed within the complex. All measures will be taken not to disturb the existing drainage pattern adjacent to the other property. De-siltation traps and storm water collection pond proposed for silt removal. The storm water collected from the lease area will be utilized for dust suppression on haul roads, plantation within the premises etc.

	modification of vegetation (Provide details)	
56.	What ate the measures proposed to minimize the likely impact on vegetation (details of proposal for tree plantation/ landscaping)	The year wise programme of eco-restoration for the life of mine will be made and about 4,800 trees will be planted in an area of 4.7740 ha. Ecological restoration for the mined area by plantation of the species as per the time schedule suggested below: - First Six months Herbs & grass Next Six months Shrubs Next Six months onwards Trees Selection of species is based on High Dust Capturing, Soil Holding Capacity, ground water recharge capacity etc. More focus is given for medicinal plants.
57.	Is there any displacement of fauna — both terrestrial and aquatic. — If so what are the mitigation measures? Presence of any endangered species or red listed category (in detail)	Not applicable No endangered species found at site Impact on Air Environment
	What are the mitigation	ampact of Att Englishment
58.	generation of dust, smoke and air quality	Details already provided at EMP section at Sr. No. 38 above.
59.	Details of internal traffic management of the site.	Designated space will be provided for parking of truck / tipper within the site. For the purposes of mining activities, existing roads are sufficient. However, haul road will be suitably developed within the proposed area. Speed of the vehicles will be maintained within the prescribed limits (Speed Governor fitted).
60.	Details of noise from traffic, machines and vibrator and mitigation measures	Details already provided at EMP section at Sr. No. 38 above.
61.	Impact of DG sets and other equipments on noise and	Details provided at EMP section at Sr. No. 38 above and air, noise and water sampling reports were already submitted with EC Application.

		· · · · · · · · · · · · · · · · · · ·
ı	vibration and	
I	ambient air	
	quality around	
	the project site	
	and mitigation	
	measures	
	Air quality	Details provided at EMP section at Sr. No. 38 above and air, noise
62.	monitoring in	and water sampling reports were already submitted with EC
02.	detail	Application.
	<u> detail</u>	Energy Conservation
	Details of power	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
63.	requirement and	The total power requirement will be 75 kW, which will be drawn
03.	, -	from diesel engine. Fuel Quantity – 16 to 20 lt/ hr.
	source of supply.	
	Details of	
	renewable	We will promote renewable energy resources.
64.	energy (non -	
	conventional)	
	used.	
	T	Risk Management
	Are there	
	sufficient	
	measures	
65.	proposed for risk	W 100 m 200
05,	hazards in case	E.C. Application.
	of emergency	
ļ	such as accident	
	at the site?	
	Are proposals for	
ļ	A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
1	fencing around	80. 35387 · · · · · · · · · · · · · · · · · · ·
		Barbed wire fencing will be done all around the quarry site.
		Barbed wire fencing will be done all around the quarry site.
	the quarry	Barbed wire fencing will be done all around the quarry site. The stone quarry mine will result in increase in frequency of blasting for
	the quarry	The stone quarry mine will result in increase in frequency of blasting for
	the quarry satisfactory? Storage of	The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge
66.	the quarry satisfactory? Storage of explosives	The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are
66.	the quarry satisfactory? Storage of explosives /hazardous	The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled
66.	the quarry satisfactory? Storage of explosives /hazardous substance in	The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief
66.	the quarry satisfactory? Storage of explosives /hazardous	The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled
66.	the quarry satisfactory? Storage of explosives /hazardous substance in	The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961.
66.	the quarry satisfactory? Storage of explosives /hazardous substance in detail	The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961. Top soil and over burden generated from the site will be stored
66.	the quarry satisfactory? Storage of explosives /hazardous substance in detail Facility for solid	The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961. Top soil and over burden generated from the site will be stored separately on earmarked place and will be used for eco-restoration and
66.	the quarry satisfactory? Storage of explosives /hazardous substance in detail Facility for solid waste	The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961. Top soil and over burden generated from the site will be stored
66.	the quarry satisfactory? Storage of explosives /hazardous substance in detail Facility for solid	The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961. Top soil and over burden generated from the site will be stored separately on earmarked place and will be used for eco-restoration and internal road development.
66.	the quarry satisfactory? Storage of explosives /hazardous substance in detail Facility for solid waste management	The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961. Top soil and over burden generated from the site will be stored separately on earmarked place and will be used for eco-restoration and
66.	the quarry satisfactory? Storage of explosives /hazardous substance in detail Facility for solid waste management Will the project	The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961. Top soil and over burden generated from the site will be stored separately on earmarked place and will be used for eco-restoration and internal road development.
66.	the quarry satisfactory? Storage of explosives /hazardous substance in detail Facility for solid waste management Will the project cause adverse	The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961. Top soil and over burden generated from the site will be stored separately on earmarked place and will be used for eco-restoration and internal road development. Socio Economic Impacts
	satisfactory? Storage of explosives /hazardous substance in detail Facility for solid waste management Will the project cause adverse effects on local	The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961. Top soil and over burden generated from the site will be stored separately on earmarked place and will be used for eco-restoration and internal road development.
	satisfactory? Storage of explosives /hazardous substance in detail Facility for solid waste management Will the project cause adverse effects on local communities	The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961. Top soil and over burden generated from the site will be stored separately on earmarked place and will be used for eco-restoration and internal road development. Socio Economic Impacts
67.	satisfactory? Storage of explosives /hazardous substance in detail Facility for solid waste management Will the project cause adverse effects on local	The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961. Top soil and over burden generated from the site will be stored separately on earmarked place and will be used for eco-restoration and internal road development. Socio Economic Impacts

·	other cultural				
	values. What are				
	the safe guards				
	proposed?				
	Will the proposal				
1	result in any	The m	ining project will directly / ir	directly develo	n the area hu
	changes to the	provid	0 1 0	•	he proposed
68.	demographic	1	pment in and around the area t		;
00.	structure of local		es/ infrastructure eventually lead		
	population. If so,	area.	-	- G	1
	provide details.				
		CI	A CT . 4	T	. N.T
		Sl.	Areas of Intervention	Recurri	Non
	İ	No		ng Expense	Recur :
				s Expense	Expen
			¥6 t	(in Rs.)	ses (in
				(1.0.)	Rs.)
		01	Empowerment of Women	4,55,000	Nil
			and children		
	Are the CSR	02	Eradication of Poverty	1,44,000	Nil
69.	proposals satisfactory.	03	Infrastructure Development	Nil	8,25,0
	Give details	147			00
	·	04	Health care	1,50,000	Nil
			Total	7,49,000	8,25,0
					00
			detailed study on social status of		
			base study on proposed CSR		
			by of report was submitted with the twill spent the above amou		
1			of the local community in cons		
	What are the	1			
	projects benefits		the mining activity and due t		- 1
70.	in terms of		vill be workers attracted to the	project area. It i	is proposed to
	employment	empioy	725 persons in the project.		
	potential?	\$0.00 4.207			
			PART C		
	Details of	M/s E	nvironmental Engineers & Co	nsultants Pvt. I	∡td.
	NABET		ET Accredited Consultant Org		
	approved EIA Consultant				
71.	engaged-Their	Head (Office :- A1-198, Janak Puri, Ne	w Delhi.	
	name, address		ı Office:-		
	*	C-306	Kanchanjunga Apartments, Pal	arivattom P.O.,	Kochi,
	and accreditation	-			
	and accreditation details	Kerala			
	Í	-			
72.	Í	Kerala			

	implementation	for local inhabitants. There are no Resettlement and Rehabilitation
	of the project.	issues involved in this project. The project infrastructures will be of use to people of the area. The revenue of the State Govt. will be definitely increasing due to the proposed activity. The entire project area is devoid of any endangered flora and fauna. It is proposed to reclaim the land and develop green cover for eco-restoration with native species to a maximum possible extent. Additionally, an area is earmarked outside the proposed mining area for compensatory mass plantation. Also, a storm water pond is proposed outside the mining area for storage of rain water and for its subsequent use so as to conserve fresh water consumption. Thus the proposed project is not likely to affect the environment of adjacent ecosystem adversely.
73.	Explanation of how adverse impact have been mitigated.	Detailed Pre-Feasibility Report (PFR) with Environment Management Plan (EMP) is already submitted with E.C. Application.

2. The proposal was placed in 68th meeting of SEAC held on 20th & 21st February 2017. Further to the intimation, the Proponent and the RQP attended the meeting and RQP made a power point presentation about the salient features of the project. The Committee appraised the proposal based on the Mining Plan, Pre-feasibility Report and all other documents submitted along with Form1. The Committee deferred the item for field inspection.

Accordingly a site inspection was conducted by the Sub Committee consisting of Dr P S Harikumar and Dr Khaleel Chovva on 21 May 2017. They reported that

The overburden should be stalked properly without affecting the environment. Proper fencing and pillar or stones demarcating the boundary should be provided around the site.

The drainage water should be properly channelized, collected and decanted before discharge.

The proponent should set apart Rs. 12 lakh (non-recurring) and Rs. 10 lakh per annum (recurring) for CSR activities for the welfare of the local community in consultation with the local Panchayat.

It is recommended to give EC for the application after implementing the above mentioned conditions and stipulating general conditions for a quarry project.

- 3. The proposal was considered in the 74th meeting of SEAC held on 14th & 15th June 2017. Based on the Mining plan, Form.1, all other documents submitted with the proposal and the field visit report, the Committee decided to Recommend for issuance of EC subject to the general conditions in addition to the following specific condition.
 - 1. If any plant species endemic to Western Ghats are noticed in the area they shall be properly protected in situ or by transplanting to an appropriate location inside the lease area

The proponent agreed to set apart Rs.12 lakh (non-recurring) and Rs. 10 lakh per

annum (recurring) for CSR activities for the welfare of the local community in consultation with the local body.

- 4. The proposal was finally considered in the 72nd meeting of SEIAA held on 01st August 2017. Authority accepted the recommendation of SEAC and decided to issue EC subject to general condition in addition to the following specific conditions.
 - 1. The overburden should be stalked properly without affecting the environment.
 - 2. Proper fencing and pillar or stones demarcating the boundary should be provided around the site.
 - 3. The drainage water should be properly channelized, collected and decanted before discharge.
 - 4. If any plant species endemic to Western Ghats are noticed in the area they shall be properly protected in situ or by transplanting to an appropriate location inside the lease area

The proponent should set apart an amount of Rs.12 lakh (non-recurring) and Rs.10 lakh per annum (recurring) for CSR activities for the welfare of the local community in consultation with the local Panchayat. As noted in the Inspection Report, a certificate from a competent authority should be submitted stating that all the above specific conditions have been fulfilled before the issue of EC. The proponent has submitted an affidavit vide reference 5th cited, satisfying all the above conditions and a certificate from the Village Officer vide reference 6th cited.

- 5. Environmental Clearance as per the EIA Notification 2006 is hereby accorded for the proposed quarry project of Sri. C.K. Abdul Azeez, Managing Director M/s Grand Stone Metals Pvt. Ltd. Cheenthamkuzhiyil House, Malayamma P.O., Kozhikode, Kerala-673601 in Sy. No. 3, 21/1, 21/2, 22, 23 & 24 in Kannamangalam Village, Kannamangalam Panchayat, Thirurangadi Taluk, Malappuram District, Kerala for an area of 4.8240 hectares, subject to the specific conditions as in para 4 above, all the environmental impact mitigation and management measures undertaken by the project proponent in the revised Form I, EMP, PI-R and Mining plan submitted to SEIAA. The assurances and clarifications given by the proponent will be deemed to be a part of these proceedings as if incorporated herein. Also the general conditions for projects stipulated for mining (items 1 to 61), appended hereto will be applicable and have to be strictly adhered to.
- 6. The clearance issued will also be subject to full and effective implementation of all the undertakings given in the application form, mitigation measures as assured in the Environment Management Plan and the mining features including progressive mine closure plan as submitted with the application and relied on for grant of this clearance. The above undertakings and the conditions and the undertakings in Chapter 4 (Mining) Chapter 5 (Blasting) Chapter 6 (Mines Drainage), Chapter 7 (Stacking of Mineral rejects and Disposal of waste), Chapter 11 (EMP) Chapter 12 (Progressive Mine Closure Plan) of the Mining Plan as submitted will be deemed to be part of this proceedings as conditions as undertaken by the proponent, as if incorporated herein.

- 10. Validity of the Environmental Clearance will be five years from the date of this clearance, subject to inspection by SEIAA on annual basis and compliance of the conditions, subject to earlier review of E.C in case of violation or non-compliance of conditions or genuine complaints from residents within the security area of the quarry.
- 11. Compliance of the conditions herein will be monitored by the State Environment Impact Assessment Authority or its authorised offices and also by the regional office of the Ministry of Environment & Forests, Govt. of India, Bangalore.
 - Necessary assistance for entry and inspection should be provided by the project proponent and those who are engaged or entrusted by him to the staff for inspection or monitoring.
 - ii. Instances of violation if any shall be reported to the District Collector, Malappuram
- iii. The given address for correspondence with the authorised signatory of the project is Sri. C.K. Abdul Azeez, Managing Director M/s Grand Stone Metals Pvt. Ltd. Cheenthamkuzhiyil House, Malayamma P.O., Kozhikode, Kerala-673601.

Sd/-JAMES VARGHESE.I.A.S, Member Secretary (SEIAA)

To,

Sri. C.K. Abdul Azeez,
Managing Director M/s Grand Stone Metals Pvt. Ltd.
Cheenthamkuzhiyil House, Malayamma P.O.,
Kozhikode, Kerala-673601

Copy to,

- 1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block, Koramangala, Bangalore-560034.
- 2. The Additional Chief Secretary to Government, Environment Department, Government of Kerala.
- 3. District Collector, Malappuram
- 4. Director, Mining & Geology, Thiruvananthapuram -4.
- 5. The Member Secretary, Kerala State Pollution Control Board
- 6. District Geologist, Malappuram
- 7. Tahsildar, Thirurangadi Taluk
- 8. Chairman, SEIAA.
- 9. Website.
- 10. S/f
- 11. O/c

Forwarded/By Order

Administrator, SEIAA

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA

GENERAL CONDITIONS (for mining projects)

- 1. Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR / KPBR, unless otherwise specified.
- 2. Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.
- 3. Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including of approach road and internal roads.
- 4. Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.
- Sprinklers shall be installed and used in the project site to contain dust emissions.
- 6. Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.
- At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of pit is stipulated in the E.C.
- 8. Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented
- 9. The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc) shall be protected at all times and shall be conspicuous.
- Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.
- 11. Control measures on noise and vibration prescribed by KSPCB should be implemented.
- 12. Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.
- 13. Blasting should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
- 14. A licensed person should supervise/ control the blasting operations.
- 15. Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.
- Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan / specific conditions.
- 17. Height of benches should not exceed 5 m, and width should not be less than 5 m, if there is no mention is the mining plan/specific condition.
- 18. Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.
- 19. Maximum depth of mining from general ground level at site shall not exceed 10m
- 20. No mining operations should be carried out at places having a slope greater than 45°.
- 21. Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.
- 22. The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.
- 23. Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.
- 24. The transportation of minerals should be done in covered trucks to contain dust emissions.
- 25. The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the project.
- Disposal of spent oil from diesel engines should be as specified under relevant Rules/ Regulations.
- Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.
- 28. A minimum buffer distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.
- 29. 100 m buffer distance should be maintained from forest boundaries.

- 30. Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.
- 31. All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.
- 32. In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which only the E.C is issued, the project would require a fresh appraisal by this Authority, for which the proponentshall apply and get the approval of this Authority.
- 33. The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- 34. The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
- 35. The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.
- 36. A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.
- 37. The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office.
- 38. The details of Environmental Clearance should be prominently displayed in a metallic board of 3

 If x 3 If with green background and yellow letters of Times New Roman tont of size of not less
 than 40.Sign board with extent of lease area and boundaries shall be depicted at the entrance of
 the quarry, visible to the public
- 39. The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.
- 40. No change in mining technology and scope of working should be made without prior approval of the SEIAA, No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.
- 41. The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.
- 42. Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points & transfer point to reduce fugitive emissions.
- 43. The top soil, if any, shall temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.

Catch drains and siltation ponds of appropriate size shall be constructed around the mine 44. working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.

Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas 45. prone to air pollution and having high levels of PM10 and PM2.5 such as haul Road, loading and unloading points and transfer points - it shall be ensured that the Ambient Air Quality parameters

conform to the norms prescribed by the Central Pollution Control Board in this regard.

Fugitive dust emissions from all the sources should be controlled regularly. Water spraying 46. arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.

Measures should be taken for control of noise levels below 85 dBA in the work environment. 47.

A separate environmental management cell with suitable qualified personnel should be set-up 48. under the control of a Senior Executive, who will report directly to the Head of the Organization.

The funds earmarked for environmental protection measures and CSR activate should be kept in 49. separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.

The Regional Office of MOEF & CC located at Bangalore shall monitor compliance of the 50. stipulated conditions. The project authorities should extend full cooperation to the officer (S) of the Regional Office by furnishing the requisite data/information/monitoring reports.

Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if 51. preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Concealing the factual data or submission of false/fabricated data and failure to comply with any 52. of the conditions mentioned above may result in withdrawal of this clearance and attract action

under the provisions of Environment (Protection) Act, 1986.

The SEIAA may revoke or suspend the order, for non implementation of any of the specific or 53. thisimplementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.

The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or 54. simplified, contained in any other permit, license on consent given by any other authority for the

same project.

This order is valid for a period of 5 years or the expiry date of mine lease period issued by the 55.

Government of Kerala, whichever is earlier.

The Environmental Clearance will be subject to the final order of the courts in any pending 56. litigation related to the land or project, in any court of law.

The mining operation shall be restricted to above ground water table and it should not intersect 57. ground water table.

All vehicles used for transportation and within the mines shall have 'PUC' certificate from 58. authorized pollution taking centre. Washing of all vehicles shall be inside the lease area?

Project proponent should obtain necessary prior permission of the competent authorities for 59. drawal of requisite quantity of surface water and ground water for the project.

Regular monitoring of flow rates and water quality upstream and downstream of the springs and 60. perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly reports to SEIAA.

Occupational health surveillance program of the workers should be under taken periodically to 61. observe any contractions due to exposure to dust and take corrective measures, if needed.

For Member Secretary, SEIAA Kerala

