

MINUTES OF THE 119th MEETING OF SEAC KERALA HELD DURING 23rd - 25th FEBRUARY, 2021 AT THE CONFERENCE HALL, STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, THIRUVANANTHAPURAM

The 119th meeting of the SEAC KERALA was held during 23rd, 24th & 25th February, 2021 observing all the lockdown protocols stipulated by the Government. Two SEAC members, namely Dr.S.Sreekumar and Dr.N.Anilkumar and the proponents with the RQPs attended the meeting through video conference. The meeting started at 10.00 AM on 23rd February 2021 with Dr. C. Bhaskaran, Chairman, SEAC,KERALA in the Chair. The Chairman welcomed the members to the meeting. The Committee then moved on to the deliberations on the agenda items.

PHYSICAL FILES

Item No. 119.01

Minutes of the 118th SEAC meeting held on 1st, 2nd & 3rd February, 2021

Decision: Noted.

Item No.119.02

Environmental clearance for the proposed quarry project in Survey No. 163 (Block No.22),2/2-2,2/4-3,2/4-2,3/1-2,2/3,2/2-3,2/4-4,2/4-5 (Block No.27) in Urangattiri Village, Ernad Taluk, Malappuram District, Kerala by Mr. K.V. Moideenkoya, M/s Kallarattikkal Granites (File No. 1230/EC2/2019/SEIAA)

Decision: The Committee heard both the proponent and the complainant. The Committee decided to direct the proponent to submit documentary evidences and measures for scientific slope stabilisation of the proposed site to be studied and suggested by an institute of national repute.

Item No.:119.03

Application for ToR for mining of Granite Building Stone Quarry in Survey Nos 178/1, 179/pt, Block No: 56 in Morayur Village, Kondotty Taluk, Malappuram District, Kerala for an area of 2.1404 hectares by Mr. Mohammed Faisal K.P (File No- 1300/EC2/2019/SEIAA)

Decision: The Committee heard the proponent. The Committee decided to direct the proponent to submit documentary evidences and measures for scientific slope stabilisation of the proposed site to be studied and suggested by an institute of national repute.

ADDITIONAL DOCUMENTS RECEIVED

Item No.119.04

Application for Environmental Clearance for Building Stone Quarry in Survey No 34/3-2,34/10,34/9,35/1-2,31/1-2,31/1-3,31/1-4,45/2,45/7,45/8-2,46/1-2,34/8,34/12,44/2-3,46/3,45/5,45/6,34/3,44/4 and 44/5, 34/2 in MancodeVillage, KottarakkaraTaluk, Kollam District (File.No.2543/EC2/2019/SEIAA(Online File No. 1462/EC2/2019/SEIAA)

Decision: The Committee scrutinized the additional details submitted by the proponent. The Committee directed the proponent to submit the following additional documents/ details:

- a. 500m landuse map is not satisfactory. A revised map showing all physical features and landuse within 500m from the boundary line of the proposed quarry is required.
- b. The contour should be extended further below 143 to clearly understand surface runoff below 143.
- c. An affidavit stating that the 0.5Ha land used for compensatory plantation will not be used for any other purpose in future. The affidavit should clearly mention the survey numbers.

Item No.119.05

Application for Environmental Clearance for granite building stone quarry in Survey No179/3-3,179/3-4,221/1,221/6,221/6-1 in ManimalaVillage, KanjirapallyTaluk, Kottayam District No 2430/EC2 /2019/SEIAA

Decision: The Committee scrutinized the additional details submitted by the proponent. The Committee invited the proponent for presentation and also directed the proponent to submit the following additional documents/details:

- a. RevisedEMP incorporating the revised CER giving details of the physical targets of the proposed CER activities.
- b. Revised drainage map by shifting the Gabion wall to a suitable location.

Item No.119.06

Application for Environmental Clearance for Granite building stone Quarry in Survey No. 221 in Mundakkayam Village, Kanjirapally Taluk, Kottayam District (File: No. 2434/EC2 /2019/SEIAA)

Decision: The Committee scrutinized the additional details submitted by the proponent and decided to direct the proponent to submit the following additional document:

- a. Revised EMP incorporating the revised CER giving the details of the physical targets of the proposed CER activities.

Item No.119.07

Application for Environmental Clearance for removal of ordinary Earth - Smt.Serin Scaria, Velloor Village, Kottayam District (File No.2687/A2/2019/SEIAA)

Decision: The Committee scrutinized the documents submitted by the proponent. The Committee directed the proponent to submit an approved mining plan as per the direction of the SEIAA.

Item No.119.08

Environmental Clearance for the Proposed Group Housing Project, GREEN VISTAS – “PRAKRITI” at Re-survey No.359/3, of Kakkanad Village, Thrikkakara Municipality, Kanayanur Taluk, Ernakulam District, Kerala by Mr.Saurabh Gulechha, Chief Operating Officer, M/s Green Vistas Infrastructure Projects. (File No. 1189 (A)/EC2/2018/SEIAA)

Decision: The Committee scrutinized the hearing note submitted by the proponent in detail and found that the proponent had violated the provisions of EPA 1986. The proponent's request to regularise the violation by imposing penalty cannot be entertained as there is no provision for the same. So the proponent is directed to follow the procedure stipulated in SO 1030(E) dated 08/03/2018 by MoEF&CC, GOI for the appraisal of violation projects.

Item No.119.09

Application for Environmental Clearance for the Granite Building Stone quarry project in Survey No. 355/Pt of Pulpatta Village, Eranad Taluk, Malappuram District, Kerala for an area of 0.9042 Ha. by Sri. Saithalavi.C (File No. 1336/EC2/2019/SEIAA)

Decision: The Committee scrutinized the additional details submitted by the proponent. The Committee directed the proponent to submit the following additional document:

- a. Revised EMP incorporating revised CER giving details of the physical targets of the proposed CER activities.

Item No.119.10

**Amendment in Environmental Clearance issued for the proposed expansion of Arctecolors, Residential Apartment at Karyavattom in in Re Sy No 351/3-1, 351/3-2, 351/3-3, 351/3-4, or Sy No 3023/14-1, 14 3023/14-1 at Uliyazhathura Village , Thiruvananthapuram Taluk, Thiruvananthapuram District Kerala by Sri.Viju Varghese (File No. 827/SEIAA/EC1/2616/2015)
(Request for Erratum)**

Decision: The Committee scrutinized the additional details submitted by the proponent. The Committee decided to recommend the issuance of erratas '(G+19)' without altering the height and the area of the proposed building as per the approved plan specified in the EC.

FIELD INSPECTION REPORTS RECEIVED

Item No.119.11

Environmental Clearance for the Proposed Mixed use Township Development Project ‘Landmark Trade Centre’ in Survey Nos. 27/1, 30/4c, 31/4, 7, 8, 9, 32/4, 351b of Pantheerankavu Village, Olavanna Panchayath, Kozhikode Taluk & Kozhikode District, Kerala by Mr. Anwar Sadath, Director, M/s Calicut Landmark Builders & Developers (India) Pvt. Ltd (1193/EC2/2018/SEIAA)

Decision: The Committee discussed and accepted the Field Inspection Report. The Committee decided to communicate to SEIAA the following recommendations for further consideration:

- a. Proponent may be directed to file compliance reports on time.
- b. Emergency / second access suitable for fire engine movement must be developed.
- c. Water spraying must be done for dust control.
- d. Temporary accommodation for construction workers must be made as directed by SEIAA.
- e. Proponent must be directed to submit a reasonable time schedule for the implementation of CER activities.
- f. Necessary steps must be taken to prevent soil erosion from the soil dump area.

Item No.119.12

Environmental Clearance for the proposed Building stone Quarry project in Survey No. 236/3, 237/1 & 238/2 in Thirumeni Village, Payyannur Taluk, Kannur District, Kerala State by Mr. Narikkadan Dasan (File No. 1292/EC2/2019/SEIAA)

- **Decision:** The change of the field inspection team is ratified. The Committee discussed and accepted the Field Inspection Report and decided to direct the proponent to submit the following documents/details:
 - a. The proponent should upload a non-assignment certificate and recent cluster certificate from the appropriate authority.
 - b. The proponent should revise and upload the revised Project Cost
 - c. The proponent should relocate the top soil dumping site and a map showing the revised dump site location.
 - d. A revised water management plan including the source details should be uploaded.
 - e. The garland drain is planned through the buffer zone which should be relocated and a map depicting the revised drainage plan should be uploaded.
 - f. A transportation plan for the mined material considering the existing traffic load of the Prapoyil-Thirumeni Road should be uploaded.
 - g. The proponent should revise the EMP and upload the revised EMP document incorporating CER. The revised CER should be planned with monitorable targets which should be implemented during the first two years of the proposed project

period so that it could be maintained by the proponent during the next three years of the project period.

- A Statement of facts on the complaint received should be obtained from the proponent.
- The final decision on the site should be subjected to the distance criteria.

Item No.119.13

Judgement in WP(C) No. 12147/2020(P) dated 09.09.2020 filed by A.K.Joseph, Arackal House, Mundathadam, Parappa, Ksargod, 671533 Jimmy Alex, Manjakunnel, Parappa P.O, Kasargod, 671533, Vinayan V.K , District Environmental Samithi, Parappa, Kasargod

&

Judgement in WP(C) No. 15745/2020(P) dated 18.08.2020 filed by K.P.Balakrishnan, KanathilParambil, Moolakayam, Parappa, Kasargod, Pramod.K, Parappa, Kasargod, Sudhakaran.M, EdavilVeedu, Parappa, Kasargod and U.V.MohammedKunhi, ValappilKammadath, Parappa, Kasargod (1992/EC2/2020/SEIAA)

Decision: The Committee discussed and accepted the FIR and decided to forward the FIR to SEIAA for further necessary action.

Item No.119.14

Application for ToR for the proposed Granite Building Stone quarry project in Survey No. 257/1/2, 257/1/6, 257/1/7 of Elankur Village, ErnadTaluk, Malappuram District, Kerala over an area of 0.8945Ha State by Mr. Faisal (File No. 1282 (A)/EC2/2019/SEIAA)

Decision: The Committee discussed the Field Inspection Report and decided to direct the proponent to submit the following documents/details:

- a. The proponent should reassess the requirement of water and identify a new suitable source of water required for the proposed project and inform the details including safe yield and its geo-coordinates.
- b. An updated District Survey Report should be submitted.
- c. The proponent should upload a revised EMP incorporating revised CER. The revised CER should be planned with monitorable targets evolved through stakeholder consultations and it should be implemented during the first two years of the proposed project period so that it could be maintained by the proponent during the next three years of the project period.

The proponent should satisfy the criteria of distance to the site from the residential houses, public building and inhabited sites and locations as per existing rules and court directions.

DIRECTED FROM SEIAA

Item No.119.15

Application for environmental clearance for removal of Ordinary earth in Sy.No.121/10 at Vazhakkulam Village, Kunnathunad Taluk, Ernakulam District by Shri. James Jacob [File No.2205/EC2/2019/SEIAA]

Decision: 106th SEIAA meeting held on 19th, 20th & 21st January 2021 decided that irrespective of the depth and area of mining prior Environmental Clearance is mandatory for mining minor minerals as per S.O.141 (E) of MoEF & CC dated 15th January 2016. Further as per Appendix XI of EIA notification 2006 approved mining plan is a must for mining minor minerals from 0-5 Ha. As SEIAA is governed by EIA notification 2006, if a Project Proponent approaches SEIAA for EC to mine the minor minerals, the application should be accompanied by an approved mining plan. So the proponent is advised to submit approved mining plan for processing the application for prior environmental clearance.

Item No.119.16

Environmental clearance for the Development of Govt. Medical College cum Hospital in Sy.No.643 at Iravan Village, Kodencherry Taluk, Pathanamthitta District, Kerala by The Principal In Charge, Konni Govt. Medical College (File No. 810.A/SEIAA/EC4/2373/2015)

Decision: Noted. The Committee has already assessed the remediation plan submitted by the proponent and also the remediation plan has been accepted as required in clause 2 mentioned. The implementation of the remediation plan by the proponent is a condition of EC and the same has been communicated to SEIAA for taking further necessary action including the issuance of EC.

Item No.119.17

Application for Environmental Clearance for the granite building stone quarry of M/s A-One Sands Pvt. Ltd in Muthalamada –I Village, Chittur Taluk, Palakkad District (File No. 747/EC1/180/2015/SEIAA)

Decision: The Committee decided to invite the proponent for presentation and also decided to process the online file. The file will be processed as per the judgment WP(C) No. 22589 of 2015 dated 08.09.2015

GENERAL

Item No.119.18

Checklist for documents to be submitted under different category of project dealt by SEIAA/SEAC (File No.1487/A1/2020/SEIAA)

Decision: Noted. The Committee entrusted Dr.N.Ajithkumar, Member, SEAC to put up suggestions in this regard.

Judgment dated 2.11.2020 in WP (C) 17533/2020 and other cases - regarding the validity of EC - Presentation of proposals.(File No.1858/A1/2020/SEIAA)

1. 27620 of 2020 (B)- M/S Ever One Properties India Pvt. Ltd.,Kothamangalam, Ernakulam-EC No. Environmental Clearance No.157/Q/2016

Decision: The proponent and consultant were present. The consultant made the presentation. The Committee decided to examine the file further.

2. 28500 of 2020 (J) –M/s Gimsak Developers (P) Ltd.- No.1388/EC2/2019/SEIAA

Decision: The proponent and consultant were present. The consultant made the presentation. The approved mining plan contains details of 5years only. Therefore, their request cannot beaccepted.

3. 28859 of 2020(F)- Jimmy Jose Quarry Unit,Kaloorkad,Ernakulam-No.29/2017

Decision: The proponent and consultant were present. The consultant made the presentation.

The Committee decided to examine the file.

4. 28403/2020- M/s Aducadu Granites (P) Ltd,Konnithazham,Pathanamthitta- No.19/2017

Decision: The proponent and consultant were present. The consultant made the presentation.The Committee entrusted Shri.G.Sankar and Smt.BeenaGovindan with the field inspection and also directed the proponent to submit the following additional documents /details:

- a. Approved Mining plan
- b. Copy of the Order of Environmental Clearance
- c. Report on the Compliance of EC conditions

5. 26415/2020- M/s Surya Granites, Kuthanoor,Palakkad- EC No. 3/2016

Decision: The proponent and consultant were present. The consultant made the presentation.The Committee entrusted Dr.S.Sreekumar and Dr.A.V.Raghu with the field inspection and also directed the proponent to submit the following additional documents /details:

- a. Approved Mining plan
- b. Copy of the Order of Environmental Clearance
- c. Report on the Compliance of EC conditions

6. 513/2021- M/s JAMS Granites Pvt.Ltd.,Perungottukurissi,Palakkad-

Decision: The proponent and consultant were present. The consultant made the

presentation. The Committee entrusted Dr.S.Sreekumar and Dr.A.V.Raghu with the field

inspection and also directed the proponent to submit the following additional documents /details:

- a. Approved Mining plan
- b. Copy of the Order of Environmental Clearance
- c. Report on the Compliance of EC conditions

7. 28206/2020- M/s INFRA GRANITES LLP- 124/SEIAA/KL2334/2014

Decision: The proponent and consultant were present. The RQP made the presentation. The committee decided to examine the file.

8. 25111/2020- TriptyGranites- 826/SEIAA/EC1/2609/2015

Decision: The proponent and consultant were present. The RQP made the presentation. The committee decided to examine the file.

9. 27633/2020- SubhaPrabha- 690/A1/2019/SEIAA

Decision: The proponent and consultant were present. The RQP made the presentation. The committee decided to examine the file.

10. 27478/2020- K K Raveendran, Vengeri, Kozhikkode- 48/DEIAA/KL/MIN/11979/2017

Decision: The proponent and consultant were present. The consultant made the presentation. The Committee entrusted Dr.R.AjayakumarVarma and Dr.N.Anilkumar with the field inspection and also directed the proponent to submit the following additional documents /details:

- a. Approved Mining plan
- b. Copy of the Order of Environmental Clearance
- c. Report on the Compliance of EC conditions

11. 25086 - M/s Thekkinchuvadu Granite, Arecode, Malappuram- 03/DEIAA/KL/MIN/3295/2016

Decision: The proponent and consultant were present. The consultant made the presentation. The Committee entrusted Dr.R.AjayakumarVarma and Dr.A.V.Raghu with the field inspection and also directed the proponent to submit the following additional documents /details:

- a. Approved Mining plan
- b. Copy of the Order of Environmental Clearance
- c. Report on the Compliance of EC conditions

12. 28265 - Muhammed Ismail Makki, Unnikulam, Kozhikkode - 108/DEIAA/KL/MIN/14786/2018

Decision: The proponent and consultant were present. The consultant made the presentation. The Committee entrusted Dr.R.Ajayakumar Varma and Dr.N.Anilkumar with

the field inspection and also directed the proponent to submit the following additional documents /details:

- a. Approved Mining plan
- b. Copy of the Order of Environmental Clearance
- c. Report on the Compliance of EC conditions

13. 28263 - Muhammed Ismail Makki, Unnikulam, Kozhikkode-35/DIA/KL/MIN/6685/2017

Decision: The proponent and consultant were present. The consultant made the presentation. The Committee entrusted Dr.R.AjayakumarVarma and Dr.N.Anilkumar with the field inspection and also directed the proponent to submit the following additional documents /details:

- a. Approved Mining plan
- b. Copy of the Order of Environmental Clearance
- c. Report on the Compliance of EC conditions

14. 27813/2020 –Binoj K Baby – 824/EC4/2607/SEIAA/2015

Decision: The proponent and consultant were present. The RQP made the presentation. The committee decided to examine the file.

15. 28530/2020 – C G George – 623/SEIAA/ EC4/ 4806/2014

Decision: The proponent and consultant were present. The RQP made the presentation. The committee decided to examine the file.

16. 25352 of 2020(T) – BinuCherian - 839/SEIAA/EC1/2717/2015

Decision: The proponent and consultant were present. The RQP made the presentation. The committee decided to examine the file.

17. 12391 OF 2020 -HabeeburRahiman P.M - 646/EC4/4942/2014/SEIAA

Decision: The proponent and consultant were present. The RQP made the presentation. The committee decided to examine the file.

18. 25534 of 2020 - Blue Mountain Granites - 626/SEIAA/EC1/4809/2014

Decision: The proponent and consultant were present. The RQP made the presentation. The Committee decided to examine the file.

19. 25968 of 2020- GKV Granites- DIA/KL/MIN/2779/2017

Decision: Deferred

20. 25848 of 2020-KichuK.Ravi- B1/7683/2017/DEIAA/TSR

Decision: Deferred

- Many proponents have submitted application for revalidation of EC consequent to the direction of the Hon'ble High Court for revalidation of EC who have not approached the Hon'ble Court. Therefore, the Committee decided to seek the advice of the SEIAA whether their requests have to be considered by the SEAC or not.

AGENDA 1

CONSIDERATION/RECONSIDERATION OF ENVIRONMENTAL CLEARANCE

1. SIA/KL/MIN/126249/2019 , 1564/EC4/2019/SEIAA

Environmental clearance for removal of ordinary earth from 0.6313 Ha of property out of total extent 0.7385 Ha Property under the possession of the Applicant Vettiloath, Comprised in survey no.947/3- A-1-2 in Onakkoor Village, Muvattupuzha Taluk, Ernakulam District

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee entrusted Shri. K Krishna Panicker and Dr. N Ajith Kumar with the field inspection and also directed the proponent to submit the demand letter from the actual beneficiaries.

2. SIA/KL/MIN/127152/2019 , 1565/EC4/2019/SEIAA

Environmental clearance for removal of ordinary earth from 0.9834 Ha of property under the possession of the Applicant M V Ashok Kumar, Comprised in survey no.811/1 in Onakkoor Village, Muvattupuzha Taluk Ernakulam District.

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee entrusted Shri. K Krishna Panicker and Dr. N Ajith Kumar with the field inspection and also directed the proponent to submit the demand letter from the actual beneficiaries.

3. SIA/KL/MIN/127445/2019 , 1567/EC4/2019/SEIAA

Environmental clearance for removal of ordinary earth from 0.6180 Ha of property under the possession of the Applicant Varghese, Comprised in survey no.276/5,276/8 in Puthencruz Village, Kunnathunad Taluk Ernakulam District

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee entrusted Shri. K Krishna Panicker and Dr. N Ajith Kumar with the field inspection and also directed the proponent to submit the demand letter from the actual beneficiaries.

4. SIA/KL/MIN/129095/2019 , 1579/EC3/2019/SEIAA

Application for Environmental Clearance for the building stone quarry project

in Re Survey No. 400 /1, Block No: 64 in Elankur Village, ErnadTaluk, Malappuram District, Kerala for an area of 0.4761 hectares by Sri.Sunny Joseph

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee entrusted Dr. P S Easa and Dr. S. Sreekumar with the field inspection and also directed the proponent to submit the following additional documents/details:

- a. Revised biodiversity assessment with quantification separately for the core and buffer areas.
- b. Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22- 65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.
- c. Revised drainage plan

5. SIA/KL/MIN/134011/2019 , 1629/EC2/2020/SEIAA

Building Stone Quarry of Shri. Narayanan K. for an area of 0.9748 hectares at Survey No. 331/2(pt), 332pt of Beemanady Village, VellarkundTaluk, Kasargod District, Kerala

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee entrusted Dr. R AjayakumarVarma and Dr. N Anilkumar with the field inspection and also directed the proponent to submit the following additional documents/details:

- a. Revised biodiversity assessment with quantification separately for the core and buffer areas.
- b. Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22- 65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.

6. SIA/KL/MIN/134188/2019 , 1581/EC2/2019/SEIAA

Granite Building Stone Quarry of NAT Industries, Building Stone Quarry of M/s NAT Industries over an extent of 1.8109 Ha. Re Sy Block No: 39, Re Sy No: 178/8,173/4-5,173/4-6,173/4- 25,173/4-30,173/4-1 in Chadayamangalam Village, KottarakkaraTaluk, District-Kollam, State (Complaint received from

KannamparaPouraSamithi on 20/08/2019)

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee entrusted Shri. V N Jithendran and Shri.GSankar with the field inspection and also directed the proponent to submit the following additional documents/details:

- a. Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22- 65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.
- b. Revised Drainage plan.
- c. Revised biodiversity assessment with quantification separately for the core and buffer areas.
- d. Certified survey map clearly depicting the houses /buildings within 200m.

7. SIA/KL/MIN/134527/2020 , 1637/EC3/2020/SEIAA

Building Stone Quarry of M/s.Four Star Granites over an area of 1.6479 Ha in Sy. No. 503/1,503/2, 498/3-B/8-6,493/1/14-B of Varapetty Village, Kothamangalam Taluk, Ernakulam

Decision: The Committee decided to defer the proposal as per the request from the proponent.

8. SIA/KL/MIN/136195/2020, 1587/EC1/2020/SEIAA

Granite / Building stone quarry of “Mr.Babu Jacob, Director, M/s. Mannari Granites Private Limited. Sy.No: 1008/1-18/3,1008/1-18/4,1008/1- 18/5, 1008/1- 18/7 in Mulavoor Village, Muvattupuzha Taluk, Ernakulam District, Kerala State

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee entrusted Shri. K Krishna Panicker and Dr. N Ajithkumar with the field inspection and also directed the proponent to submit the following additional documents/details:

- a. Revised map showing the relocated dump site.
- b. Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22- 65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.
- c. Revised biodiversity assessment with quantification separately for the core and buffer areas.

d. Revised drainage map.

9. SIA/KL/MIN/137456/2020 , 1607/EC1/2020/SEIAA

Environmental Clearance for Building Stone Quarry of Mr. Nitheesh Babu B.S situated in Block No.29, Re Survey no.119/1,119/2, 120/1,120/2, 120/3,120/11, 120/12, of Manickal Village, Nedumangad Taluk, Thiruvananthapuram District, Kerala over an area of 1.3552Ha

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee entrusted Shri.G.Sankar and Dr. C Bhaskaran with the field inspection and also directed the proponent to submit the following additional details:

- a. Native species to be included in the Greenbelt/Afforestation.
- b. CER to be revised and submitted as part of EMP.

10. SIA/KL/MIN/140072/2020 , 1631/EC2/2020/SEIAA

Granite Building Stone Quarry of M/s. Kalpetta Rocks Private Limited, Granite Building Stone Quarry of M/s. Kalpetta Rocks Private Limited” over an extent of 4.6923 Ha. (11.5946 Acres) in Block No. 29, Re-Sy. Nos. 50/2, 50/3, 50/4, 50/5, 678/67, 678/69, 678/70, 678/74, 678/163, Thrikkaipetta Village, Vythiri Taluk, Wayanad District, Kerala State, India.(Complaint received from local residents dated on 16.09.2020)

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee entrusted Dr. N Anilkumar and Dr. R Ajayakumar Varmawith the field inspection and also directed the proponent to submit the following additional documents/details:

- a. Cost analysis should be done for tree cutting and it should be incorporated in CER
- b. Slope stability measure is necessary in between BP8 & BP9
- c. Statement of facts on the complaint received

11. SIA/KL/MIN/140230/2020 , 1390/EC2/2019/SEIAA

Application for Environmental Clearance for the Granite Building stone quarry project in Sy no 871, 875 of Perumpilavu Village, Thalappilly Taluk, Thrissur district for an extent of 0.9966 Ha by Sri. A.N Sadasivan Nair

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee entrusted Dr. S Sreekumar and Dr. A V Raghu with the field inspection and also directed the proponent to submit the following additional documents/details:

- a. Geo coordinates & Groundwater table of wells located within 500m radius especially in the Northern lower elevation
- b. CER activities should have measurable physical targets.

12. SIA/KL/MIN/140734/2020 , 1429/EC3/SEIAA/2019

Application for Environmental Clearance for the Granite Building Stone Quarry project in Re Sy Block No.2, Re Survey no. 114pt, of Chekkyad Village, Vadakara Taluk, Kozhikkode District, Kerala for an extent of 3.8680 Ha of land by Sri.Kunhiraman.M.P, Proprietor

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee entrusted Dr. R AjayakumarVarma and Dr. P S Easawith the field inspection.

13. SIA/KL/MIN/142917/2020 , 1659/EC6/2020/SEIAA

Application for Environmental Clearance for the Building Stone Quarry project in Sy. No's 453/1 of Arakkuparamba Village, Perinthalmanna Taluk, Malappuram District, Kerala for an area of 0.6340 Ha by Sri.Unnikrishnan

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee entrusted Dr. S Sreekumar and Dr. P S Easa with the field inspection and also directed the proponent to submit the following additional documents/details:

- a. Water requirement has to be reassessed.
- b. Revised CER in consultation with the Local Self Govt. based on the needs of the local people.

14. SIA/KL/MIN/144086/2020 , 1597/EC4/2020/SEIAA

Laterite Building Stone Quarry of Mr. Ramachandran P. at Re-Sy. No19/245 of Koodathai Village, Thamarassery Taluk, Kozhikode District of Kerala for an extent of 0.8094 Ha under B2 category

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee entrusted Dr. R AjayakumarVarma and Dr. P S Easawith the field inspection and also directed the proponent to submit the following additional documents/details:

- a. Site specific drainage map with adequate carrying capacity for discharge.
- b. Lithological section indicating the profile of the Laterite.

15. SIA/KL/MIN/144116/2020 , 1599/EC4/2020/SEIAA

Environmental Clearance for Laterite building stone quarry in Sy No41/4C-1 of Puzhakkattiri Village, Perinthalmanna Taluk, Malappuram District, Kerala for an extent of 0.3236 Ha by Sri.Siraj.K

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee entrusted Dr. S Sreekumar and Dr. P S Easa with the field inspection and also directed the proponent to submit the following additional documents/details:

- a. Lithological section indicating the profile of the Laterite.
- b. Revised drainage map

16. SIA/KL/MIN/145849/2020 , 1612/EC1/2020/SEIAA

Environmental Clearance for Granite Building Stone of Mr. Sasidharan.G over an extent of 2.8540Ha at Re Sy No 434/3,4,5,7,8,9,10,12,16,17,19,20,21,22,22-1,23,24, 27,29,436/2-1,2-2,2-3,5of Perumpazhuthoor Village, Neyyattinkara

Taluk, Thiruvananthapuram District, Kerala.(Presentation)

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee entrusted Shri.G.Sankar and Shri. M Dileep Kumar with the field inspection and also directed the proponent to submit the following additional documents/details:

- a. Project cost has to be revised incorporating the cost realized from trees to be cut from the buffer zone.
- b. CER to be revised keeping in view the felt needs of the local community.

17. SIA/KL/MIN/146136/2020 , 1630/EC2/2020/SEIAA

Building Stone Mine (Quarry, Minor Mineral Mining) project of Mr. Sukumaran E. at Block No. 3, Re. Survey Nos. 188/1, 188/2 of Padichira Village, Sulthan Bathery Taluk, Wayanad District, Kerala

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee entrusted Dr. R AjayakumarVarma and Dr. N Anilkumar with the field inspection and also directed the proponent to submit the following additional documents/details:

- a. Revised project cost including the realized value of trees supposed to be cut.

18. SIA/KL/MIN/146731/2020 , 1617/EC1/2020/SEIAA

Environment Clearance of the Proposed Granite Building Stone of Mr Abdul Salim Quarry over an extent of 1.7197 Hectares in Re-Survey Nos. 90/1pt, 90/3pt, 88/1pt, 88/2pt & 88/3pt of Pullampara Village, Nedumangad Taluk, Thiruvananthapuram District, Kerala.

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee entrusted Shri.G.Sankar and Shri. M Dileep Kumar with the field inspection.

19. SIA/KL/MIN/147724/2020 , 1636/EC6/2020/SEIAA

Environmental Clearance for Laterite building stone quarry project in Sy No- 108/1A-10, Block no.5 of Kodur Village, Perinthalmanna Taluk, Malappuram District, Kerala for an extent of 0.2105 Ha by Sri. Sahil.P

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee entrusted Dr. S Sreekumar and Dr. A V Raghu with the field inspection.

20. SIA/KL/MIN/148361/2020 , 1641/EC3/2020/SEIAA

Building Stone Quarry of M/s Seas Rock Products at Survey No 426/3, 426/4, 426/5 in Neyyassery Village, Thodupuzha Taluk, Idukki District, Kerala State for an extent of 1.5163 Ha

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee entrusted Shri.K Krishna Panicker and Dr. N Ajith Kumar with the field inspection and also directed the proponent to submit the following additional documents/details:

- a. Reduced water level of the monitored wells.

21. SIA/KL/MIN/155712/2020 , 1688/EC1/2020/SEIAA

Application for the Building Stone Mine (Quarry) project of Mr. V.Sudhakaran at Block No. 4, Re Survey Nos. 270/1, 2, 3, 4, 4-1, 5, 5-1, 5-2, 5-3,5-4, 5-18, 5-19, 12,12-1, 12-2, 14, 15, 15-1, 16, 17 of Pallichal Village, Neyyattinkara Taluk, Thiruvananthapuram District, Kerala for an area of 1.7230 hectares

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee entrusted Shri.G.Sankar and Dr.C Bhaskaran with the field inspection and also directed the proponent to submit the following additional documents/details:

- a. Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22- 65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.

22. SIA/KL/MIN/165625/2020 , 1440/EC1/2019/SEIAA

Application for EC for the proposed Granite Building stone of Mr. C. Krishna Pillai (Conversion ToR- EC) in Block No-27,Re-Survey Nos.283/1pt,283/2pt,283/4,296/3pt of Ezhumattoor Village , Mallapally Taluk of Pathanamthitta District, Kerala over an extent of 0.9705 Ha(Presentation + Additional Documents Received)

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee discussed and accepted the additional details submitted by the proponent. The processing at the SEAC level has been completed. As per the judgment of the Hon'ble High Court of Kerala dt 21.12.2020, the Committee decided to await the NGT order on the minimum distance criteria.

23. SIA/KL/MIN/43559/2019 , 1483/EC2/2019/SEIAA

Application for Environmental Clearance for the Quarry project in Survey No. 201, 202, 203, 214, 215, 216/1 & 218 in Thiruvilwamala Village, Thalappilly Taluk, Thrissur District Kerala for an area of 4.3520 Hectares by Sri.C.Firos Babu

Decision: The proponent and consultant were present. The consultant made the presentation. The Committee decided to direct the proponent to submit the following additional documents:

- a. Revised biodiversity assessment with quantification separately for the core and buffer areas.
- b. Revised drainage map.
- c. Proof of the application submitted for the permission from the National Board for Wildlife.

d. Revised project cost

24. SIA/KL/MIN/43903/2019 , 1548/EC2/2019/SEIAA

Granite Building Stone Quarry over an extent of 0.9037 Hectares in ReSurvey No.- 214/1- 1-1, 214/1-1-2, 214/2pt (Own Patta land) & Re-Sy.No.- 214/1pt (Govt. Land) Pooyappally Village, KottarakaraTaluk, Kollam District, Kerala State by Mr. Biju Khan

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee decided to direct the proponent to submit the following additional documents/ details:

- a. Valid NOC from the revenue authorities for Govt. land included in the proposal.
- b. Revised CER in consultation with the Local Self Govt. based on the needs of the local people.

25. SIA/KL/MIN/43937/2019 , 1547/EC2/2019/SEIAA

Granite Building Stone Quarry over an extent of 0.5456 Hectares in ReSurvey No.- 217/17pt (Patta land) & Re-Survey No.-214/1pt (Govt. Land) Pooyappally Village, KottarakaraTaluk, Kollam District, Kerala State by Mr. Biju Khan

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee decided to direct the proponent to submit the following additional documents/ details:

- a. Valid NOC from the revenue authorities for Govt. land included in the proposal.
- b. Revised CER in consultation with the Local Self Govt. based on the needs of the local people.

AGENDA 2

CONSIDERATION/RECONSIDERATION OF ENVIRONMENTAL CLEARANCE

1. SIA/KL/MIN/126088/2019 , 1525/EC1/2019/SEIAA

Environmental Clearancefor the building stone quarry of Mr Deepak N D Managing Partner M/s Quality Rocks at Survey Nos. 6/2,26/2,26/2,27/1, 27/3 ofVaniyamkulam-2 Village, OttappalamTaluk, Palakkad District, Kerala State for an area of 0.9990 hectares.(Additional documents received).

Decision: The Committee scrutinized the additional details submitted by the proponent. The Committee directed the proponent to submit the following additional documents /details:

- a. Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22- 65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds

under CER. The CER activities incorporated in the EMP should be undertaken

- b. during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.
- c. Details of tree species for greenbelt planting

2. SIA/KL/MIN/127122/2019 , 1562/EC1/2019/SEIAA

Proposed granite quarry of Mr. Mathew Daniel for an extent of 2.23.92 Ha In S.Y.No: 340/1/99-1, 340/1/99-2, 340/1/102/2-1, 340/1/100/3, 340/1/100-4, 340/1/100-1, 340/1/100-2, 340/1/102-2, 340/1/103-1 At Enadimangalam Village, Adoor Taluk, Pathanamthitta District, Kerala. (Additional documents received).

Decision: The Committee scrutinized the additional details submitted by the proponent. The Committee directed the proponent to submit the following additional documents /details:

- a. Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22- 65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.
- b. The cumulative impact due to the activities within the cluster, transportation and related issues, Hydro-geological studies on replenishment of water are necessary for assessing the environmental implications due to the proposed quarry. These details have also to be submitted by the proponent.

3. SIA/KL/MIN/129508/2019 , 1528/EC1/2019/SEIAA

Proposed Granite Building Stone Quarry of Mr. Muhammed Hashim over an extent of 1.7488 Hectares in Re-Survey Nos. 22/2-2pt & 22/3pt Pazhavangadi Village, Block No:-10 of Ranni Taluk, Pathanamthitta District, Kerala. (Additional documents received).

Decision: The Committee scrutinized the additional details submitted by the proponent. The Committee decided to invite the proponent for presentation.

4. SIA/KL/MIN/130112/2019 , 1628/EC2/2020/SEIAA

Proposed Granite Building Stone Quarry of M/s Friends Granites & Crushers at Re-Sy. No- 109/1, 109/2, 109/4, 109/7, 109/8, 109/3/2, 110/1, 110/6/1, 110/6/2, 110/7, 110/8/1, 110/9, 110/10, 110/11, 110/15, 110/16, 110/17 of Vythiri Village, Thrikkaipetta Taluk, Wayanad District of Kerala for an extent of 4.6308 Ha (Additional documents received).

Decision: The Committee scrutinized the additional details submitted by the proponent. The Committee entrusted Dr. R Ajayakumar Varma and Dr. N Anil kumar with the field inspection and also directed the proponent to submit the following additional documents/details:

- a. Revised CER as part of EMP.

5. SIA/KL/MIN/132322/2019 , 1635/EC1/2020/SEIAA

Granite Building Stone Quarry of Shri. Nino K Thomas' over an extent of 2.7213 Ha. (6.7243 Acres) at Re-Survey Block No. 31, Re-survey. Nos. 457/1, 457/2, 457/3, 457/4, 457/4-1, 457/5, 457/6 & 457/7, Vadasserikkara Village, Ranni Taluk, Pathanamthitta District, Kerala (Additional documents received)

Decision: The Change of the team is ratified. The FIR is combined with that of another proposal of the same proponent (No. SIA/KL/MIN/44488/2019).

The Committee discussed and accepted the FIR in respect of proposal No. SIA/KL/MIN/132322/2019 and SIA/KL/MIN/44488/2019 and directed the proponent to submit the following additional documents/details:

- a. The Biodiversity report for Proposal number -SIA/KL/MIN/44488/2019
- b. The coordinates of one borewell and one open well for each quarry
- c. Survey map for both quarries showing all houses within 200m
- d. Land use map showing all land uses within 500 m distance from the boundary for both quarries
- e. Survey numbers and ownership details of all lands sharing boundaries with the proposed quarries in a single map certified by the Village Officer.
- f. A map showing land details of proposed access roads- Survey numbers and owner details certified by the Village Officer in a single map
- g. Revised map showing access roads and possession certificate/ consent from owners.
- h. If revenue land is used for developing the road, permission from concerned authority for developing the same.
- g. New suitable sites at a lower elevation for stalking top soil, marked on the map showing access roads.
- h. A combined drainage map showing silt traps and drainages connecting to an outside channel
- g. Detailing of CER activities in physical terms without any ambiguities. EMP should be revised integrating CER for both quarries separately.

6. SIA/KL/MIN/138465/2020 , 1608/EC1/2020/SEIAA

Environment Clearance for mining lease of "Granite Building Stone Quarry of Shri. Sathyan. C" over an extent of 2.8552 Ha. (7.0551 Acres) Re-Sy. Block No. 26, Re-Sy. Nos. 156/1, 156/2, 156/3 & 156/3-1, Enadimangalam Village, Adoor Taluk, Pathanamthitta District, Kerala

(Additional documents received)

Decision: The Committee scrutinized the additional details submitted by the proponent. The Committee decided to invite the proponent for presentation.

7. SIA/KL/MIN/143722/2020 , 1328/EC1/2019/SEIAA

Application for quarrying lease for operating Granite Building Stone over an extent of 2.0040 Ha at Re Sy No 93 in Raroth Village, Thamarassery Taluk, Kozhikode District, Kerala by Mr. Aby Joy Pottas (Field Inspection report received)

Decision: The Committee discussed and accepted the Field Inspection Report and decided to direct the proponent to submit the following documents/details:

- a. Revised EMP incorporating the specific CER activities in physical terms
- b. Consent of the land owner of abandoned quarry pit for discharge of overland flow to the quarry pond.
- d. Revised drainage plan with more silt traps and large settling tank.
- e. District Survey Report
- f. Clarification regarding the houses/buildings located within 200m from the quarry site

8. SIA/KL/MIN/147339/2020 , 1669/EC6/2020/SEIAA

Application for Environmental Clearance for the building stone quarry project at Survey Nos. 98/2pt, 98/24 pt (Block No. 1) & Survey No. 428/66 pt (Block No. 2) of Edayur Village of Tirur Taluk, Malappuram Dist by Sri.Binu Cherian, M/s Granites India (Additional documents received)

Decision: The Committee scrutinized the additional details submitted by the proponent. The Committee decided to direct the proponent to submit the following additional documents/details:

- a. Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22- 65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.

9. SIA/KL/MIN/148748/2020 , 1661/EC6/2020/SEIAA

Application for Environmental Clearance for Laterite building stone quarry project in Sy No-108/2-12, 108/1A-14, 108/2-13, 108/1A-15, Block no.5 of Kodur Village, Perinthalmanna Taluk, Malappuram District for an area of of 0.6111 Ha by Sri.Sahil.P (Additional documents received)

Decision: The Committee discussed and accepted the additional details submitted by the proponent. The Committee entrusted Dr.A V Raghu and Dr.S. Sreekumar with the field inspection.

10. SIA/KL/MIN/158794/2020 , 1835/EC6/2020/SEIAA

Environmental Clearance for Granite Building Stone Quarry at Re Survey No 383/1 & 385 of Panthallur Village, Eranad Taluk, Malappuram District Kerala for an extent of 1.8112 Ha by Sri. Shabeerali (Conversion of ToR to EC)

Decision: The Committee discussed the Field Inspection Report and decided to direct the proponent to submit the following documents/details:

- a. The proponent should identify a source of water required for the proposed project and inform the details including safe yield of the source and its geo-coordinates.
 - b. A plan as to how the problem of sharing the boundary of the abandoned quarry near BP4 should be prepared and submitted.
 - c. An updated District Survey Report should be uploaded.
 - d. The proponent should upload a recent cluster certificate and revised Project Cost.
 - e. The proponent should upload a revised EMP incorporating revised CER. The revised CER should be planned with monitorable targets evolved through stakeholder consultations and it should be implemented during the first two years of the proposed project period so that it could be maintained by the proponent during the next three years of the project period.
- The proponent should satisfy the criteria of distance to the site from the residential houses, public building and inhabited sites and locations as per existing rules and court directions.

11. SIA/KL/MIN/40868/2019 , 1447/EC2/2019/SEIAA

Environmental Clearance for the Granite Building Stone Quarry in Survey No. 202 (P) in Killimangalam Village, Thalappilly Taluk, Thrissur District for an area of 0.3840 Hectares by Sri.K.M.Salim (Additional documents received)

Decision: The Committee scrutinized the additional details submitted by the proponent. The Committee directed the proponent to submit the following additional documents /details:

- a. Form 1M
- b. Proof of the application submitted for the permission from the National Board for Wildlife.
- c. Recent survey map showing distance to residential/public buildings, inhabited sites, canals, roads, electric lines, mobile towers, religious places etc., within 200 m. radius of the lease boundary certified by the Village Officer concerned.
- d. Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22- 65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.

12. SIA/KL/MIN/41414/2019 , 1563/EC1/2019/SEIAA

Building stone quarry of Mr. Aboobacker, O. in Pattithara Village, Pattambi Taluk, Palakkad district, Kerala in Survey No –176, 177/1 & 131 (P) over an extent of 1.4061 Ha (Field Inspection Report received)

Decision: The Committee discussed the Field Inspection Report and decided to direct the proponent to submit the following documents/details:

- a. Mining has to be limited to 85m above MSL and accordingly the quantity to be mined has to be regulated & same has to be reported
- b. Part of the bufferzone falls in the water logged area. Therefore, a compensatory afforestation plan is required and plants for which should be specified.

13. SIA/KL/MIN/44488/2019 , 1474/EC1/2019/SEIAA

Granite Building Stone Quarry of Sri. Nino K Thomas at Re-Survey Block No. 31, Re-survey. Nos. 394/2, 461/1 & 461/4, Vadasserikkara Village, Ranni Taluk, Pathanamthitta District, Kerala (Field Inspection Report received)

Decision: The Change of the team is ratified. The FIR is combined with that of another proposal of the same proponent (No. SIA/KL/MIN/44488/2019)

The Committee discussed and accepted the FIR in respect of proposal No. SIA/KL/MIN/132322/2019 and SIA/KL/MIN/44488/2019 and directed the proponent to submit the following additional documents/details:

- a. The Biodiversity report for Proposal number -SIA/KL/MIN/44488/2019
- b. The coordinates of one borewell and one open well for each quarry
- c. Survey map for both quarries showing all houses within 200m
- d. Land use map showing all land uses within 500 m distance from the boundary for both quarries
- e. Survey numbers and owner details of all lands sharing boundaries with the proposed quarries in a single map certified by village officer.
- f. A map showing land details of proposed access roads- Survey numbers and ownership details certified by the Village Officer in a single map
- g. If revenue land is used for developing the road, permission from concerned authority for developing the same.
- h. New suitable sites at a lower elevation for stalking top soil, marked on the map showing access roads.
- i. A combined drainage map showing silt traps and drainages connecting to an outside channel
- j. Detailing of CER activities in physical terms without any ambiguities. EMP should be revised integrating CER for both quarries separately.

14. SIA/KL/MIN/45319/2019 , 1499/EC3/2019/SEIAA

Environmental Clearance for the proposed Building stone Quarry project in Re-Survey No. 172 of Kodyathur Village, Kozhikkode Taluk, Kozhikkode District by Mr. T Abdul Rahiman (Field Inspection Report received)

Decision: The Committee discussed the Field Inspection Report and decided to direct the proponent to submit the following documents/details:

- a. The proponent should satisfy the criteria of distance to the site from the residential houses, public buildings and inhabited sites and locations as per existing rules and court directions.
- b. The proponent should upload all the details called for in the 116th meeting of SEAC.
- c. The approved Mining Plan, Land related details and Updated District Survey Report are also not found uploaded in the Parivesh System. A single page document is uploaded under different heads in the Parivesh system which is one and the same. Risk assessment is unsatisfactory. No final lay out plan is uploaded. Air quality measurements and groundwater levels are not correct and need reassessment and revision. The proponent is directed to rectify these defects and upload all the required documents including the above said ones.

15. SIA/KL/MIN/45999/2019 , 1504/EC3/2019/SEIAA

Environmental Clearance for the proposed Building stone Quarry project in Re-Survey Nos. 74/1D of Kuttoor Village, Payyannur Taluk, Kannur District by Mr. Shri.Sumith Goyal, Managing Director, M/s.RDS Project Ltd (Field Inspection Report received)

Decision: The Committee discussed the Field Inspection Report and decided to direct the proponent to submit the following documents/details:

- a. A portion of the proposed site forms part of the operational granite building stone quarry project of the same proponent in the same Survey Number and a portion of the land has already been mined out. Therefore, proposed scheme of mining is not found feasible and therefore, a revised mine plan should be uploaded.
- b. The proponent should upload a revised EMP incorporating CER. The implementation plan of the CER proposals should be such that its execution should be completed within the first two years so that it could be maintained by the proponent during the next three years.
- c. The proponent should upload a detailed environmental management plan that could mitigate the potential hazardous situation that may arise due to the mining activity in the proposed project site taking also into consideration the impacts due to the adjacent operational quarry.
- d. The proponent should upload a detailed water management plan that includes water demand for different purposes during the mining activity and the source of water and its adequacy considering the ongoing mining activity in the adjacent operational quarry.
- e. The proponent should upload a detailed drainage plan including the drainage map for management of overland flow considering the ongoing mining activity in the adjacent operational quarry.
- f. The proponent should upload the tree cutting details and specific green-belt

- g. development plan.
- h. The proponent should upload the traffic management details and the dust emission control considering the ongoing mining activity in the adjacent operational quarry.
- i. The EC conditions comprising 23 general conditions and 9 specific conditions issued for the adjacent quarry are mostly not complied with. A compliance certificate may be called for urgently based on which continuance of the mining activity in the operational quarry may be decided.
- j. The proponent should also be directed to submit the additional details sought in the 112th SEAC meeting.

The proponent should satisfy the criteria of distance to the site from the residential houses, public buildings and inhabited sites and locations as per existing rules and court directions.

16. SIA/KL/MIS/142532/2020 , 1606/EC1/2020/SEIAA

Environmental Clearance for proposed Medical Devices Park at Life Science park Thonakkal over an extent of 9 acres at Sy No. 185 (Part), 186 (Part) & 187, Veiloor village, Thiruvananthapuram Taluk, in Thiruvananthapuram District (Additional documents received)

Decision: The Committee scrutinized the additional details submitted by the proponent. The Committee decided to recommend the issuance of EC subject to the following specific conditions:

- 1) Action for ensuring treatment of Sewage generated from unit by adding Ultrafiltration Unit to the proposed treatment Unit, for ensuring reuse / recycle of treated water for flushing/gardening.
- 2) Include tentative cost for waste management, especially for Solid and Liquid Waste Management in the EMP.
- 3) Action for harnessing solar energy to meet power requirement at least partially. Providing post type solar yard lighting system within the compound should be considered.
- 4) A properly designed Plan for planting of local species of trees in the Green Belt area / open space, compensatory afforestation area, including avenue plantations should be prepared with the help of experts.
- 5) Action for using tree fencing all around the compound in addition to avenue trees with appropriate species.
- 6) Action for providing two line (dual) plumbing system, for ensuring reuse of treated waste water for flushing and use of water efficient / conserving plumbing system/fixtures.
- 7) Action for ensuring design of the building in compliance to Energy Building Code, wherever possible.

17. SIA/KL/MIS/148576/2020 , 1645/EC1/2020/SEIAA

Environmental Clearance for Residential Building Project, Artech Grand Tower, at Survey No. 92/1,2,3,4,5 Sasthamangalam Village, Thiruvananthapuram (Field Inspection Report received)

Decision: The Committee discussed the Field Inspection Report and decided to direct the proponent to submit the following documents/details:

- a. HFL data of Killi River near the project area.
- b. Detailed Compensatory Green Belt Development Plan (for cutting 117 trees)+66 trees (one tree for each 80 sq. m area), with local species of trees.
- d. Development of access road must be part of the project and shouldn't be part of CER. Necessary modification has to be made in the proposal.
- e. Actual details/ plan for Killi river rejuvenation, with actions and cost component for each, showing year wise break-up.
- e. Details of Children Play Facility proposed within project premises.
- f. Details of storm water management plan during monsoon.
- g. As there is no existing bore well within project area, revised plan for meeting the water requirement.
- h. Revised plan for harnessing more solar power.
- i. Details of actual vehicle parking facility proposed.
- j. Detailed plan for reuse of treated water for flushing (Commitments for providing Twin Line Plumbing System) / gardening / vehicle wash / recharge of local ground water.
- k. Proper traffic management in the main entry /exit with mirror / warning lights etc

18. SIA/KL/MIS/153603/2020 , 1673/EC2/2020/SEIAA

Environment Clearance for proposed Hospital buildings within the existing Holy Cross Hospital complex to be developed by M/s Holy Cross Hospital, Kottiyam(Field Inspection Report received)

Decision: The Committee discussed the Field Inspection Report and decided to direct the proponent to submit the following documents/details:

- a. A plan for implementing proper sewage conveyance system (Sewer line) for allproposed buildings, as well as existing buildings, to the site of existing STP as well tothe new STP site, as the buildings are situated in scattered manner.
- b. A plan for adding Tertiary Treatment Unit (Ultra Filtration Unit) in the existingSTP and provide a proper plan for treating extra quantity of 77 KLD of sewagegenerated from the proposed buildings, for ensuring quality of treated water for re-use/recycle for Flushing / Gardening/ Fire- fighting/ Recharge of local ground water.
- c. A site specific Action Plan for the Management of Storm Water, within the compound,for ensuring maximum recharge to the local ground water, as the area is facing lowering of local ground water level during summer season.
- d. Earmarking location in the plan of buildings, for providing sufficient storage space forNon-degradable solid waste (dry waste), including existing hospital Buildings as well as in the newbuildings, for ensuring periodical handing over the same to Recyclers/ Local body.
- e. Earmarking location in the plan of buildings for storage for biodegradable waste (wet waste) for facilitating easy and hygienic storage and imparting treatment in the on-site treatment facility.
- f. Earmarking location in the plan of buildings for storage on-site storage facility for Biomedical Waste, preferably in the Cellar Floor/ near to those buildings, in the

- g. proposed buildings for ensuring segregated storage and inside transport of biomedical waste, for facilitating/handing over to Common Operator, IMAGE, in compliance with the BMW Rules, 2016.
- h. Undertaking that action will be taken for preparing action plan for safeguarded Rain Water Harvesting from all Roof Tops of new buildings, and utilisation of Rain Water for makeup water for toilet flushing water, to the extent possible.
- i. Undertaking that action will be taken for planning and implementing suitable garland drains, all around the proposed buildings, enabling recharge of local ground water to the extent possible and allow balance quantity to flow to the proposed pond , after primary settling in the settling ponds/ delay ponds.
- j. Undertaking that action will be taken for planning and implementing proper facilities for tapping Solar Energy in all Roof Tops of proposed buildings, even though mentioned about harnessing solar power in the EMP.
- k. Undertaking that action will be taken for ensuring to plan and implement a realistic and suitable green area development, with suitable species of trees and plants, specifically suitable for hospital environment, by avoiding fruit bearing plants. Vegetation should be adopted appropriately on the ground as well as over built structure such as roofs, basements, podiums etc.
- l. Undertaking that action will be taken for ensuring to plan a climate responsive design as per Green Building Guidelines in practice. Exposed roof area and covered parking will be covered with material having high solar reflective index.
- m. Undertaking that action will be taken for ensuring that the building design will cater to the differently-abled persons.
- n. Undertaking that action will be taken for ensuring to use water efficient plumbing features and twin line plumbing system will be adopted, for ensuring recycle/reuse of treated waste water.
- o. Undertaking that action will be taken for ensuring that the design of the building will be done in compliance to Energy Building Code as applicable.
- p. Undertaking that necessary precaution will be taken for avoiding possible idle motor vehicle emissions in the hospital environment, from the ramp type of MLCP proposed in the Hospital Complex.

19. SIA/KL/MIS/189607/2020 , 1869/EC1/2021/SEIAA

Environment Clearance for proposed Residential project to be developed by M/s Sobha Highrise Ventures Pvt. Ltd. Limited in Cheruvakkal Village, Thiruvananthapuram (Registration in Indian Green Building Council)

Decision: The Committee decided to invite the proponent for presentation.

CONSIDERATION/ RECONSIDERATION OF ENVIRONMENTAL CLEARANCE (Extension/Amendment/Corrigendum)

1. SIA/KL/MIN/178275/2020 , 55/DEIAA/KL/KKD/H/15545/2017

Environmental Clearance for Laterite Building Stone Quarry of Devadasan.P,

over an extent of 0.9712 Ha in ReSy No-12/2A2A of Thalikulathoor Village, Kozhikode Taluk, Kozhikode District, Kerala (Additional documents received)

Decision: The Committee scrutinized the document submitted by the proponent and pointed out that as per Govt. of India guidelines, the validity of EC has been extended by one year in the light of the Covid-19 pandemic.

- 2. SIA/KL/MIN/165825/2020 , 646/EC4/4942/2014/SEIAA**
Application for extension for Environmental Clearance for Granite Building Stone Quarry of Mr. Habeebu Rahiman P. M for an extent of 2.9110 Ha (Additional documents received)

Decision: The same proposal was considered for revalidation of EC as per the direction of Hon'ble High Court WP © No.12391/20.

- 3. SIA/KL/MIN/167099/2020 , 121/SEIAA/EC4/2200/2014**
Granite Building Stone Quarry of Tomy Abraham in Survey Nos 781/1-23- 1 & 781/1-23-2 in Athikkayam Village, Ranni Taluk, Pathanamthitta District, Kerala for an area of 4.2755 hectares (Field Inspection Report received)

Decision: The Committee discussed and approved the Field Inspection Report. Since the proposal is for expansion, it is not considered under extension of EC.

- 4. SIA/KL/MIN/170676/2020 , 147/SEIAA/EC4/2748/2013**
Building Stone (Minor Mineral) Mining Project of M/s Aswathy Granites Pvt. Ltd. in Survey Nos. 113/3pt, 110/8, 112/4, 111/4pt, 111/5pt, 113/2, 112/5, 112/1-1, 112/1-2, 112/8-1, 112/8-2, 112/8-3, 112/2, 112/7 of Koodal Village, Kalanjoor Panchayat, Adoor Taluk, Pathanamthitta

Decision: The Committee entrusted Shri. K.KrishnaPanicker and Smt. BeenaGovindan with the field inspection.

CONSIDERATION OF TOR PROPOSALS

- 1. SIA/KL/MIN/35208/2019 , 1346/EC2/2019/SEIAA**
Application for Environmental Clearance for the Granite Building Stone Quarry Project in Re. Survey. No. 383/1, 385 of Panthalloor Village, Eranad Taluk, Malappuram District, Kerala for an area of 1.8112 Ha by Sri.Shabeerali (Field Inspection Report received)

Decision: Further decision will be taken in the EC proposal No. SIA/KL/MIN/158794/2020

- 2. SIA/KL/MIN/60123/2021 , 1872/EC1/2021/SEIAA**
Application for ToR (Terms of References) for the Granite Building Stone Quarry of N. Ramachandran in Anavoor Village, Neyyattinkara Taluk,

Thiruvananthapuram District, Kerala.

Decision: The Committee decided to invite the proponent for presentation.

AGENDA 3

CONSIDERATION/RECONSIDERATION OF ENVIRONMENTAL CLEARANCE

1. SIA/KL/MIN/127980/2019 , 1513/EC4/2019/SEIAA

Application for obtaining Environmental clearance for removal of ordinary Earth from 0.6313 Ha in survey no.947/3- A-1-2 in Onakkoor Village, Muvattupuzha Taluk by Kuriakose Vettilothe (Additional Documents received).

Decision: The Committee scrutinized the additional details submitted by the proponent. The Committee decided to recommend the issuance of EC subject to the following specific condition:

- a. Submission of the original of demand letter from KINFRA

2. SIA/KL/MIN/128945/2019 , 1534/EC3/2019/SEIAA

Application for prior Environmental Clearance for granite building stone quarry of Mr. N.J James, Managing partner, M/s, Neerakkal Granites (Category – B2) at Elanji Village, Muvattupuzha Taluk, Ernakulam District, Kerala State for an area of 0.7028 Ha (Additional Documents received).

Decision: The Committee scrutinized the additional details submitted by the proponent. The Committee decided to invite the proponent for presentation.

3. SIA/KL/MIN/144152/2020 , 1392/EC2/2019/SEIAA

Application for Environmental Clearance for the expansion of existing Building Stone Mine (quarry) project in Re-Survey Nos. 283, 282/3-1, 282/3- 3pt. of Mazhuvannoor Village & Re Survey Nos. 284/1-2, 284/1-3, 284/2- 2Pt., 284/2-3pt., 285/4, 283/2-5-2, 283/2-3-2, 282/1-3-1-2 in Block No. 28 of Arackappady Village, Kunnathunad Taluk, Ernakulam district, Kerala for an area of 8.7668 hectares of land by Sri. Eldho Kuruvilla, Managing Partner, M/s Cochin Granites Pulickal Associates (Additional Documents received)

Decision: The Committee discussed and accepted the additional details submitted by the proponent. The Committee entrusted Shri.K.Krishna Panicker and Dr.N. Ajith kumar with the field inspection.

4. SIA/KL/MIN/32061/2019 , 1622/EC2/2020/SEIAA

Granite Building Stone Quarry of M/s. Nellimunda Granites and Sands Pvt Ltd' over an extent of 1.1341Ha (2.8026 Acres) at Re Sy No. 374/752 & 374/738, Valad Village, Mananthavady Taluk, Wayanad District (Additional Documents received)

Decision: Deferred for further scrutiny

5. SIA/KL/MIN/40283/2019 , 1457/EC3/2019/SEIAA

Application for Grant of Environmental Clearance for Our Proposed Granite Building Stone Mining Project (Area - 0.9995 Ha) in Re-survey No. 50/4, 52/2/2, at Ayyampuzha Village, Aluva Taluk, Emakulam District (Additional Documents received)

Decision: The Committee discussed and accepted the additional details submitted by the proponent. The processing at the SEAC level has been completed. As per the judgment of the Hon'ble High Court of Kerala dt 21.12.2020, the Committee decided to await the NGT order on the minimum distance criteria.

6. SIA/KL/MIN/43709/2019 , 1469/EC3/2019/SEIAA

Granite Building stone quarry of "Shri. Sanju P.K, At Re- Survey No: 286/1,286/2,286/2-2, Block No.29 in Mazhuvannoor Village, Kunnathunad Taluk, Ernakulam District, Kerala State. (Additional Documents received)

Decision: The Committee scrutinized the additional details submitted by the proponent and the Committee decided to direct the proponent to submit the following additional documents:

- a. Clear survey map Certified by VO
- b. Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22- 65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.
- c. Photographs of the protected old quarry.

7. SIA/KL/MIN/43996/2019 , 1487/EC3/2019/SEIAA

Environment Clearance for mining lease of Shri. K. Gangadharan over an extent 1.5110 Ha. (3.7337 Acres) Sy. No. 57/2B2, Kolavallor Village, Thalassery Taluk, Kannur District, Kerala State, India for a maximum production of 46,657.50 Tonnes Per Annum.

Decision: The processing at the SEAC level has been completed. As per the judgment of the Hon'ble High Court of Kerala dt 21.12.2020, the Committee decided to await the NGT order on the minimum distance criteria.

8. SIA/KL/MIN/46189/2019 , 1523/EC3/2019/SEIAA

Environmental Clearance for the building stone quarry at Survey No. 185/3/2,186/1/8 of Maneed Village, Muvattupuzha Taluk, Ernakulam District, Kerala for an Area of 0.9384 Ha (Additional Documents received).

Decision: The Committee scrutinized the additional details submitted by the proponent. The documents submitted are not legible and hence to be resubmitted and the compensatory afforestation plan should also be revised and resubmitted.

CONSIDERATION OF TOR PROPOSALS

1. SIA/KL/MIN/41118/2019 , 1444/EC2/2019/SEIAA

Submission of Terms of Reference (TOR) for EIA of the mining permit in respect of “Building Stone Quarry of Mr. K.I Joseph”, over an extent of 0.9910 Ha. Survey No. 53/2 in Venganellur Village, Thalappilly Taluk, Thrissur District, Kerala (Additional Documents received)

Decision: The Committee scrutinized the additional details submitted by the proponent. The Committee directed the proponent to submit the following additional documents /details:

- a. Traffic management plan & Blasting time scheduling with the adjacent quarry of Shri. Vijayakumar
- b. Proof of the application submitted for the permission from National Board for Wildlife.
- c. The proponent is directed to apply for a fresh EC along with all the documents submitted earlier (for TOR) including the additional documents sought by SEAC. Start with ‘Conversion-TOR to EC’ in the project name while applying for EC in PARIVESH to make sure that the priority is not lost. Mention all the details in the covering letter including the copy of relevant pages of earlier SEAC minutes.

AGENDA 4

CONSIDERATION/RECONSIDERATION OF ENVIRONMENTAL CLEARANCE

1. SIA/KL/MIN/137709/2020 , 1650/EC4/2020/SEIAA

Environmental clearance for Granite Building Stone Quarry of Mr. Thayyullathil Chambalon Sreedharan over an extent of 1.7733 Ha. Re Survey No 7/1 in Puthur Village, Thalassery Taluk, Kannur District, Kerala. (Field Inspection Report received)

Decision: The FIR was discussed and approved. The proponent is directed to submit the following details/documents:

- a. A Recent survey map showing distance to residential/public buildings, inhabited sites, canals, roads, electric lines, mobile towers, religious places etc., within 200 m. radius of the lease boundary certified by the Village Officer.
- b. A detailed land use/land cover map within the 500m. radius.
- c. Updated District Survey Report
- d. The dumpsite should be shifted to lower elevation area and revised map should be submitted.

2. SIA/KL/MIN/171976/2020 , 1851/EC2/2020/SEIAA

Conversion TOR to EC Granite Building Stone Quarry of Mr. P Abdulla [Conversion from TOR proposal ‘SIA/KL/MIN/42018/2019, 1426/EC2/2019/SEIAA’]

Decision: Approved.

3. **SIA/KL/MIN/173261/2020 , 1431/EC3/SEIAA/2019**
Conversion TOR to EC Granite Building Stone Quarry of Mr. Rajeevan P V
[Conversion from TOR proposal ‘SIA/KL/MIN/41944/2019,
1431/EC3/SEIAA/2019’]

Decision: Approved.

CONSIDERATION OF TOR PROPOSALS

1. **SIA/KL/MIN/41944/2019 , 1431/EC3/SEIAA/2019**
Building stone quarry of Mr. Rajeevan P.V.at Re. Sy. No. 5 of Thimiri Village,
Taliparamba Taluk, Kannur District, Kerala for total permit area of 0.9936 Ha
(Field Inspection Report received)

Decision: The FIR was discussed and approved. The proponent is directed to submit the following details/documents:

- a. Revised water requirement details based on reassessment.
- b. Identify and locate an appropriate source of water along with its safe yield and geo-coordinates.
- c. Google map with boundary pillars
- d. Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22-65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.
- e. A Recent survey map showing distance to residential/public buildings, inhabited sites, canals, roads, electric lines, mobile towers, religious places etc., within 200 m. radius of the lease boundary certified by the Village Officer.
- f. A detailed land use/land cover map within the 500m.radius.
- g. Updated District Survey Report

2. **SIA/KL/MIN/39501/2019 , 1410/EC2/2019/SEIAA**
Granite Building Stone Quarry Of Mr. Abbas Haji B. K. at Re. Survey.
No.82/2C, 82/2D of Village Panayal, Taluk – Hosdurg, District – Kasaragod,
Kerala over an area of 0.4916 Ha (Field Inspection Report received)

Decision: The FIR was discussed and approved. The proponent is directed to submit the following details/documents:

- a. Revised water requirement details based on reassessment along with the safe yield of the well and its geo-coordinates.
- b. Google map with boundary pillars
- c. Updated District Survey Report.

- d. Revised Drainage Map
- e. Revised EMP incorporating specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22-65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.
- f. A detailed land use/land cover map within the 500m.radius.

**3. SIA/KL/MIN/42018/2019 , 1426/EC2/2019/SEIAA
Granite Building Stone Quarry Of Mr. P. Abdulla at Re. Survey No. 274/45 of Village-Panathady, Taluk-Vellarikund, District –Kasaragod, Kerala over an area of 0.2104 Ha (Field Inspection Report received)**

Decision: The FIR was discussed and approved. The proponent is directed to submit the following details/documents:

- a. Revised water requirement details based on reassessment.
- b. Consent for using the water source located in the adjacent plot with its geo-coordinates.
- c. Google map with boundary pillars
- d. Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22-65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.
- e. A Recent survey map showing distance to residential/public buildings, inhabited sites, canals, roads, electric lines, mobile towers, religious places etc., within 200 m. radius of the lease boundary certified by the Village Officer.
- f. A detailed land use/land cover map within the 500m.radius.

ADDITIONAL AGENDA

**1. SIA/KL/MIN/132416/2019 , 1691/EC4/2019/SEIAA
Application for Environmental Clearance for the mining of ordinary earth in Re survey no. 36/10 in Velom Village, Vadakara Taluk, Kozhikode district, Kerala from an area of 0.1064 ha of land by Smt. Nafeesa (Field Inspection Report Received)**

Decision: Excavation of ordinary earth is for land development within the project area and not for commercial purpose. Hence the proposal does not require prior EC.

2. SIA/KL/MIN/132197/2019 , 1735/EC4/2019/SEIAA

Application for Environmental Clearance for the mining of ordinary earth in Re survey no. 36/10 in Velom Village, Vadakara Taluk, Kozhikode district, Kerala from an area of 0.0876 ha of land by Smt. Nafeesa (Field Inspection Report Received)

Decision: Excavation of ordinary earth is for land development within the project area and not for commercial purpose. Hence the proposal does not require prior EC.

3. SIA/KL/MIN/132450/2019 , 1624/EC4/2019/SEIAA

Ordinary Earth mining project of Mr. Nizar at Re-survey No. 36/9 of Velom village, Vadakara Taluk, Kozhikode district, Kerala state for an area of 0.7928 Hectares (Field Inspection Report Received)

Decision: Excavation of ordinary earth is for land development within the project area and not for commercial purpose. Hence the proposal does not require prior EC.

4. SIA/KL/MIN/45874/2019 , 1541/EC3/2019/SEIAA

Granite Building Stone Quarry of Mr. Kunhikannan Granite Building Stone quarry at Re Survey No. 322/109,110,111,112,118 (322/3,322/5 old) of Village, Iritty Taluk, Kannur District, Kerala for total permit area of 0.2513 Ha is approved by District Geologist, Department of Mining and Geology, Kerala.

Decision: The CER revision submitted by the proponent through the mail is satisfactory. The Committee decided to recommend the issuance of EC subject to the general conditions.

5. Judgment in W.P (C) No. 27890 of 2020 (I) filed by Sri. Usman against the rejection order (SIA/KL/MIN/129447/2019, File No.1538/EC3/2019/SEIAA)

Decision: Since it is necessary to hear the proponent in the next SEAC meeting as well as field visit has to be conducted, the Committee decided to inform the SEIAA to seek extension of the time limit from the Hon'ble High Court of Kerala.

6. Judgment in W.P (C) No. 27358 of 2020 dated 16/02/2021 filed by Sri. Aneesh Kumar (File No.1549/EC4/2019/SEIAA)

Decision: The Committee decided to nominate Shri.K. Krishna Panicker, Member of SEAC as one expert member. Since there is a time limit, the Committee decided to inform the SEIAA to seek extension of the time limit from the Hon'ble High Court of Kerala.

It is decided to convene the next meeting of SEAC during 24-26, March, 2021.

The meeting ended at 5pm on 25th February, 2021 with a vote of thanks to the Chair.

**Sd/
Dr.C.Bhaskaran,
Chairman, SEAC**

**Sd/
S. Chandrashekhar, IAS
Secretary, SEAC**

List of members attending the SEAC meeting on 23.02.2021

1	Shri. M Dileep Kumar	6	Shri.K.KrishnaPanicker
2	Smt. BeenaGovindan	7	Dr. S Sreekumar
3	Dr. A V Raghu	8	Dr. P S Easa
4	Dr. N Anil Kumar	9	Dr. R AjayakumarVarma
5	Dr. N Ajithkumar		

List of members attending the SEAC meeting on 24.02.2021

1	Shri. M Dileep Kumar	6	Shri.K.KrishnaPanicker
2	Smt. BeenaGovindan	7	Dr. S Sreekumar
3	Dr. A V Raghu	8	Dr. P S Easa
4	Dr. N Anil Kumar	9	Dr. R AjayakumarVarma
5	Dr. N Ajithkumar	10	Shri. G Sankar

List of members attending the SEAC meeting on 25.02.2021

1	Shri. M Dileep Kumar	6	Shri.K.KrishnaPanicker
2	Smt. BeenaGovindan	7	Dr. S Sreekumar
3	Dr. A V Raghu	8	Dr. P S Easa
4	Dr. N Anil Kumar	9	Dr. R AjayakumarVarma
5	Dr. N Ajithkumar	10	Shri. G Sankar

