



Validity expires on 16/03/2023.

### Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. P.H.Kurian, I.A.S., Member Secretary.

Sub:

SEIAA- Environmental clearance for the proposed quarry project in Survey No. 169/4, 169/1, 169/2, 169/3,168/13,168/2, 168/3, 171/8, 171/8,171/8 &171/3 of Pulikkal Village, Kondoty Taluk, Malappuram District, Kerala State by Mr. O. Muhammed Shareef (Managing Director), M/s Port Land Granites Pvt. Ltd. - Granted – Orders issued.

### STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, KERALA

No. 1071/EC1/2016/SEIAA

Dated, Thiruvananthapuram, 17/03/2018

Ref:

- 1. Application dated 23/01/2016 from Mr.O.Muhammed Shareef, Managing Director of M/s Port Land Granites Pvt.Ltd,Olavattor,P.O., Pulikkal, Kondoty, Malappuram District
- 2. Minutes of the 69<sup>th</sup> meeting of SEAC held on 9<sup>th</sup> & 10<sup>th</sup> March 2017
- 3. Minutes of the 74<sup>th</sup> meeting of SEAC held on 14<sup>th</sup> and 15<sup>th</sup> June 2017.
- 4. Minutes of the 72<sup>nd</sup> meeting of SEIAA held on 01.08.2017.
- 5. Minutes of the 76<sup>th</sup> meeting of SEIAA held on 16<sup>th</sup> November 2017.
- 6. Minutes of the \$1<sup>st</sup> meeting of SEIAA held on 08<sup>th</sup> March 2018
- 7. Affidavit received on 16.03.2018 from Mr.O.Muhammed Shareef, Managing Director of M/s Port Land Granites Pvt. Ltd, Kondoty, Malappuram District- 673 638

## **ENVIRONMENTAL CLEARANCE NO. 53 /2018**

Mr. O. Muhammed Shareef (Managing Director) M/s Port Land Granites Pvt. Ltd. Olavattor P.O., Pulikkal, Kondoty, Malapuram District, Kerala-673638, vide his application received on 21/12/2016 and, has sought Environmental Clearance under EIA Notification, 2006 for the quarry project in Sy. No. 169/4, 169/1, 169/2, 169/3,168/13,168/2, 168/3, 171/8, 171/8, 171/8 &171/3 of Pulikkal Village, Kondoty Taluk, Malappuram District, Kerala State for an area of 5.8528 hectares. The project comes under Category B, Activity 1(a), (i) as per the Schedule of EIA Notification 2006 (since it is below 50 hectares) and as per O.M. No. L-

11011/47/2011-IA.II (M) dated 18<sup>th</sup> May 2012 of Ministry of Environment and Forests. It is further categorized as Category B2 as per Notification No.S.O.141 (E) dt.15.01.2016 of Ministry of Environment and Forests, since the area of the project is below 25 hectares.

Details of the project as furnished by the applicant are as follows:

# BASIC INFORMATION OF QUARRY (To be filled in by the Project Proponent) PART A

	a) Project details
 File No.	1071 / EC1 / 2016 / SEIAA
Name /Title of the project	Environment Clearance for Quarry project of M/s Port Land Granites (P) Ltd. for area 5.8528 hectares.
Name and address of project proponent.	Mr. O. Muhammed Shareef, Managing Director M/s Port Land Granites Pvt. Ltd. Olavattor P.O., Pulikkal, Kodoty, Malappuram, Kerala-673638.
Owner of the land	Private own land
Survey No. District/Taluk/ and Village etc.	Sy. Nos. 169/4, 169/1, 169/2, 169/3, 168/13, 168/2, 168/3, 171/8, 171/8, 171/8, 171/3, Pulikkal Village, Kondoty Taluk, Malappuram District, Kerala
Details of period of lease or permit with number including the beginning and expiry date of lease permit period (Copy to be attached)	The part of proposed quarry is in operation with mine lease vide Order No. 548/2010-2011/9135/M3/2010 Dt. 2/11/2010. The mining was started at site on 06/12/2010 and the validity of lease is up to December, 2020.
Present Status of the project  a. Date & Year of starting the work of the quarry project.	Working quarry with mining lease from 06/12/2010
b. whether the quarry is working at present or not?	Presently, the quarry is working with existing mined lease.
c. If stopped working since when?	Not applicable
Date of submission of Application	23-01-2016
Brief description of the project.	The land for the proposed quarry is private owned land and the land is possessed in the name of M/s Port Land Granites Pvt. Ltd. The targeted production of mine will be 1,20,000 MTA. The estimated

		proje	ect cost will be Rs. 3 Crores. The expected life of mine will be					
		about 11 years. The working will be carried out by opencast semi-						
		mechanized method.						
		Mr. O. Muhammed Shareef, Managing Director						
	Details of Authorized	M/s Port Land Granites Pvt. Ltd.						
	Signatory and address		Olavattor P.O., Pulikkal, Kodoty,					
	for correspondence		Malappuram, Kerala-673638.					
			mail:-portlandgranite@gmail.com & omsherief@gmail.com					
b)								
	1. Extent of area in		5.8528 ha.					
	hectares	4	- Particular Control of the Control					
	2. Is the property fore land/Govt, land/ow		Private own land					
	land/patta land	VII						
	land patta failu		A total estimated quantity of 18,965 cu. m. of topsoil is					
			proposed to be removed during the mining operations. The					
			topsoil excavated from the quarry will be dumped separately at					
			pre-determined place and subsequently will be utilized in					
			spreading over reclaimed areas for plantation, Precautions will					
	3. Quantity of top		be taken to limit the height of the topsoil dump to 5 to 6 meters					
İ	soil/over burden		in order to preserve its fertility and shelf life. It will be suitably					
	produced and	. 8	protected from soil erosion and infertility by planting fodder					
	managed		grass and leguminous plants during temporary storage.					
		•	About 18,965 cu.m. of overburden will be generated throughout					
		the mine life. This waste will be utilized within the pit for ly						
		***(-	of haul roads. At the end use, OB can be reutilized as soil					
		4,	for plantation.					
	4							
	1 4 Totitudo ###		Latitude (N) 11º11'32.07" to 11º11'44.34"					
	4. Latitude and Longitude		Longitude (E) 75°56'05.65" to 75°56'19.01"					
.es	Longitude	1	Longitude (L) 73 30 03.03 to 73 30 19.01					
			Part of the proposed land existing quarry and there is no					
			vegetation and remaining part of the proposed land is covered					
	5. Topography of land	d T	with native trees, shrubs, herbs, grass, climbers, bushes etc.					
180	and elevation		779 1:1 4 1 4 C41 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
	1	Ì	The highest elevation of the lease area is 155 m MSL and lowest is 75 m MSL.					
			Jowest is 75 iii Wi3D.					
	6. Slope analysis		Towards north side.					
	781311187		Due care will be taken to provide channel all around the foot of					
	7. Will there be any significant land		the hill to collect run off and also to avoid soil erosion.					
:	disturbance resulting	10						
	in soil erosion,	·&	There is no danger of flood or inundation as the proposed					
	subsidence & natur	al	working is above the normal ground level. The area is n					
	drainage.		susceptible to floods.					
	8. Access road to the	site 7 m, wide tarred road.						
	width and condition		1 1117 11 1107 1011 1011 1011 1011					
	9. Will there be any	The land used will be fully reclaimed and rehabilitated by						
	adverse impact on t							
	·							

1 1	esthetics of the roposal site	will add to the improvement in environment and aesthetic beauty of the area.				
		c)				
M	finimum and faximum height of xcavation.	The exploitation of mineral is being done from 155 m. MSL to 70 m. MSL in conceptual phase.				
b) Li	ife of mine proposed.	About 11 years				
1 1 1	nderground mining any proposed	Not applicable				
d) M	lethod of Mining	The working will be carried out by opencast semi-mechanized method as per the approved Mining Plan.				
1 /	vistance from the djacent quarry	There are two quarries i.e., Sri P.V. Ajesh (0.10 ha, with short term permit) & Sri V. Moideen (0.15 ha., with mine lease) with cumulative area of 0.25 ha which are in operation within 500 m. radius of the proposed quarry.				
f) C	luster condition if	No Cluster condition				
1	as "No cluster ertificate" submitted?	Cluster certificate is already submitted with Environment Clearance Application.				
ha	istance from nearby	Nearest house is about 134m towards E side				
fo	istance from nearby rest, if applicable	None within the study area				
pr W	istance from totected area, Filedlife Sanctuary, ational Park etc.	None within the study area				
str	istance from nearby reams/rivers/Nationa Highway and Roads	Water Bodies: Chaliyar River at about 10 km. (N)  Highway – N.H213 at 7 km. (S)				
	ESA applicable? If distance from ESA nit	Not falling in ESA				
pla	as approved mining an, prepared by RQP bmitted?	Yes, the approved mining plan prepared by RQP is already submitted along with the application.				
1 '	apacity of oduction in TPA	1,20,000 MTA				
1 1 1	etails of mining rocess	The mining will be done by open cast semi-mechanized method of mining. The bench height and width will be maintained 5 m. Excavated material is transported to the crusher unit for further processing. The ultimate depth of the mine workings is estimated to reach upto 70 m MSL.				
	d)					
a) La	and cost	Rs. 3.0 Crores ( All inclusive )				

35) Diaman 136 11	Rs. 3.0 Crores ( All inclusive )		
b) Plant and Machinery	, , , , , , , , , , , , , , , , , , ,		
c) Total Cost	Rs. 3.0 Crores ( All inclusive )		
V. Financial Statement including funding source and details of insurance etc.	Project Cost = Rs. 3.0 Crores  Insurance = Insurance to the quarry workers wou provide through insurance company.  Funding = Own source & bank loan		
Management Plan	Air Pollution  Mining activities will generate certain quantities of dust fluring drilling, blasting, loading and transportation operations. The following measures will be taken to mitigate the fugitive dust from different operations.  a) Laying of haul road as per the standards, black topping of permanent haul road and service road to avoid or eliminate air — borne dust.  b) To avoid the dust generation from the drilling operations, wet drilling method will be adopted.  c) Drill machines will be equipped with dust collectors.  d) Use of appropriate explosives for blasting and avoiding overcharging of blast holes.  e) Controlled blasting techniques will be adopted.  f) Watering of haul road and other road at regular intervals. g) Provision of dust filters/ mask to workers working at highly dust prone and affected areas. h) Provision of green belt all along the periphery of the lease area. i) Periodical monitoring of ambient air quality in and around the lease area. i) Periodical monitoring of ambient air quality in and around the lease area.  The extracted mineral will be transported from the quarry to the end user by adopting following measures so as to minimize dust emissions.  In case of long transportation the trucks after loading will be covered with tarpaulin sheets.  Speed of the vehicles will be maintained within the prescribed limits.  Trucks will not be over loaded and will be maintained to the body level		
	The state of the s		

	Pollution	with an appropriate capacity. The water requirement for sprinkling on sources of dust emission, on roads, landscaping etc. Can be met from the stored rainwater in
1		the pond/tank.
	Noise	The major noise generating source from the proposed activity is working machinery, drilling, blasting and plying of vehicles. The following control measures are to be undertaken to bring down the noise levels:-  1) Proper maintenance of machinery, equipments and improvement on design of machines. 2) Use of personal protective devices le., earmuffs and earplugs by workers, who are working in high noise generating areas. 3) Creation of wide green belt of dense foliage between mine areas and residential colonies. 4) Proper training to personnel to create awareness about adverse noise level effects. 5) Planned noise monitoring at suitable
		locations in the plant and outside
		location for proper effective remedial
	Solid Waste	actions. Topsoil Management
	Management	
		The topsoil excavated from the
		quarry will be dumped / stacked separately at pre-determined place
		and subsequently will be utilized
		in spreading over reclaimed areas
	5	for plantation as part of eco- restoration. Precautions will be
		taken to limit the height of the
		topsoil dump / stacked to 5 to 6
		meters in order to preserve its fertility and shelf life. It will be
****		suitably protected from soil
·		erosion and infertility by planting fodder grass and leguminous
		plants during temporary storage.
		Overburden Management
		This waste will be utilized within the pit
		for lying of haul roads. At the end use, OB
		can be reutilized as soil base for

				plantation.		
		Eco- restor	ration	The year wise programme of ecorestoration for life of mine will be made and about 4,500 trees will be planted in an area of 4.5164 ha.		
I P	VI. Whether Environment Management Plan or Eco restoration Plan satisfactory?	Yes and detailed Environment Management Plan is already submitted with E.C. Application.				
	VII. Does it suggest mitigation measures for each activity	Detailed Environment Management Plan is already submitted with E.C. Application.  Detailed Environment Management Plan is already submitted with E.C. Application.  Not Applicable  No litigation pending.				
1 1	/III. If Pre-Feasibility Report (PFR) satisfactory					
	X. Does it need public earing					
	K. Details of tigation and Court verdict fany					
1 1	11. Details of public omplaint, if any					
	II. Details of statutory anction required	a) Con b) Perr c) Perr	sents from nission fro nission fro	the Kerala State Pollution Control Board. om Mining & Geology Department. om Explosive Department om Panchayat Office		
170	III. If CRZ scommendation pplicable?	Not Applicable				
	PART B  Environment Impact Assessment and Mitigation Measures					
Impact on water						
a	a) Details of water requirement per day in KLD			water requirement is about 17 KLD in which 2 or domestic which would be sourced from open KLD for dust suppression system in mine as neillary unit and 2 KLD for plantation will be from storm water pond.		
b	b) Water source/sources.			2 KLD is for domestic which would be sourced from open well, 13 KLD for dust suppression system in mine		

	as well as ancillary unit and 2 KLD for plantation will be sourced from storm water pond.
c) Expected water use per day in KLD.	17 KLD
d) Details of water requirements met from water harvesting.	13 KLD for dust suppression system in mine as well as ancillary unit and 2 KLD for plantation will be sourced from storm water pond.
e) What are the impact of the proposal on the ground water?	No significant impact envisaged on ground water due to the mining project.
f) How much of the water requirement can be met from the recycling of treated waste water? (Facilities for liquid waste treatment)	No.
g) What is the incremental pollution load from waste water generated from the proposed activities?	The sewage to a tune of 1.60 KLD generated from the mine office will be diverted to the septic tank followed by soak pit.
h) How is the storm water from within the site managed?  Impact on Biodiversity	<ul> <li>a) Storm water drains with silt traps will be suitably constructed all along the periphery of the pit area to collect the run-off from the lease area and divert into the storm water pond/tanks proposed within the complex.</li> <li>b) All measures will be taken not to disturb the existing drainage pattern adjacent to the other property.</li> <li>c) De-siltation traps and storm water collection pond proposed for silt removal.</li> <li>d) The storm water collected from the lease area will be utilized for dust suppression on haul roads, plantation within the premises etc.</li> <li>and Eco restoration Programmes</li> </ul>
a) Will the project involve extensive clearing or modification of vegetation (Provide details).	Due to the mining activities, there will be loss of some native species and vegetation. However, some of these species will be planted at the end use for eco-restoration.
	The year wise programme of eco-restoration for the life of mine will be made and about 4,500 trees will be planted in an area of 4.5164 ha.
b) What are the measures proposed to minimize the likely impact on vegetation (details of proposal for tree	Ecological restoration for the mined area by plantation of the species as per the time schedule suggested below: -
plantation/landscaping)	First Six months Herbs & grass  Next Six months Shrubs
	Next Six months Shrubs

	Next Six months onwards Trees		
	Next Six mondis onwards Trees		
	Selection of species is based on High Dust Capturing, Soil Holding Capacity, ground water recharge capacity etc. More focus is given for medicinal plants.		
c) Is there any displacement of fauna – both terrestrial and	No		
aquatic. – If so what are the			
mitigation measures?			
d) Presence of any endangered			
species or red listed category	No endangered species found at site		
(in detail)			
	t on Air Environment		
➤ What are the mitigation	Details already provided at EMP section at Sr. No. 39		
measures on generation of	above.		
dust, smoke and air quality			
	Designated space will be provided for parking of truck /		
	tipper within the site:		
	For the purposes of mining activities, existing roads are		
Details of internal traffic	sufficient. However, haul road will be suitably		
management of the site.	developed within the proposed area.		
	Speed of the vehicles will be maintained within the		
	prescribed limits (Speed Governor fitted).		
> Details of noise from traffic,	Details already provided at EMP section at Sr. No. 39		
machines and vibrator and	above		
mitigation measures			
Impact of DG sets and other			
equipments on noise and	Details already provided at EMP section at Sr. No. 39		
vibration and ambient air	above		
quality around the project site			
and mitigation measures			
Air quality monitoring in	Details already provided at EMP section at Sr. No. 39		
detail	above.		
Ene	rgy Conservation		
1 Data 1 Prince 1	The total power requirement will be 75 kW, which will		
1. Details of power requirement	be drawn from diesel engine.		
and source of supply.			
2. Details of renewable energy	We will promote renewable energy resources.		
(non – conventional) used.			
Ri	sk Management		
Are there sufficient			
	Environment Management Plan is already submitted with		
for risk hazards in E.C. App			
case of emergency			
such as accident at			

the site?							
Are proposals for	Barbe	d wire fencing will b	oe done all aroun	d the quarry site.			
fencing around the							
quarry satisfactory?							
quarry satisfactory.							
Storage of	The stone supreme mine will result in increase in fractionary of						
explosives/hazardo		The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock.					
us substance in							
detail		Explosion hazards are envisaged due to mishandling of explosives.					
		Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with atmost care in compliance of					
				ller of Explosive &			
		liferous Mines Regu		nea of Explosive &			
F-914- C114	IVICIAI.	merous wines regu	IIIIOII, 1501				
Facility for solid			W.				
waste management			*				
				the site will be stored			
	4.	¥ : 2000a.		used for eco-restoration			
	and in	ternal road developr	nent.				
	Sc	cio Economie Impa	rte				
		cio economic impa					
Will the project	.4						
cause adverse	4						
effects on local	Nø	<b>\</b>	**				
communities				•			
disturbance to		land the second of the second					
sacred sites or other							
cultural values.							
What are the safe							
guards proposed?  The proposed protect will directly / indirectly develop the area by							
• Will the proposal The proposed project will directly / indirectly develop the area by result in any providing employment opportunities. With the proposed-							
result in any							
1 (0.00)	changes to the development in and around the area there will be many supporting demographic facilities infrastructure eventually leading to the development of						
demographic			onwany reading	to the development of			
structure of local population. If so,	structure of local the area.						
provide details.							
The state of the s	Yes A	detailed study on so	ocial status of the	project site			
	Yes. A detailed study on social status of the project site surroundings & need base study on proposed CSR activities were						
		out. The summary					
	Sl.	Areas of	Recurring	Non Recurring			
Are the CSR	No	Intervention	Expenses (in	Expenses (in Rs.)			
proposals	Rs.)						
satisfactory. Give				6.00.000			
details	1	Promotion of	2,00,000	6,80,000			
] ]	education						
	2	Infrastructure	2 90 000	Nil			
·	2	development	3,80,000	1111			
		development					

	3	Health care	2,00,000	1,00,000
		Total	7,80,000	7,80,000
What are the projects benefits in terms of employment potential?	there.	will be workers a by 20 persons in th	ttracted to the pro ne project.	he attached ancillary unit, ject area. It is proposed to
		PART	C	
Details of NABET approved EIA Consultant engaged- Their name, address and accreditation details		(NABET Accre Head Office: Branch Office: Palarivattom P.	edited Consultant A1-198, Janak Pu - C-306, Kanchan O., Kochi, Kerala	ri, New D <b>elhi</b> , junga Apartments,
	Su	mmary and Con	elusion	
Overall justification for implementation of the project.	positifor la issue of us defir proje properesto Add area pondo water constant is a constant in the constant in	ively increase the ceal inhabitants. It is involved in this is to people of the cital increasing ect area is devoid osed to reclaim to ration with nativitionally, an area for compensator trank is proposed r and for its subsumption. Thus the comment or adjaces	chance of more here are no Reset project. The project. The project. The project of any endange he land and development of any endanger he land and development with the project outside the minimal outside th	
Explanation of how adverse impact have been mitigated.		iled Pre-Feasibi agement Plan ( lication.	lity Report (P EMP) is alread	ly submitted with E.C.

2. The proposal was placed in the 69<sup>th</sup> meeting of SEAC held on 9<sup>th</sup> & 10<sup>th</sup> March 2017. The Committee appraised the proposal based on the Mining Plan, Pre-feasibility Report and all other documents submitted along with Form1.

The Committee deferred the item for field inspection.

Accordingly a site inspection was conducted by the Sub Committee consisting of Dr P S Harikumar and Dr Khaleel Chovva on 21 May 2017. The report stated that

The quarry project is in the village of Pulikkal, Kondoty Taluk, Malappuram District, Kerala State having an area of 5.8528 hectares. The proposed

project site falls within Latitude 11°11'32.07" to 11°11'44.34" N to Longitude 75°56'05.65" to 75°56'19.01" E. On the date of visit to quarry no activity was seen in the quarry site. Sign boards are erected Three ponds are available inside the pond for the management and conservation of water. One natural and two settling ponds are provided inside the site. The quarry is well maintained. Benches have been formed.

Fencing is also provided.

#### Recommendation

The proponent should set apart Rs.10 lakh (non-recurring) and Rs.10 lakh per annum (recurring) for CSR activities. The proponent also should spend this amount in consultation with the local Panchayat for the welfare of the local community

The top soil excavated and overburden should be stalked separately at a safer place

It is recommended to give EC for the application after stipulating general conditions for a quarry project

3. The proposal was considered in the 74<sup>th</sup> meeting of SEAC held on 14<sup>th</sup> and 15<sup>th</sup> June 2017. Based on the Mining plan, Form.1, all other documents submitted with the proposal and the field visit report, the committee decided to Recommend for issuance of EC subject to the general conditions in addition to the following specific condition.

If any plant species endemic to Western Ghats are noticed in the area they shall be properly protected in situ or by transplanting to an appropriate location inside the lease area.

The proponent agreed to set apart Rs.10 lakh (non-recurring) and Rs. 10 lakh per annum (recurring) for CSR activities for the welfare of the local community in consultation with the local body

4. The proposal was placed in the 72<sup>nd</sup> meeting of SEIAA held on 01.08.2017.

Authority accepted the recommendation of SEAC and decided to issue EC subject to obtaining legal opinion as decided in the 66<sup>th</sup> SEIAA meeting whether quarrying on lease areas without Environmental Clearance also come under the scope of violation.

EC is recommended subject to the general condition in addition to the above specific conditions as suggested by SEAC

5. The proposal was placed in the 79<sup>th</sup> meeting of SEIAA held on 09<sup>th</sup> January 2018. Decision on legal opinion was taken in the 76<sup>th</sup> meeting of SEIAA held on 16<sup>th</sup> November 2017. In the light of the legal opinion Authority expressed doubt this is a case of violation.

The proponent has submitted a clarification dt.06.03.2018 stating that the mining lease was accorded by Mining and Geology Department on 06.12.2010 for an area of 5.8528 hectors. Though the lease area is more than 5 hectares , he carried out mining only for an area of 1.51757 hectares (3.75 acres). The Hon'le High Court of Kerala in WP© 39327/2015 vide judgement dated 22.12.2015 ordered that the petitioner can be permitted to conduct quarrying operation limiting to 2 hectares. The direction of District Geologist demanding the petitioner

to produce environmental clearance was set aside in the light of the directions above and were directed to issue movement permit to the petitioner for quarrying operations in respect of the confining to 2 hectors. The proponent has also submitted certificate from Village Officer and Geologist. In view of the above, the proponent has requested to accord EC to the project at the earliest.

- 6. The proposal was placed in the 81<sup>st</sup> meeting of SEIAA held on 08<sup>th</sup> March 2018. Authority accepted the recommendation of SEAC and also in the light of the judgment referred above decided to issue EC subject to general conditions in addition to the above specific condition as suggested by SEAC. The proponent should set apart Rs 10 lakh (non-recurring) and 10 lakh (recurring) per year for next 5 years for the welfare of the local community. The CSR amount should be included in the annual account of the company and the expenditure statement should be submitted to SEIAA along with the compliance report after getting certified by a Chartered Accountant. A notarised affidavit for the commitment of CSR activities and also agreeing all the general and specific conditions should be submitted before the issuance of EC. The proponent has submitted an affidavit vide reference 7<sup>th</sup> cited, satisfying all the above conditions.
- 7. Environmental clearance as per the EIA notification 2006 is hereby accorded for the proposed building stone quarry project of Mr.O.Muhammed Shareef, Managing Director of M/s Port Land Granites Pvt Ltd,Olavattor.P.O., Pulikkal, Kondoty, Malappuram District in Survey Nos. 169/4, 169/1, 169/2, 169/3,168/13,168/2, 168/3, 171/8, 171/8, 171/8 &171/3 of Pulikkal Village, Kondoty Taluk, Malappuram District in an area of 5.8528 hectares subject to the specific conditions as recommended by SEIAA in para 6 above, all the environmental impact mitigation and management measures undertaken by the project proponent in the Form I, EMP, PFR and Mining plan submitted to SEIAA. The assurances and clarifications given by the proponent will be deemed to be a part of these proceedings as if incorporated herein. Also the general conditions for projects stipulated for mining (items 1 to 61), appended hereto will be applicable and have to be strictly adhered to.
- 8. The clearance issued will also be subject to full and effective implementation of all the undertakings given in the application form, mitigation measures as assured in the Environment Management Plan and the mining features including progressive mine closure plan as submitted with the application and relied on for grant of this clearance. The above undertakings and the conditions and the undertakings in Mining Blasting, Progressive Mine Closure Plan of the Mining Plan as submitted will be deemed to be part of this proceedings as conditions as undertaken by the proponent, as if incorporated herein.
- 9. Validity of the Environmental Clearance will be five years from the date of this clearance, subject to inspection by SEIAA on annual basis and compliance of the

conditions, subject to earlier review of E.C in case of violation or non-compliance of conditions or genuine complaints from residents within the security area of the quarry.

- 10. Compliance of the conditions herein will be monitored by the State Environment Impact Assessment Authority or its authorised offices and also by the regional office of the Ministry of Environment & Forests, Govt. of India, Bangalore.
  - i. Necessary assistance for entry and inspection should be provided by the project proponent and those who are engaged or entrusted by him to the staff for inspection or monitoring.
  - ii. Instances of violation if any shall be reported to the District Collector, Malappuram to take legal action under the Environment (Protection) Act 1986.
  - iii. The given address for correspondence with the authorised signatory of the project is Mr.O.Muhammed Shareef, Managing Director, M/s Port Land Granites Pyt.Ltd, Olavattor.P.O., Pulikkal, Kondoty, Malappuram District 673 638.

To,

Mr.O.Muhammed Shareef,

Managing Director,

M/s Port Land Granites Pyt.Ltd, Olavattor.P.O.,

Pulikkal, Kondotv.

Malappuram District - 673 638.

Copy to,

- 1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4<sup>th</sup> Floor, E&F Wing, II Block, Koramangala, Bangalore-560034.
- 2. The Additional Chief Secretary to Government, Environment Department, Government of Kerala.
- 3. The Director, Mining & Geology, Thiruvananthapuram -4.
- 4. The Member Secretary, Kerala State Pollution Control Board
- 5. The District Collector, Malappuram
- 6. The District Ceologist, Malappuram
- 7. The Tahsildhar, Kondoty Taluk
- 8. Chairman, SEIAA.
- 9. Website.

10. S/f

11.O/c

Forwarded /By Order

V

Administrator(SEIAA)

### STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA

## GENERAL CONDITIONS (for mining projects)

- 1. Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR / KPBR, unless otherwise specified.
- 2. Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.
- 3. Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including of approach road and internal roads.
- 4. Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.
- 5. Sprinklers shall be installed and used in the project site to contain dust emissions.
- 6. Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.
- 7. At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of pit is stipulated in the E.C.
- 8. Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented
- 9. The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc) shall be protected at all times and shall be conspicuous.
- Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.
- 11. Control measures on noise and vibration prescribed by KSPCB should be implemented.
- 12. Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.
- 13. Blasting should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
- 14. A licensed person should supervise/ control the blasting operations.
- 15. Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.
- 16. Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan / specific conditions.
- 17. Height of benches should not exceed 5 m, and width should not be less than 5 m, if there is no mention is the mining plan/specific condition.
- 18. Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.
- 19. Maximum depth of mining from general ground level at site shall not exceed 10m
- 20. No mining operations should be carried out at places having a slope greater than 45°.
- 21. Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.
- 22. The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.
- 23. Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.
- 24. The transportation of minerals should be done in covered trucks to contain dust emissions.
- 25. The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the project.
- 26. Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.
- 27. Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.
- 28. A minimum buffer distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.
- 29. 100 m buffer distance should be maintained from forest boundaries.

- 30. Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.
- 31. All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.
- 32. In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which only the E.C is issued, the project would require a fresh appraisal by this Authority, for which the proponentshall apply and get the approval of this Authority.
- 33. The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- 34. The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
- The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.
- 36. A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.
- The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office.
- 38. The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public
- 39. The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.
- 40. No change in mining technology and scope of working should be made without prior approval of the SEIAA, No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.
- 41. The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.
- 42. Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points & transfer point to reduce fugitive emissions.
- 43. The top soil, if any, shall temporarily be stored at carmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.

- 44. Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.
- 45. Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM<sub>10</sub> and PM<sub>2.5</sub> such as haul Road, loading and unloading points and transfer points it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- 46. Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.
- 47. Measures should be taken for control of noise levels below 85 dBA in the work environment.
- 48. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
- The funds earmarked for environmental protection measures and CSR activate should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.
- 50. The Regional Office of MOEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (S) of the Regional Office by furnishing the requisite data/information/monitoring reports.
- Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- 53. The SEIAA may revoke or suspend the order, for non implementation of any of the specific or thisimplementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
- 54. The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any other authority for the same project.
- 55. This order is valid for a period of 5 years or the expiry date of mine lease period issued by the Government of Kerala, whichever is earlier.
- 56. The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.
- 57. The mining operation shall be restricted to above ground water table and it should not intersect ground water table.
- 58. All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution taking centre. Washing of all vehicles shall be inside the lease area'
- 59. Project proponent should obtain necessary prior permission of the competent authorities for drawal of requisite quantity of surface water and ground water for the project.
- 60. Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly reports to SEIAA.
- Occupational health surveillance program of the workers should be under taken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.

For Member Secretary, SEIAA Kerala

