State Environment Impact Assessment Authority, Kerala — Removal of Ordinary Earth From Sy. No. 175/6 and 175/5 of Village Kooroppada, Taluk Kottayama, District Kottayam— Application of Fr. Joseph Mulavana, Vikari — MarSleeva Church, Kuroppada P.O. Kottayam—686502—Environmental Clearance—Issued

STATEENVIRON MENTAL INPACT ASSESMENT AUTHORITY

No. 389/SEIA.A/2757/2014

Date: 31.10.2014

Ref:

- 1. Application dated 29.04.2014 from Fr. Joseph Mulavana, Vlkari Marsleeva Church, Kuroppada P.O., Kottayam 686502
- 2. Letter No E9-16311/2014 dated 5-6-2014 of Deputy Collector, Kottayam
- 3. Minutes of 34th SEIAA heldon 24.10.2014

ENVIRONMENTAL CLEARANCE NO. 34 . /2014

Fr. Joseph Mulavana, Vikari - MarSleeva Church, Kuroppada P.O., Kottayam - 686502 applied for Environmental Clearance for removal of 4796 M³ of ordinary earth from 0.46.23 hectare of land comprised in Sy. 175/6 and 175/5of Village Kooroppada, Panchayath Kooroppada, Taluk of Kottayam, District Kottayam for the purpose and in the manner as particularised below:

$\lceil 1 \rceil$	Date of receipt of completed application		12.06.2014
a)Undertakings given by applicant			
2	Nature of Land	T :	Purayidam
3	Extent of the land in the Sy. No. and extent of land	:	175/6 and 175/5
	for which permission for removal of ordinary earth		
	is applied for		
4	Revenue authority who certified the Application		Deputy Collector (LR) Kottayam
5	Purpose of removal of Ordinary Earth		Construction of Play ground
			in school and Parking area
6	If to be transported out of the site, end use of the	7	Construction of coastal road
	ordinary earth removed		road in Ramankary and
in I	Interprised and Decommendation L. CCAC		Kadapra Panchayate
b) Appraisal and Recommendation by SEAC 7 Date of recommendation of SEAC for removal of 120 07 2014			
'	Date of recommendation of SEAC for removal of ordinary earth	ļ : ˈ	30.07.2014
(c)		i	
(c) Environmental Clearance by SEIAA 8 Date of Clearance given by SEIAA			
	Date of clearance given by SEIAA	;	24.10.2014
9	Quantity of ordinary earth sanctioned to be removed		4-796 M ³
10	Spoots of Italiant It ally for territoral or	:	2200 M3 of earth is permitted to
	ordinary earth from the site		be taken out for PWD road
			construction and remaining
			quantity should be utilized for
	"		leveling the site itself.
	·		Height of the cutting should not
L			e≯ <ceed 2.5m.<="" td=""></ceed>

- 2. Environ mental Charance under 50. No.153 B(I) dated ~26.09.2006 read O.M.No.L.11011/47/2011-1AH(MI) dated 24.0 6.013 is accorded to Fr. Josen. Mulavaria, Vikari Marslewa Church, Kuroppada P.O., Kotayam 686500 the applicant, to remove 47.96 M³ of ordinary earth from the land owned by the Kuropada Mar Sleeva Church in Sy.No. 175/6 and 175/5 of Kooroppada Village, Kotayam Taluk in strict compliance with the general conditions in the amexure and also asper the special conditions stipulated in item. 10 above.
- 3. Violation of any of above undertakings general or special conditions will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act 1986 and Notification No.S.O.637(E) dated 28.02.2014 of the MoEF, Govt. of India. Non compliance if any noted shall be reported to the District Collector, Kottayam by the Director of Environment and Climate Change.



For Member Secretary (SEIAA)

To, Fr. Joseph Mulavana, Vikari – Marsleeva Church, Kuroppada P.O., Kottayam - 686502

Copy to:

- 1. District Collector, Kottayam
- 2. Tahsildar, Kottyam
- 3. Director, Mining & Geology
- 4. Secretary, Kooroppada Grama Panchayath, Kottayam
- 5. Chairman, SEIAA
- 6. Superintending Enginer, Harbour Engineering Central Circle, Ernakulam (North), Kochi-18
- 7. Stock File
- 8. Website

(w#dalem c. I # pow !)

- The activity shall not involve blensing. 11
- The maximum depth of removal of earth should not go beyond im five the (ii)general ground level of the site, which should be promittently matrix before initiating the
- Removal of earth should be restricted to 2 mg above to the gound water table at the site. (1111)
- The excavation activity shall not alto the natural tripage patern of the area. (iv)
- The burrowed/encavanted pit shall be restored by the project proponent for (v) purpose(s) as specified in the application.
- Appropriate fincing all around the borrowed/stavated his shall be made to prevent (Vi)
- Measures shall be taken to prevent dust emission by covering of burrowed/excavited (vii) earth during transportation.
- Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to borrowing/excavation of earth. (ire)
- Workers / labourers shall be provided with facilities for drinking water and smitation.
- A bern shall be left from the boundary of adjoining field having a width equal to at (\mathbf{x}) least half the depth of proposed excavation.
- A minimum distance of 15 m from any civil structure shall be kept from the periphery of (zri)
- The Environmental Clearance shall be liable to be cancelled in any case of violation of above conditions.



DISCOR re of Embrodiment's Chinale Charge Privingking Privale Tuka makatikan mpedil