18/12/14

State Environment Impact Assessment Authority, Kerala-Removal of Ordinary Earth from Sy. No. 295/1D,295/1C-2, Puthenchira Village Puthenchira Panchayath Mukundapuram Taluk, Thrissur District Application of Sri. Kaima parambil Joshy & wife Geetha Joshy, Eriyadu P.O. Environmental Clearance-Issued

STATE ENVIRONMENTAL IMPACTASSESSMENT AUTHORITY

No. 556/SEIAA/KL/4117/2014

Date: 31. 10.2014

Ref:

- 1. Application dated 08.08.2014 from Sri. Kaimaparambil Joshy & wife Geetha Joshy, Eriyadu P.O.
- 2. Certificate No. B-5-10220/14 dated 04/08/14 of Addtional Tahsildar, Mukundapuram
- 3. Minutes of 34 meeting of SEIAA held on 2410.2014

ENVIRONMENTAL CLEARANCE NO. 59/2014

Sri. Kaima parambil Joshy & wife Geetha Joshy, Eriyadu P.O.applied for Environmental Clearance for removal of 1200 m³ of ordinary earth from 8.1 ares of land comprised in Sy. No. 295/1D/C-2, Puthenchira Village Puthenchira Panchayath Mukundapuram Taluk, Thrissur District for the purpose and in the manner as particularised below:

1	Date of receipt of completed application	:	25.08.2014
a)	Undertakings given by applicant		
2	Nature of Land	:	Purayidam
3	Extent of the land in the Sy. No. and extent of land for which permission for removal of ordinary earth is applied for	 - -	295/1D/C-2
4	Revenue authority who certified the Application	:	Addtional Tahsildar, Mukundapuram
5	Purpose of removal of Ordinary Earth		For agriculture
6	If to be transported out of the site, end use of the ordinary earth removed	:	Ala- Gothuruthu Approach road construction
$\overline{b})$	Appraisal and Recommendation by SEAC		
7	Date of recommendation of SEAC for removal of ordinary earth	;	27-09-2014
(c) Environmental Clearance by SEIAA		
8	Date of clearance given by SEIAA	T:	24-10-2014
9	Quantity of ordinary earth sanctioned to be removed]:	$800\mathrm{m}^3$
1	Special condition if any for removal of ordinary earth from the site	:	N.A.

2. Environmental Clearance under S.O. No.1533 (E) dated 26.99.2005 read with O.M.No.L-11011/47/2011-IAII(M) dated 24-.06.2013 is accorded to Sri. Za ima



parambil Joshy & wife Geetha Joshy, Eriyadu P.O., the ap plion to remove 80 m³ of ordinary earth from the land owned by him in Sy. No. 1871D/C-2, Puthenbira Village Puthenchim Panchayath Mukundapuram Taluk, Thissur District in stict compliance with the general conditions in the annexure.

3. Violation of any of above undertakings general or special conditions will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act 1986 and Notification No.S.O. 637(E) dated 28.O2.2014 of the MoFF, Govt of India. Non compliance if any noted shall be reported to the District Collector, Thrissur by the Director of Environment and Climate Change.



For Member Secretary (SEIAA)

To,

Smt. Geetha Joshi Karima Parambil Eriyadu P.O. Thrissur-680644

Copy to:

- 1. District Collector, Thrissur
- 12. Tahsildar, Mukundapuram
 - 3. Director, Mining & Geology
 - 4. Secretary, Puthenchira Grama Panchayath, Mukundaparam
 - Chairman, SEIAA
 - 6. Stock File
 - 7. Website
 - 8. O/C

AIVIENURE

(vide Item c. 14 para 1)

- The activity shall not involve bissing. (ii)
- The auximum depth of removal of earth should not go beyond 2 niom the (iii) general gound level of he site which hould be prominently maked before ining the
- Removal of earth should be restricted to 2 m above to the ground water table the site. (iii)
- The excavation activity shall mot alter the natural drainage pattern of the area. (iv)
- The burrowed/excavated pit shall be restored by the project proponent in useful (v)purpose(s) as specified in the application.
- Appropriate fencing all around the borrowed/excavated pit shall be made a prevent (vi)
- Measures shall be taken to prevent and emission by covering of burowed/acavated (vii) earth during transportation.
- Safeguards shall be adopted against health risks on account of breeding of vectors in (viii) the water bodies created due to bonowing/excavation of earth.
- Workers / labourers shall be provided with facilities for drinking water and satistion. (ix) (x)
- A beam shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- A minimum distance of 15 m from any civil structure shall be kept from the periphery of (xi)
- The Environmental Clearance shall be liable to be cancelled in any case of violation of (Rii)



Expansion of Bridgemous editors of Super-Pally to the term of the terms Thursday and a person of a