



***Proceedings of the State Environment Impact Assessment
Authority Kerala***

*Present : Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. V. S. Senthil, I.A.S.,
Member Secretary.*

Sub: SEIAA Kerala – 57th meeting of SEIAA held on 26-08-2016– Environmental Clearance under EIA Notification, 2006 accorded for removal of ordinary earth/brick earth - E.C. Granted – Orders issued.

Environmental Clearance

No. 1031/SEIAA/EC4/219/2016

dated, Thiruvananthapuram 30-09-2016

- Ref: 1. O.M.No.L-11011/47/2011-IAII(M) dated 24.06.2013 of the Ministry of Environment & Forests, Government of India.
2. Minutes of the 58th meeting of SEAC held on 28/29-06-2016
3. Minutes of the 57th meeting of SEIAA held on 26-08-2016.

ENVIRONMENTAL CLEARANCE NO.139/2016/OE

Environmental Clearance under notification S.O. No.1533 (E) dated 26.09.2006 read with O.M.No.L-11011/47/2011-IAII (M) dated 24.06.2013 of the Ministry of Environment & Forest, Government of India, is accorded to the applicant named in column 2 of the annexure hereto in strict compliance with the following general conditions and the specific conditions stipulated in column 7 against each application in the annexure.

General conditions

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2m from the general ground level of the site, or that specifically stipulated by the Authority in column 7 of the annexure, whichever is less. The level should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers/labourers shall be provided with facilities for drinking water and sanitation.

- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The quantity of O.E being excavated from each site and to be deposited at each work site shall be fixed.
- (xiii) The Environmental Clearance shall be liable to be cancelled in any case of violation of any of the above conditions.

Violation of any of above general conditions as applicable to the particular case will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act, 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non-compliance if any shall be reported to the District Collector, Kottayam by the State Environment Impact Assessment Authority.

Sd/-

V.S. SENTHIL I.A.S
Member Secretary, SEIAA
&
Additional Chief Secretary
Environment & Forest Department
Government of Kerala

To,

Sri.P.J.Jony,
Pakkarambel,
Ettumanoor P.O,
Kottayam District - 686631

Copy to:

1. District Collector, Kottayam
2. Deputy Collector, Kottayam
3. Director, Mining & Geology, TVM
4. Secretary, Vellur Grama Panchayath, Kottayam
5. Chairman, SEIAA
6. Stock File
- ✓ 7. Website
8. O/C

Forwarded/ By order

Administrator, SEIAA



Application for Environmental clearance for removal of Ordinary Earth / Brick Earth/Laterite cleared in the 57th meeting of SEIAA held on 26-08-2016

Item No.	Details of Applicant	Description of property with quantity to be excavated	Date of receipt of Application/Details of Recommendation of Revenue authority	Purpose of removal/ use of removed material		Details of recommendations of SEAC with specific condition if any. And quantity permitted to be excavated	Details of decision of SEIAA
				A	B		
1	2	3	4	5	6	7	8
57.19	✓ Sri.P.J.Jony, Pakkarambel, Ettumanoor P.O., Kottayam District - 686631	0.46.81 ha of land in Sy.No. 457/1B7, 458/1, 458/1-2 at Vellur Village, Vaikom Taluk, Kottayam District Quantity = 30000m ³	27-01-2016 Deputy Collector (LR) Kottayam Ltr. No.E/2.59 709/15	For levelling the plot	To deposit the property in Sy. No.235/3 at Vallichira village	Removal should be in terraced manner limiting maximum depth of removal to 2m. Quantity = 8000 m ³	File No. 1031/SEIAA/EC4/219/2016 Approved the recommendations in Column 7
57.20	Sri.Sunil Nishad, Nishad Mansil, Muslims Street, Kottarakkara - P.O., Kollam - 691 506,	19.15 Acres of land in Sy.528/8 at Neduvathur Village and NeduvathurPanchayat, Kottarakkara Taluk, Kollam Quantity =40,000 m ³	25/02/16 Revenue Divisional Officer, Kollam Certificate No. No.B-7788/15/kdis	For construction of house and Agriculture purpose	Construction of Kollam By Pass & For Adappuzha Railway line	Removal should be in terraced manner limiting maximum depth of removal to 2m. Quantity = 3600 m ³	File No 1033/SEIAA/EC3/413/15 Approved the recommendations in Column 7
57.21	Sri.Benny Markose, Vandathanathil House, Kolencheri P.O., Thomikkalkkara, Ernakulam - 682311	5.06 Acres of land in Sy. 207/3, 207/4 at Ikkaranadu North Village and Ikkaranadu NorthPanchayat, Kunnathunadu Taluk, Ernakulam District Quantity =15,000 m ³	1-03-16 Additional Tahsildar, Kunnathunadu, Ernakulam. Certificate no. G2-1270/16,Dated 15.02.16	The plot is higher than the road level	Township Project, BPCL	Removal should be in terraced manner limiting maximum depth of removal to 2m, by giving set back of 5m on the Northern side abutting the Panchayat Road. Quantity = 4000 m ³	File No.1034/SEIAA/EC3/445/15 Approved the recommendations in Column 7

