



Validity expires on 17.03.2015

Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member; Dr. Nivedita P. Haran IAS, Member Secretary

Sub: SEIAA Kerala - Removal of ordinary earth in Sy. No. 701/01 at Aamballoor Village, Alagappa Nagar Panchayath, Mukundapuram Taluk, Thrissur District, Kerala by Smt. Rugmani Amma - Environmental Clearance under EIA Notification 2006 - Accorded - Orders issued

Environmental Clearance

No. 249/SEIAA/KL/1044/2014

dated, Thiruvananthapuram 18.09.2014

Read:- SEIAA Kerala Minutes of the 32nd meeting dt. 22-08-2014

ORDER

Smt. Rugmani Amma, Koller House, Pookode P.O., Vattannathra, Thrissur District, Kerala, has applied for Environmental Clearance on 06.03.2014 in simplified format for removal of ordinary earth from an area of 0.14 hectares of land in Sy. No. 701/01 at Aamballoor Village, Alagappa Nagar Panchayath, Mukundapuram Taluk, Thrissur District, Kerala, for construction of house. The removed earth shall be utilized for levelling the pit (in Sy. No. 67/2) formed after extraction of clay. The land after levelling shall be used for agricultural purposes. The application has been duly examined and certified by Addl. Tahsildar, Mukundapuram. It is interalia, noted that the project comes under Category B, Activity 1(a), (i) of Schedule of EIA Notification 2006.

The proposal has been appraised by the State Level Expert Appraisal Committee Kerala constituted by the competent authority, as per prescribed procedure in the lights of provisions under the EIA Notification 2006 and subsequent amendments, in its 26th meeting held on 20th and 21st March 2014, 28th meeting held on 25th and 26th April 2014, 30th meeting held on 6th and 7th June 2014 and in its 31st meeting held on 30th and 31st July 2014. SEAC Kerala considering the application, documents and clarifications provided by the authorized representative of the proponent in person, recommended environmental clearance to the project, on usual conditions for mining of brick earth/ordinary earth stipulated in O.M. No. L-11011/47/2011-IA II(M) dt. 24.06.2013 of Ministry of Environment and Forests.

The SEIAA, after due consideration of the relevant documents and additional clarifications submitted by the project proponent, and in view of the recommendations of SEAC, approved for

issuance of Environmental Clearance for the project mentioned above at its 32nd meeting held on 22nd August 2014. Accordingly, the State Level Environment Impact Assessment Authority (SEIAA) Kerala constituted by Govt. of India vide Notification No. S.O. 2484(E) dt. 3-11-2011 of Ministry of Environment and Forests, Govt. of India, published as Gazette extraordinary No. 2074 on 3-11-2011 and further amended by Govt. of India vide Notification No. S.O. 546 (E) dt. 25.02.2014 of Ministry of Environment and Forests, Govt. of India, published as Gazette extraordinary No. 466 dated 25-02-2014, hereby accord necessary Environmental Clearance to Smt. Rugmani Amma, Koller House, Pookode P.O., Vattanathra, Thrissur District, Kerala, on usual conditions for mining of brick earth/ordinary earth stipulated in O.M. No. L-11011/47/2011-IA.II(M) dt. 24.06.2013 of Ministry of Environment and Forests, for removal of ordinary earth not exceeding 250 m³, as per powers vested with it under the provisions of Environment Impact Assessment Notification – 2006 and subsequent amendments and also under the provisions made in O.M. No. L-11011/47/2011-IA.II(M) dated 18th May 2012 of the Ministry of Environment and Forests, Government of India, and further subject to strict compliance of the following specific and General conditions:

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2 m from the general ground level of the site, which should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2 m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent an mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers / labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The quantity of earth removed should not exceed 250 m³.
- (xiii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above guidelines.

Compliance of the above conditions will be monitored by the Directorate of the Department of Environment and Climate Change, Government of Kerala or its agencies and also by the Regional Office of the Ministry of Environment and Forests, Government of India located at Bangalore. Necessary support for entry and inspection should be provided by the project proponent to the staff of the Directorate and Ministry for monitoring purposes. In case of non-compliance of conditions, noted, if any, the Director, Department of Environment and Climate Change shall report the matter to the District Collector concerned to take necessary action under Environment Protection Act 1986.

The given address of correspondence of the Authorized Signatory of the project is:- Smt. Rugmani Amma, Kolleri House, Pookode P.O., Vattanathra, Thrissur District, Kerala - 680302; Ph: 9846701543/9847566612.

The validity of EC is for a period of six months from today.


o/c

4/10

for Member Secretary, SEIAA

To

Smt. Rugmani Amma
Kolleri House, Pookode P.O.
Vattanathra, Thrissur District, Kerala - 680302.



Copy to :

1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block Koramangala, Bangalore-560034
2. The Addl. Chief Secretary to Government, Environment Dept., Government of Kerala
3. The Addl. Tahsildar, Mukundapuram
4. The District Collector, Thrissur
5. The Director, Dept. of Environment and Climate Change, Govt. of Kerala, Tvm - 24.
6. The Director, Mining and Geology Department, Government of Kerala
7. The Secretary, Alagappa Nagar Panchayath, Thrissur district
8. Chairman and Members of SEIAA Kerala
9. Chairman, SEAC Kerala
10. Website uploading
11. Stock file