

**State Environment Impact Assessment Authority
(SEIAA) Kerala**

'Devi Kripa', Pallimukku, Pettah P.O., Thiruvananthapuram - 695 024

Ph: +91471-2742264 (Off) 0471-2742554(Dir) +91471-2742554 (Fax)

e-mail: environmentdirector@seiaa.org

web: www.envt.kerala.gov.in www.seiaakerala.org

Proceedings of the State Environment Impact Assessment Authority Kerala

***Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini Member; Sri. P. Mara Pandiyan IAS,
Member Secretary***

Sub: SEIAA Kerala - Environmental Clearance under EIA Notification 2006 for removal of ordinary earth- Accorded – Orders issued.

Environmental Clearance

No. 947/EC3/4160/SEIAA /2015

dated, Thiruvananthapuram 27.01.2016

**Ref: 1. O.M.No.L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of
Environment & Forests, Government of India.**

2. Minutes of the 48th meeting SEIAA held on 23-01-2016.

ENVIRONMENTAL CLEARANCE NO. 01/2016/OE

Sri. Nishad, P. A., Managing Partner, P. A. constructions, Shanthipuram P.O., Kodungalloor, Thrissur-680668 has applied for Environmental Clearance for removal of 300000 m³ of ordinary earth from an area of 4.0287 hectares of land belonging to Sri. Saheer, Jaasim, Rukgiya, Silna, Azeez, Salman & Kasim in Sy. No. 216/34, 37, 10, 8, 18, 35, 13, 20, 21, 19, 2, 27, 26, 29, 25, 39 & 38 at Pattimattom Village, Kunnathunadu Panchayath, Kunnathunadu Taluk, Ernakulam District for the site development and construction of bund for compound wall, canal diversion etc forming part of the 16,500 crores Integrated Refinery expansion project of BPCL at their Cochin Refinery.

In his letter dated 15/12/2015, the Executive Director, BPCL (Kochi Refinery) has informed as follows:

‘Vide their letter cited 2 above BPCL approached The Director, Dept. of Environment & Forest, for getting Environmental Clearance for bringing earth from outside the premises of BPCL-KR. It is understood that there is a delay of two to three months for getting the approval from the above committee for commencing the earth filling activity which will delay the entire project by another Six (6) months. BPCL is planning to utilize the full dry period till May 2016 for commencing the construction of plants after that. If the permission is delayed the earth filling during the dry spell is not possible and the completion of the project as per the schedule time will get affected.’

In view of the extreme urgency, Environmental Clearance under notification S.O. No.1533 (E) dated 26.09.2006 read with O.M.No.L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment & Forest, Government of India, is accorded to the applicant named in column 2 of the annexure hereto in strict compliance with the following general conditions and the specific conditions stipulated in column 7 of the annexure.

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2m from the general ground level of the site, or that specifically stipulated by the Authority in column of the annexure, whichever is less. The level should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against the health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers/labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.

3. Violation of any of above general or specific conditions as applicable will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non-compliance if any shall be reported to the District Collector, Ernakulam.

Sd/-
P. MARA PANDIYAN, I.A.S.,
Member Secretary, SEIAA
&
Addl. Chief Secretary
Environment & Forests Department
Government of Kerala.


To,

Sri. Nishad, P. A.,
Managing Partner,
P.A. Constructions,
Shanthipuram P.O,
Kodungalloor,
Thrissur-680668

Copy to:

1. The Executive Director (Projects)
BPCL- Kochi Refinery, P.B . No 2,
Ambalamugal, Ernakulam Dist; 682302
2. District Collector, Ernakulam
3. Tahsildar, Kunnathunadu
4. DoECC, TVM
5. Director, Mining & Geology
6. Secretary, Kunnathunadu Panchayat, Pallikkara, Kunnathunad, Kumarapuram P. O.,
Cochin- 565
7. Chairman, SEIAA
- ~~8. Stock File~~
9. Website
10. O/C

Forwarded / By Order



G. Rajeev,
Administrator,
SEIAA.

Application for Environmental clearance for removal of Ordinary Earth / Brick Earth cleared in the 48th meeting of SEIAA held on 23-01-2016

Item No.	Details of Applicant	Description of property with quantity applied for to be excavated	Date of receipt of Application/Details of Recommendations of Revenue authority	Purpose of removal/ use of removed material		Details of recommendations of SEAC with specific condition if any. And quantity permitted to be excavated	Details of decision of SEIAA
				A	B		
1	2	3	4	Purpose of removal	Use of removed material	7	8
48.08	Sri. Nishad, P.A., Managing Partner, P.A. constructions, Shanthipuram P.O, Kodungalloor, Thrissur-680668	4.0287 hectares of land belonging to <i>Sri. Saheer, Jaasim, Rukgiya, Silna, Azeez, Salman & Kasim</i> in Sy. No. 216/34, 37, 10, 8, 18, 35, 13, 20,21, 19, 2, 27, 26, 29, 25, 39& 38 at Pattimattom Village, Kunnathunadu Panchayath, Kunnathunadu Taluk, Ernakulam District, Kerala Quantity = 300000 m ³	14.10.2015 Addl. Tahsildar, Kunnathunadu (G2-14986/15 dtd. 12.10.2015)	For BPCL - Compound wall construction for 4.5km (Commercial Purpose)	Commercial Purpose	1. Excavation shall not create situations of possible land slide or threat to life and property. 2. Mining shall not result in pit formation or water logging. 3. The quantity of O.E being excavated from each site as permitted and to be deposited at each work site shall be fixed. 4. Name of the work, site and quantity permitted to be removed from the site shall be exhibited on the vehicle. 5. Contractor shall inform the registration number of the vehicle deployed for transportation of the O.E. from permitted sites, to the BPCL. The number of the vehicles as intimated may be reported to the concerned police authorities and local authorities by BPCL. 6. BPCL shall ensure overseeing that the O.E extracted as permitted is as per the conditions in the E.C. and used only for the use and project of BPCL. Quantity = 80000 m ³	(File No. 947 /EC3/4160/SEIAA /2015) Approved

48.09	Sri. Nishad, P.A., Managing Partner, P.A. constructions, Shanthipuram P.O., Kodungalloor, Thrissur-680668	4.2381 hectares of land belonging to <i>Muhammad Moosa, Sadique, Abdul Rahim, Rajan and Khadar</i> , in Sy. No. 388/2, 388/3- 2,389/1, 389/3 at Arakkapadi Village, Vengola Panchayath, Kunnathunadu Taluk, Ernakulam District, Kerala Quantity = 1,24,950 m ³	14.10.2015 Addl. Tahsildar, Kunnathunadu (G2- 14881/15 dtd. 12.10.2015)	For BPCL – Compound wall construction for 4.5km (Commercial Purpose)	Commercial Purpose	(-do-) Quantity = 80000 m ³	(File No. 948 /EC3/4161/SEIAA /2015) Approved
48.10	Sri. Nishad, P.A., Managing Partner, P.A. constructions, Shanthipuram P.O., Kodungalloor, Thrissur-680668	70.82 ares of land in Sy. No. 165/15, 165/1-1 at Thiruvaniyoor Village, Thiruvaniyoor Panchayath, Kunnathunadu Taluk, Ernakulam District, Kerala Quantity = 46200 m ³	14.10.2015 Addl. Tahsildar, Kunnathunadu (G2- 15148/15 dtd. 12.10.2015)	For BPCL, Airport etc.	Commercial Purpose	(-do-) Quantity = 13600 m ³	(File No. 949 /EC3/4162/SEIAA /2015) Approved



G. RAJEEV

Administrator

State Environment Impact Assessment Authority

Palissukku, Pottish

Thiruvananthapuram, Kerala

Phone: 0471-2555555