

Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. P.H.Kurian, I.A.S., Member Secretary.

Sub: SEIAA- Environmental clearance for the proposed stone quarry project in

Survey No. 427 pt. in Kannamangalam Village & Panchayat and

Survey No. 22/3 pt., 22/4 pt. in Oorakam Village & Panchayat, Thirurangadi

Taluk, Malappuram District, Kerala State by Mr. K. Muhammed Kutty, Managing Partner, M/s Kanneth Industries – Granted-Orders- issued

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, KERALA

No. 908/SEIAA/EC1/3587/2015

Dated, Thiruvananthapuram 05/02/2018

Ref:

- 1. Application received dated 07/09/2015 from Mr.K.Muhammed Kutty, Managing Partner, M/s Kanneth Industries, Door No.5/22, Kilinakkode, Cherur.P.O., Vengara, Malappuram District- 676 304
- 2. Minutes of the 68th meeting of SEAC held on 20th & 21st February 2017.
- 3. Minutes of the 74th meeting of SEAC held on 14th & 15th June 2017. .
- 4. Minutes of the 72nd meeting of SEIAA held on 1st August 2017.
- 5. Minutes of the 78th meeting of SEIAA held on 15th December 2017.
- Affidavit received on 16/01/2018 from Sri. K.Muhammed Kutty, Managing Partner & Authorized Signatory of M/s Kanneth Industries.

ENVIRONMENTAL CLEARANCE NO.19/2018

Sri. K. Muhamined Kutty, Managing Partner, M/s Kanneth Industries Door No. 5/22, Kilinakkode, Cherur P.O., Vengara, Malappuram District, Kerala-676304, vide his application received on 07.09.2015 and revised mining plan submitted on 04.05.2016, has sought Environmental Clearance under EIA Notification, 2006 for the quarry project in Sy. No. 427 pt. in Kannamangalam Village & Panchayat and Survey No. 22/3 pt., 22/4 pt. in Oorakam Village & Panchayat, Thirurangadi Taluk, Malappuram District, Kerala State for an area of 4.5369 hectares. The project comes under Category B, Activity 1(a), (i) as per the Schedule of EIA Notification 2006 (since it is below 50 hectares) and as per O.M. No. L-11011/47/2011-IA.II(M) dated 18th May 2012 of Ministry of Environment and Forests. It is

further categorized as Category B2 as per Notification No.S.O.141 (E) dt.15.01.2016 of Ministry of Environment and Forests, since the area of the project is below 25 hectares.

Details of the project as furnished by the Applicant are as follows:

BASIC INFORMATION OF QUARRY (To be filled in by the Project Proponent) PART A

Project details 908 / SEIAA / EC1 / 3587 / 2015 File No. The Stone Quarry Mine (Minor Mineral) of M/s Kanneth Industries is situated at Survey No. 427 pt. in Kannamangalam Village & Panchayat and Survey Nos. 22/3 pt., 22/4 pt. in Oorakam Village & Panchayat, Name /Title of 1. Thirurangadi Taluk, Malappuram District, Kerala in an area of 4.5369 the project hectares. Mr. K. Muhammed Kutty, Managing Partner Name and M/s Kanneth Industries address of Door No. 5 / 22, Kilinakkode, Cherur P.O., Vengara, 2. project Malappuram District, Kerala-676304. proponent. Owner of the Private own land 3. land Survey No. 427 pt. Kannamangalam Village & Panchayat and Survey Nos. Survey No. 22/3 pt., 22/4 pt. in Oorakam Village & Panchayat, Thirurangadi Taluk, District/ Taluk/ 4. Malappuram District, Kerala and Village etc. Details of period of lease or permit with

number

5.

including the

beginning and expiry date of lease/permit

c) If stopped working

period (Copy to be attached) Present Status of the project a) Date & Year of starting The quarry was working from 17 / 02 / 2014 to 09 / 02 / 2015 the work of the quarry Mining activities were stopped at site due to the expiry of short term project. 6. mining permit and currently there is no mining activity at site. b) whether the quarry is working at 09 / 02 / 2015 present or not?

The existing quarry was working with short term quarrying permit vide

No. 172/2013-14/GR/DOM/M-275/2014 Dt. 17/02/2014 for an area 2.50

Acres from 17/02/2014 to 09/02/2015 and the copy of permit is enclosed.

	since when?	
	Date of	
7.	submission of Application	07 / 09 / 2015
8.	Brief description of the project.	The land for the proposed quarry is private owned land and the land is possessed in the name of M/s Kanneth Industries. The targeted production of mine will be 2,40,000 MTA. The estimated project cost will be Rs. 4.50 Crores. The expected life of mine estimated will be of about 10 years. The working will be carried out by opencast semi-mechanized method as per the approved Mining Plan.
9,	Details of Authorized Signatory and address for correspondence	Mr. K. Muhammed Kutty, Managing Partner M/s Kanneth Industries, Door No. 5 / 22, Kilinakkode, Cherur P.O., Vengara, Malappuram District, Kerala-676304.
_	<u> </u>	Land Details
10.	Extent of area in hectares	4.5369 hectares
11.	Is the property forest land/ Govt. land/ own land/ patta land	Private own land
12.	Quantity of top soil/over burden produced and managed	A total quantity of 4,703 cu. m. of topsoil is proposed to be removed during the mining operations. The topsoil excavated from the quarry will be dumped / stacked separately at pre-determined place and subsequently will be utilized in spreading over reclaimed areas for plantation as part of eco-restoration. About 2,940 cu. m. of overburden (OB) will be generated throughout the mine life. This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation.
13.	Latitude and Longitude	Latitude (N) 11° 04'58.80" to 11° 05'08.66" Longitude (E) 76° 00'24.51" to 76° 00'35.49"
14.	Topography of land and elevation	Part of the proposed land is exposed rock and the remaining land is covered with native trees, shrubs, herbs, grass, climbers, bushes etc. The topography of the lease area is hilly. The highest elevation of the lease area is 395 m MSL and lowest is 290 m MSL. As the proposed area is hill rock, the drainage of the lease area is towards South-West.
15.	Slope analysis	As the proposed area is hill rock, the drainage of the lease area is towards South-West.
16.	Will there be any significant land disturbance resulting in soil erosion, subsidence & natural drainage.	Due care will be taken to provide channel all around the foot hill to collect run off and also to avoid soil erosion. There is no danger of flood or inundation as the proposed working is above the normal ground level. The area is not susceptible to flood.
7.	Access road to the	6m wide road

	site width and condition	
18.	Will there be any adverse impact on the aesthetics of the proposal site	No, the land used will be fully reclaimed and rehabilitated by backfilling the pond and plantation. Plantation and afforestation will add to the improvement in environment and aesthetic beauty of the area.
	<u> </u>	Mining details
19.	Minimum and Maximum height of excavation.	The exploitation of mineral is being done from 395 m to 290m MSL in conceptual phase.
20.	Life of mine proposed.	About 10 years
21.	Underground mining if any proposed	No underground mining proposed and the working will be carried out by opencast semi-mechanized method as per the approved Mining Plan.
22.	Method of Mining	The working will be carried out by opencast semi-mechanized method as per the approved Mining Plan.
23.	Distance from the adjacent quarry	There is one quarry of M/s Kilinakode Rock Products Pvt. Ltd. working with lease for an area 3.3412 ha is in operation within 500m radius of the proposed quarry.
24.	Cluster condition if any	No cluster condition
25.	Has "No cluster certificate" submitted?	Cluster certificate issued by District Geologist is already submitted with EC Application.
26.	Distance from nearby habitation	Nearest habitation is at 167m towards South-East.
27.	Distance from hearby forest, if applicable	None within the study area
28.	Distance from protected area. Wildlife Sanctuary, National Park etc.	None within the study area
29.	Distance from nearby streams / rivers / National Highway and Roads	Kadalundi Puzha, 6 km, S Naduvil Thodu, 1 km, E
30.	Is ESA applicable? If so distance from ESA limit	Not falling in ESA.
31.	Has approved mining plan, prepared by RQP submitted?	Yes, the approved mining plan prepared by RQP is already submitted with E.C. Application.

32.	Capacity of production in TPA	2,40,000 MTA
33.	Details of mining process	The mining will be done by open cast semi-mechanized method of mining. The bench height and width will be maintained 5 m. Excavated material is transported to the crusher unit existing near the complex for further processing. The ultimate depth of the mine workings is estimated to reach up to 290m MSL.
		Details of Project cost
34.	Land cost	Rs. 4.50 Crores (All inclusive)
35.	Plant and Machinery	Rs. 4.50 Crores (All inclusive)
36.	Total Cost	Rs. 4.50 Crores (All inclusive)
37.	Financial Statement including funding source and details of insurance etc.	Rs. 4.50 Crores (All inclusive) Insurance = Insurance to the quarry workers would provide through insurance company. Funding = Own source & bank loan
38.	Management Plan	Air Pollution Mining activities will generate certain quantities of dust during drilling, blasting, loading and transportation operations. The following measures will be taken to mitigate the fugitive dust from different operations. Laying of haul road as per the standards, black topping of permanent haul road and service road to avoid or eliminate air – borne dust. To avoid the dust generation from the drilling operations, wet drilling method will be adopted. Drill machines will be equipped with dust collectors. Use of appropriate explosives for blasting and avoiding overcharging of blast holes. Controlled blasting techniques will be adopted. Watering of haul road and other road at regular intervals. Provision of dust filters/ mask to workers working at highly dust prone and affected areas. Provision of green belt all along the periphery of the lease area. Periodical monitoring of ambient air quality in and around the lease area. The extracted mineral will be transported from the quarry to the end user by adopting following measures so as to minimize dust emissions. In case of long transportation the trucks after loading will be covered with tarpaulin sheets. Speed of the vehicles will be maintained within the prescribed limits.

			Trucks will not be over loaded and will be maintained to the body level
		Water Pollution	Provision of storm water collection pond with an appropriate capacity. The water requirement for sprinkling on sources of dust emission, on roads, landscaping etc. Can be met from the stored rainwater in the pond.
		Noise	The major noise generating source from the proposed activity is working machinery, drilling, blasting and plying of vehicles. The following control measures are to be undertaken to bring down the noise levels:- • Proper maintenance of machinery, equipments and improvement on design of machines. • Use of personal protective devices i.e., earmuffs and earplugs by workers, who are working in high noise generating areas. • Creation of wide green belt of dense foliage between mine areas and residential colonies. • Proper training to personnel to create awareness about adverse noise level effects. • Planned noise monitoring at suitable locations in the plant and outside location for proper effective
			remedial actions.
		Solid Waste Management	Topsoil Management The topsoil excavated from the quarry will be dumped / stacked separately at predetermined place and subsequently will be utilized in spreading over reclaimed areas for plantation as part of eco-restoration. Precautions will be taken to limit the height of the topsoil dump / stacked to 5 to 6 meters in order to preserve its fertility and shelf life. It will be suitably protected from soil erosion and infertility by planting fodder grass and leguminous plants during temporary storage. Overburden Management
			This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation.
		Eco- restoration	The year wise programme of eco-restoration for life of mine will be made and about 4,500 trees will be planted in an area of 4,4869 ha.
39.	Whether Environment	Detailed Enviror Application.	mment Management Plan is already submitted with E.C.
L .	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		

	Management Plan				
	or Eco restoration Plan satisfactory?				
40.	Does it suggest mitigation measures for each activity	Yes and the detailed Environment Management Plan is already submitted with E.C. Application.			
41.	If Pre-Feasibility Report (PFR) satisfactory	Detailed Pre-Feasibility Report (PFR) is already submitted with E.C. Application.			
42.	Does it need public hearing	Not Applicable			
43.	Details of litigation and Court verdict if any	There was a case pending at NGT and it was disposed vide Judgment dt. 14/07/2015 and currently there is no case pending.			
44.	Details of public complaint, if any	None			
45.	Details of statutory sanction required	The following Govt. Orders / Policies are to be followed:- > Kerala Minor Mineral Concession Rules, 2015. > Mines Act, 1952 > Explosive Rules, 2008 > Kerala Panchayat Raj Act, 1994 > Environment Protection Act, 1986 > EIA Notification, 2006 / 2009 > The Kerala Promotion of Tree Growth in Non-Forest Areas (Amendment) Act, 2007.			
46.	recommendation applicable?	Not Applicable			
	PART B Environment Impact Assessment and Mitigation Measures				
-	Impact on water				
47.	Details of water requirement per day in KLD	The total water requirement is about 5 KLD in which 1 KLD is for domestic requirement which would be sourced from open well, 2 KLD for dust suppression and 2 KLD for plantation purposes and will be sourced from storm water pond.			
48.	/sources	1 KLD is for domestic requirement which would be sourced from open well, 2 KLD for dust suppression and 2 KLD for plantation purposes and will be sourced from storm water pond			
19.	Expected water use	5 KLD			
50.	Details of water requirements met from water	2 KLD for dust suppression and 2 KLD for plantation purposes and will be sourced from storm water pond			

	harvesting.	
51.	What are the impact of the proposal on the ground water?	No significant impact envisaged on ground water due to the mining project.
52.	How much of the water requirement can be met from the recycling of treated waste water? (Facilities for liquid waste treatment)	Nil
53.	What is the incremental pollution load from waste water generated from the proposed activities?	The sewage to a tune of 0.80 KLD generated from the mine office will be diverted to the septic tank followed by soak pit.
54.	How is the storm water from within the site managed?	 Storm water drains with silt traps will be suitably constructed all along the periphery of the pit area to collect the run-off from the lease area and divert into the storm water pond /tanks proposed within the complex. All measures will be taken not to disturb the existing drainage pattern adjacent to the other property. De-siltation traps and storm water collection pond proposed for silt removal. The storm water collected from the lease area will be utilized for dust suppression on haul roads, plantation within the premises etc. Ton Biodiversity and Eco restoration Programmes
55	Will the project involve extensive clearing or modification of vegetation (Provide details)	Due to the mining activities, there will be loss of some native species and vegetation. However, some of these species will be planted at the end use for eco-restoration.
56.	What ate the measures proposed to minimize the likely impact on vegetation (details of proposal for tree plantation/landscaping)	The year wise programme of eco-restoration for the life of mine will be made and about 4,500 trees will be planted in an area of 4.4869 ha. Ecological restoration for the mined area by plantation of the species as per the time schedule suggested below: - First Six months Herbs & grass Next Six months Shrubs Next Six months onwards Trees Selection of species is based on High Dust Capturing, Soil Holding Capacity, ground water recharge capacity etc. More focus is given for

		medicinal plants.
57.	Is there any displacement of fauna – both terrestrial and aquatic. – If so what are the mitigation measures?	Not applicable
	Presence of any endangered species or red listed category (in detail)	No endangered species found at site
		Impact on Air Environment
58.	What are the mitigation measures on generation of dust, smoke and air quality	Details already provided at EMP section at Sr. No. 38 above.
59.	Details of internal traffic management of the site.	Designated space will be provided for parking of truck / tipper within the site. For the purposes of mining activities, existing roads are sufficient. However, haul road will be suitably developed within the proposed area. Speed of the vehicles will be maintained within the prescribed limits (Speed Governor fitted).
60.	Details of noise from traffic, machines and vibrator and mitigation measures	Details already provided at EMP section at Sr. No. 38 above.
61.	Impact of DG sets and other equipments on noise and vibration and ambient air quality around the project site and mitigation measures	Details provided at EMP section at Sr. No. 38 above and air, noise and water sampling reports were already submitted with EC Application.
62.	Air quality monitoring in detail	Details provided at EMP section at Sr. No. 38 above and air, noise and water sampling reports were already submitted with EC Application.
		Energy Conservation
63.	Details of power requirement and source of supply.	The total power requirement will be 75 kW, which will be drawn from diesel engine. Fuel Quantity – 16 to 20 lt/ hr.
64.	Details of	We will promote renewable energy resources.

Risk Management Are there sufficient measures proposed for risk hazards in case of emergency such as accident at the site? Are proposals for fencing around the quarry satisfactory? Storage of explosives / hazardous substance in detail Facility for solid waste management Will the project cause adverse effects on local communities disturbance to sacred sites or other cultural values Risk Management Risk Management Risk Management Detailed Environment Management Plan is already submitted with E.C. Application. Detailed Environment Management Plan is already submitted with E.C. Application. Detailed Environment Management Plan is already submitted with E.C. Application. Barbed wire fencing will be done all around the quarry site. The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961. Top soit and over burden generated from the size will be stored separately on earmarked place and will be used for eco-restoration and internal road development. Socio Economic Impacts No.		
Are there sufficient measures proposed for risk hazards in case of emergency such as accident at the site? Are proposals for fencing around the quarry satisfactory? Storage of explosives / hazardous substance in detail Facility for solid waste management Will the project cause adverse effects on local communities disturbance to sacred sites or other cultural values. Risk Management Risk Management Risk Management Ranagement Detailed Environment Management Plan is already submitted with E.C. Application. Barbed wire fencing will be done all around the quarry site. The stone quarry mine will result in increase in frequency of blasting for mining the mincral. However, controlled blasting with optimum gharge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1964. Top soil and over burden generated from the site will be stored separately on earmarked place and will be used for eco-restoration and internal road development. Socio Economic Impacts No.		
Are there sufficient measures proposed for risk hazards in case of emergency such as accident at the site? Are proposals for fencing around the quarry satisfactory? Storage of explosives / hazardous substance in detail Facility for solid waste management Will the project cause adverse effects on local communities disturbance and walls are subsequenced. Are proposals for fencing will be done all around the quarry site. The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961. Top soil and over burden generated from the site will be stored separately on earmarked place and will be used for eco-restoration and internal road development. Socio Economic Impacts No.		
Are there sufficient measures proposed for risk hazards in case of emergency such as accident at the site? Are proposals for fencing around the quarry satisfactory? Storage of explosives / hazardous substance in detail Facility for solid waste management Will the project cause adverse effects on local communities disturbance to sacred sites or other cultural values. Are proposals for fencing will be done all around the quarry site. Barbed wire fencing will be done all around the quarry site. The stone quarry mine will result in increase in frequency of blasting for mining the mincral. However, controlled blasting with optimum charge of local corporations imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1964. Top soil and over burden generated from the site will be stored separately on earmanked place and will be used for eco-restoration and internal road development. Socio Economic Impacts No.		
65. measures proposed for risk hazards in case of emergency such as accident at the site? Are proposals for fencing around the quarry satisfactory? Storage of explosives / hazardous substance in detail Facility for solid waste management Will the project cause adverse effects on local communities disturbance stots sacred sites or other entitural values. Detailed Environment Management Plan is already submitted with E.C. Application. Barbed wire fencing will be done all around the quarry site. The stone quarry mine will result in increase in frequency of blasting for mining the mincral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961. Top soil and over burden generated from the site will be stored separately on earmarked place and will be used for eco-restoration and internal road development. Socio Economic Impacts No.		
for risk hazards in case of emergency such as accident at the site? Are proposals for fencing around the quarry satisfactory? Storage of explosives / hazardous substance in detail Facility for solid waste management Will the project cause adverse effects on local communities of the site of		
case of emergency such as accident at the site? Are proposals for fencing around the quarry satisfactory? Storage of explosives //nazardous substance in detail Facility for solid waste management Will the project cause adverse effects on local communities of disturbance to sacred sites or other exitural values case of emergency such as accident at the site? Barbed wire fencing will be done all around the quarry site. The stone quarry mine will result in increase in frequency of blasting for mining the mincral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961. Top soil and over burden generated from the site will be stored separately on earmarked place and will be used for eco-restoration and internal road development. Socio Economic Impacts No.		
Are proposals for fencing around the quarry satisfactory? Storage of explosives / hazardous substance in detail Facility for solid waste management Will the project cause adverse effects on local communities disturbance to sacred sites or other entitural values Are proposals for fencing around the quarry site. Barbed wire fencing will be done all around the quarry site. The stone quarry mine will result in increase in frequency of blasting for mining the mincral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1964. Top soil and over burden generated from the site will be stored separately on earmarked place and will be used for eco-restoration and internal road development. Socio Economic Impacts No.		
Are proposals for fencing around the quarry satisfactory? Storage of explosives /hazardous substance in detail Facility for solid waste management Will the project cause adverse effects on local communities of disturbance to sacred sites or other entitural values; The stone quarry mine will result in increase in frequency of blasting for mining the mincral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961. Top soif and over burden generated from the site will be stored separately on earmarked place and will be used for eco-restoration and internal road development. Socio Economic Impacts No.		
Are proposals for fencing around the quarry satisfactory? Storage of explosives / hazardous substance in detail Facility for solid waste management Will the project cause adverse effects on local communities of disturbance to sacred sites or other cultural values Are proposals for fencing around the quarry site. Barbed wire fencing will be done all around the quarry site. The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961. Top soil and over burden generated from the site will be stored separately on earmarked place and will be used for eco-restoration and internal road development. Socio Economic Impacts No.		
fencing around the quarry satisfactory? Storage of explosives / hazardous substance in detail Facility for solid waste management Will the project cause adverse effects on local communities disturbance to sacred sites or other cultural values. fencing around the quarry satisfactory? The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961. Top soit and over burden generated from the site will be stored separately on earmarked place and will be used for eco-restoration and internal road development. Socio Economic Impacts No.		
Storage of explosives //nazardous substance in detail Facility for solid waste management Will the project cause adverse effects on local communities disturbance to sacred sites or other cultural values. The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961. Top soil and over burden generated from the site will be stored separately on earmarked place and will be used for eco-restoration and internal road development. Socio Economic Impacts No.		
Storage of explosives // hazardous substance in detail Facility for solid waste management Will the project cause adverse effects on local communities of disturbance to sacred sites or other entitural values. Storage of explosives will be mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961. Top soil and over burden generated from the site will be stored separately on earmarked place and will be used for eco-restoration and internal road development. Socio Economic Impacts No.		
Storage of explosives //nazardous substance in detail Facility for solid waste management Will the project cause adverse effects on local communities disturbance to sacred sites or other entitural values. Storage of explosives will be mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961. Top soil and over burden generated from the site will be stored separately on earmarked place and will be used for eco-restoration and internal road development. Socio Economic Impacts No.		
holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961. Facility for solid waste management Top soil and over burden generated from the site will be stored separately on earmarked place and will be used for eco-restoration and internal road development. Socio Economic Impacts Will the project cause adverse effects on local communifies disturbance to sacred sites or other cultural values.		
/hazardous substance in detail Facility for solid waste management Top soil and over burden generated from the site will be stored separately on earmarked place and will be used for eco-restoration and internal road development. Socio Economic Impacts Will the project cause adverse effects on local communities disturbance to sacred sites or other cultural values.		
substance in detail Facility for solid waste management Top soil and over burden generated from the site will be stored separately on earmarked place and will be used for eco-restoration and internal road development. Socio Economic Impacts Will the project cause adverse effects on local communities disturbance to sacred sites or other cultural values.		
Facility for solid waste management Top soil and over burden generated from the site will be stored separately on earmarked place and will be used for eco-restoration and internal road development. Socio Economic Impacts Will the project cause adverse effects on local communities disturbance to sacred sites or other cultural values.		
racility for solid waste management earmatked place and will be used for eco-restoration and internal road development. Socio Economic Impacts Will the project cause adverse effects on local communities disturbance to sacred sites or other cultural values.		
Pacinty for solid waste management earmarked place and will be used for eco-restoration and internal road development. Socio Economic Impacts Will the project cause adverse effects on local communities disturbance to sacred sites or other cultural values.		
Will the project cause adverse effects on local communities disturbance to sacred sites or other cultural values.		
Will the project cause adverse effects on local communities of disturbance to sacred sites or other cultural values.		
cause adverse effects on local communities of disturbance to sacred sites or other cultural values.		
effects on local communities of disturbance to sacred sites or other cultural values.		
67. disturbance to sacred sites or other cultural values.		
disturbance to sacred sites or other cultural values.		
sacred sites or other cultural values.		
ctitural values.		
What are the safe		
guards proposed?		
Will the proposal		
Ine mining project will directly / indirectly develop the area by		
providing employment opportunities. With the proposed development in [
demographic and around the area there will be many supporting facilities/ structure of local infrastructure eventually leading to the development of the area.		
population. If so,		
provide details.		
Sl. Areas of Intervention Recurring Non Recurring No Expenses Expenses (in Rs.)		
No Expenses Expenses (in Rs.)		
Are the CSR 1 Infrastructure		
proposals Development 3,30,000 1,00,000		
0.7.		
details 2 Promotion of Education 1,90,000 7,50,000		
details		

70.	What are the projects benefits in terms of employment potential?	need base study on proposed CSR activities were carried out and the copy of report was submitted with EC Application. The project proponent will spent the above amount for CSR activities for the welfare of the local community in consultation with the local body. Due to the mining activity and due to the attached ancillary unit, there will be workers attracted to the project area. It is proposed to employ 20 persons in the project.			
	PART C				
71.	Details of NABET approved EIA Consultant engaged-Their name, address and	M/s Environmental Engineers & Consultants Pvt. Ltd. (NABET Accredited Consultant Organization) Head Office: - A1-198, Janak Puri, New Delhi. Branch Office:-			
	accreditation details	C-306, Kanchanjunga Apartments, Palarivattom P.O., Kochi, Kerala.			
	arta 10	Summary and Conclusion			
		It is predicted that secio-economic impact due to this project will			
72.	Overall justification for implementation of the project.	positively increase the chance of more employment opportunities for local inhabitants. There are no Resettlement and Rehabilitation issues involved in this project. The project infrastructures will be of use to people of the area. The revenue of the State Govt. will be definitely increasing due to the proposed activity. The entire project area is devoid			
73.	Explanation of how adverse impact have been mitigated.	Detailed Pre-Feasibility Report (PFR) with Environment Management Plan (EMP) is already submitted with E.C. Application.			

2. The proposal was placed in 68th meeting of SEAC held on 20th & 21st February 2017. The Committee appraised the proposal based on the Mining Plan, Pre-feasibility Report and all other documents submitted along with Form 1. The proponent agreed to set apart Rs.12 lakh (non-recurring) and Rs.10 lakh per annum CSR activities for the welfare of the local community in consultation with the local Panchayat. The Committee deferred the item for field inspection.

site inspection was conducted and reported as following:

Recommendation

From the existing crusher unit minimum of 15 m safe distance should be provided

The drains from all over the quarry should be collected stored in a water harvesting pond, clarified and then only should be discharged.

Appropriate preventive measures should be taken like stabilisation using coir mats or similar techniques should be followed to prevent any soil erosion.

Any plant species endemic to Western Ghats are available shall be protected in situ or transplanted to an appropriate place

It is recommended to give EC for the application after implementing the above mentioned conditions and stipulating general conditions for a quarry project

- 3. The proposal was considered in the 74th meeting of SEAC held on 14th & 15th June 2017. Based on the Mining plan, Form.1, all other documents submitted with the proposal and the field visit report, the Committee decided to Recommend for issuance of EC subject to the general conditions in addition to the following specific condition.
 - 1. Minimum of 15m safe distance should be provided from the existing crusher unit.
 - 2. Preventive measures should be taken to stabilise the overburden.
 - 3. If any plant species endemic to Western Ghats are noticed in the grea they shall be properly protected in situ or by transplanting to an appropriate location inside the lease area
- 4. The proposal was considered in the 72nd meeting of SEIAA held on 1st August 2017. Authority noticed in the field inspection report that there can be chances of soil erosion. So Authority decided that the proposal can be considered only after submitting the preventive measures/techniques to prevent soil erosion, which is to be certified by the competent authority.

On 27/11/2017 the proponent has submitted a Letter from Malappuram Geologist stating the precautions to minimize the risk of soil erosion in the mining area. The precautions suggested by the Geologist are mentioned below.

- 1) The area of mining activity shall be minimized to the possible limit at a time. Avoid large scale removal of soil and over burden prior to initiating quarrying activity.
- 2) Develop a drainage control system for quarrying lease area. Avoid large scale accumulation of water in the lease area and its movement along a single channel down the slope. (Divert storm runoff from mining area)
- 3) Avoid mining activity during time of heavy rainfall.
- 4) Soil overburden and quarry waste shall be properly stacked away from the quarry area. "Avoid stacking of soil or overburden along the slope.
- 5) The bare top soil occurring along the buffer zone and outside especially in the higher elevation shall be properly controlled by growing suitable plants (shrubs).
- 6) Haul road shall be periodically maintained, tarred and metalled.

The mining activity shall always be carried out under the supervision of skilled mine mates and supervisors as prescribed by DGMS.

5. The proposal was considered in the 78th meeting of SEIAA held on 15th December 2017. After examination, Authority accepted the recommendation of SEAC and decided to issue EC subject to general condition in addition to the following specific

conditions.

- 1. Minimum of 15m safe distance should be provided from the existing crusher unit.
- 2. Preventive measures should be taken to stabilise the overburden.
- 3. If any plant species endemic to Western Ghats are noticed in the area they shall be properly protected in situ or by transplanting to an appropriate location inside the lease area

The precautions suggested by the Malappuram Geologist for preventing soil crosion should also be strictly implemented. A notarised affidavit to this effect should be submitted. The proponent should set apart Rs.12 lakh (non-recurring) and Rs.10 lakh per annum (recurring) for CSR activities for the welfare of the local community in consultation with the local body. The CSR amount should be included in the annual account of the company and the expenditure statement should be submitted to SEIAA along with the compliance report after getting certified by a Chartered Accountant. A notarised affidavit for the commitment of CSR activities and agreeing all the general and specific conditions and, also fulfilling all the conditions suggested by the District Geologist, should be submitted before the issuance of EC. The proponent has submitted the affidavit vide ref 6th cited satisfying all the general and specific conditions imposed by SEIAA.

- 6. Environmental clearance as per the EIA notification 2006 is hereby accorded for the proposed stone quarry project of Mr.K.Muhammed Kutty, Managing Partner, M/s Kanneth Industries, Door No.5/22, Kilinakkode, Cherur.P.O., Vengara, Malappuram District- 676 304 for the quarry project in Survey No. 427 pt. in Kannamangalam Village & Panchayat and Survey No. 22/3 pt., 22/4 pt. in Oorakam Village & Panchayat, Thirurangadi Faluk, Malappuram District, Kerala for an area of 4.5369 hectares subject to the specific conditions as recommended by SEIAA in para 5th above, all the environmental impact mitigation and management measures undertaken by the project proponent in the Form I, EMP, PFR and Mining plan submitted to SEIAA. The assurances and clarifications given by the proponent will be deemed to be a part of these proceedings as if incorporated herein. Also the general conditions for projects stipulated for mining (items 1 to 61), appended hereto will be applicable and have to be strictly adhered to.
- The Clearance issued will also be subject to full and effective implementation of all 7. the undertakings given in the application form, mitigation measures as assured in the Environment Management Plan and the mining features including progressive mine closure plan as submitted with the application and relied on for grant of this clearance. The above undertakings and the conditions and the undertakings in (Blasting), (EMP) Chapter 11 (Mining), Chapter 5 Chapter Chapter 12 (Progressive Mine Closure Plan) of the Mining Plan as submitted will be deemed to be part of this proceedings as conditions as undertaken by the proponent, as if incorporated herein.
- 8. Validity of the Environmental Clearance will be five years from the date of this clearance, subject to inspection by SEIAA on annual basis and compliance of the conditions, subject to earlier review of E.C in case of violation or non-compliance of conditions or genuine complaints from residents within the security area of the quarry.

- 9. Compliance of the conditions herein will be monitored by the State Environment Impact Assessment Authority or its authorised offices and also by the regional office of the Ministry of Environment & Forests, Govt. of India, Bangalore.
 - i. Necessary assistance for entry and inspection should be provided by the project proponent and those who are engaged or entrusted by him to the staff for inspection or monitoring.
 - ii. Instances of violation if any shall be reported to the District Collector, Malappuram to take legal action under the Environment (Protection) Act 1986.
 - iii. The given address for correspondence with the authorised signatory of the project is Mr. K.Muhammed Kutty, Managing Partner, M/s Kanneth Industries, Door No. 5/22, Kilinakkode, Cherur.P.O., Vengara, Malappuram District 676 304

*Sd/-P.H.Kurian I.A.S, Member Secretary (SEIAA)

To,

Mr. K.Muhammed Kutty,
Managing Partner,
M/s Kanneth Industries,
Door No. 5/22,
Kilinakkode, Cherur.P.O.,
Vengara, Malappuram District – 676 304

Copy to:

- 1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block, Koramangala, Bangalore-560034.
- 2. The Additional Chief Secretary to Government, Environment Department, Government of Kerala.
- 3. The Director, Mining & Geology, Thiruvananthapuram -4.
- 4. The Member Secretary, Kerala State Pollution Control Board
- 5. The District Collector, Malappuram
- 6. The District Geologist, Malappuram
- 7. The Tahsildhar, Thirurangadi Taluk.
- 8. Chairman, SEIAA.
- 9. Website.
- 10. S/f
- 11. O/c

Forwarded/By Order

Administrator, SEIAA

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA

GENERAL CONDITIONS (for mining projects)

- 1. Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR / KPBR, unless otherwise specified.
- 2. Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.
- 3. Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including of approach road and internal roads.
- 4. Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.
- 5. Sprinklers shall be installed and used in the project site to contain dust emissions.
- 6. Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.
- 7. At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of pit is stipulated in the E.C.
- 8. Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented
- 9. The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc) shall be protected at all times and shall be conspicuous.
- Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.
- 11. Control measures on noise and vibration prescribed by KSPCB should be implemented.
- 12. Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.
- Blasting should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
- 14. A licensed person should supervise/ control the blasting operations.
- 15. Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.
- 16. Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan / specific conditions.
- 17. Height of benches should not exceed 5 m, and width should not be less than 5 m, if there is no mention is the mining plan/specific condition.
- 18. Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.
- 19. Maximum depth of mining from general ground level at site shall not exceed 10m
- 20. No mining operations should be carried out at places having a slope greater than 45°.
- 21. Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.
- 22. The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.
- 23. Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.
- 24. The transportation of minerals should be done in covered trucks to contain dust emissions.
- 25. The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the project.
- 26. Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.
- 27. Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.
- A minimum buffer distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.
- 29. 100 m buffer distance should be maintained from forest boundaries.

- 30. Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.
- 31. All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.
- 32. In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which only the E.C is issued, the project would require a fresh appraisal by this Authority, for which the proponentshall apply and get the approval of this Authority.
- 33. The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- 34. The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
- 35. The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.
- A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.
- 37. The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office.
- 38. The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public
- 39. The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.
- 40. No change in mining technology and scope of working should be made without prior approval of the SEIAA, No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.
- 41. The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.
- 42. Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points & transfer point to reduce fugitive emissions.
- 43. The top soil, if any, shall temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.

- 44. Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.
- 45. Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM₁₀ and PM_{2.5} such as haul Road, loading and unloading points and transfer points it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- 46. Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.
- 47. Measures should be taken for control of noise levels below 85 dBA in the work environment.
- 48. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 49. The funds earmarked for environmental protection measures and CSR activate should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.
- 50. The Regional Office of MOEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (S) of the Regional Office by furnishing the requisite data/information/monitoring reports.
- Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- 53. The SEIAA may revoke or suspend the order, for non implementation of any of the specific or thisimplementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
- 54. The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any other authority for the same project.
- 55. This order is valid for a period of 5 years or the expiry date of mine lease period issued by the Government of Kerala, whichever is earlier.
- 56. The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.
- 57. The mining operation shall be restricted to above ground water table and it should not intersect ground water table.
- All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution taking centre. Washing of all vehicles shall be inside the lease area'
- 59. Project proponent should obtain necessary prior permission of the competent authorities for drawal of requisite quantity of surface water and ground water for the project.
- 60. Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly reports to SEIAA.
- 61. Occupational health surveillance program of the workers should be under taken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.

For Member Secretary, SEIAA Kerala

