

Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. James Varghese, I.A.S., Member Secretary.

Sub:SEIAA- Environmental clearance for the proposed quarry project in Sy.Nos. 1246/4, 1246/5,1246/9,1246/14,1246/15, 1246/18, 1248/1, 1248/2, 1247/3P, 1249/2, 1249/3, 1249/4, 1249/6, 1250/1, 1251/7, 1251/8, 1251/9P, 1251/10P, 1253/2, 1253/5, 1253/6, 1293/2 at Kadangode Village & Panchayath, Thalappilly Taluk, Thrissur District, Kerala by Sri. P. K. Jaleel, - Granted – Orders issued.

STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY, KERALA

No. 967/SEIAA/ EC1 /4474/2015

Dated, Thiruyananthapuram, 04.01.2018

- Ref: 1. Application received on 27-10-2015 from Sri. P. K. Jaleel (Managing Partner), M/s
 Best Granites, Kadangode, Thippillissery P.O., Thalappilly Taluk, Thrissur
 District, Kerala-680519
 - 2. Minutes of the 58th Meeting of SEAC, Kerala, held on 28th 29th June, 2016.
 - 3. Minutes of the 63rd meeting of SEAC, Kerala, held on 04th October, 2016.
 - 4. Minutes of the 68th meeting SEAC held on 20th & 21st February 2017.
 - 5. Minutes of the 66th meeting SEIAA held on 07.04.2017.
 - 6. Minutes of the 76th SEIAA meeting held on 16.11.2017.
 - 7. Affidavit received dated on 27.12.2017 from Sri. P. K. Jaleel, Managing Partner, M/s Best Granites.

ENVIRONMENTAL CLEARANCE NO. 02/2017

Sri. P. K. Jaleel (Managing Partner), M/s Best Granites, Kadangode, Thippillissery P.O., Thalappilly Taluk, Thrissur District, Kerala-680519, vide his application received on 27-10-2015, has sought Environmental Clearance under EIA Notification, 2006 for the quarry project in Survey $1246/5,1246/9,1246/14,1246/15,\ 1246/18,\ 1248/1,\ 1248/2,\ 1247/3P,\ 1249/2,\ 1249/3,$ 1249/4, 1249/6, 1250/1, 1251/7, 1251/8, 1251/9P, 1251/10P, 1253/2, 1253/5, 1253/6, 1293/2 at Kadangode Village & Panchayat, Thalappilly Taluk, Thrissur District, Kerala, for an extent of 9.9878 Ha. The project comes under Category B/B2, Schedule 1(a), (i) as per the Schedule of EIA Notification 2006 (since it is below 50 hectares) and as per O.M. No. L-11011/47/2011-IA.II(M) dated 18th May 2012 of Ministry of Environment and Forests. The project comes under Category B2 as per Notification No.S.O.141 (E)

dt.15.01.2016 of Ministry of Environment and Forests, since the area of the project is below 25 hectares.

The proposed project site falls within Latitude (N) 10°42'37.08"N to 10°42'58.18"N, Longitude (E) 76° 08'06.44"E to 76°08'25.27"E". The present land use is rocky land. The land use classification as per revenue records is private own land with native plantation. The current proposal is for the Existing quarry with pit area of 9.9878 hectares and mineral specific. Hence no alternate site was examined. The proposed project is for quarrying of 3,00,000 MTA of building stone.

Details of the project as furnished by the applicant are as follows:

BASIC INFORMATION OF QUARRY PROJECT PART A

	1. Project details		
1.	File No.	967 / SEJAA / EC1 / 4474 / 2015	
2.	Name /Title of the project	M/s BEST GRANITES The Building Stone Quarry (Minor Mineral) site of M/s Best Granites is situated at Survey nos. 1246/4, 1246/5, 1246/9, 1246/14, 1246/15, 1246/18, 1248/1, 248/2, 1247/3P, 1249/2, 1249/3, 1249/4, 1249/6,	
		1250/1, 1251/7, 1251/8, 1251/9P, 1251/10P, 1253/2, 1253/5, 1253/6, 1293/2, Kadangode Village &Panchayat, Thalappilly Taluk, Thrissur District, Kerala for area 9.9878 hectares.	
3.	Name and address of project proponent.	Mr. P.K. Jaleel (Managing Partner) M/s Best Granites Kadangode, Thippillissery P.O., Thalappilly Taluk, Thrissur District, Kerala-680519.	
4.	Owner of the land	The land for the proposed quarry is private owned land and the land is possessed in the name of M/s BEST GRANITES.	
5.	Survey No. District /Taluk/ and Village etc.	Survey Nos. 1246/4, 1246/5, 1246/9, 1246/14, 1246/15, 1246/18, 1248/1, 1248/2, 1247/3P, 1249/2, 1249/3, 1249/4, 1249/6, 1250/1, 1251/7, 1251/8, 1251/9P, 1251/10P, 1253/2, 1253/5, 1253/6, 1293/2, Kadangode Village & Panchayat, Thalappilly Taluk, Thrissur District, Kerala	
6.	Nature of the proposal – lease or permit with evidence.	The proposal is for expansion of existing quarry (0.3642 ha) and the existing quarry is working with mining lease issued by Mining and Geology Department for an area of 0.3642 hectares and the	

		7	
		mining lease i	s valid up to June, 2017 and the cop
-		of mining leas	e is attached.
7.	Date of submission o	of 27/10/2015	
	Application		
8.	Brief description of the	e The land for t	he proposed quarry is private owner
	project.	land and the l	and is possessed in the name of M
		Best Granites.	The targeted production of mine wi
		be 3,00,000 M	ITA. The estimated project cost wi
		be Rs. 4.24 C	rores. The expected life of mine wi
	ľ	be about 16 ye	ears. The working will be carried or
		by opencast s	emi-mechanized method as per th
	<u> </u>	approved Mini	ng Plan.
9.	Details of Authorized	~	el (Managing Partner)
	Signatory and address	M/s Best Grar	itee
	for correspondence	1)	nippillissery P.O.
			luk, Thrissur District,
		Kerala-680519	ruk, Tillissui Districi,
		110,411,700517	
		2. Land De	talk
10.	1. Extent of	7	Anne Continue de la c
10.	area in hectares	9.9878 hectares	
4.1			
11.		Private own lan	d
	property forest	r v	
	land /Govt. land		11927
J	/own land /patta		
	land		
· .	3. Quantity	A total estima	ted quantity of 59,367 cu. m. of
	of top soil/over	topsoil is propos	sed to be removed during the mining
	burden produced	operations. The	topsoil excavated from the quarry
	and managed	will be dumped	separately at pre-determined place
		and subsequentl	y will be utilized in spreading over
		reclaimed areas	for plantation. Precautions will be
		taken to limit th	e height of the topsoil dump to 5 to
		6 meters in orde	er to preserve its fertility and shelf
		life. It will be s	suitably protected from soil erosion
		and infertility	by planting fodder grass and
li li		leguminous plan	ts during temporary storage.
	literatura de la companya della companya della companya de la companya della comp	About 23,434 cu	. m of overburden will be generated
		throughout the n	nine life. This waste will be utilized
-		within the pit for	lying of haul roads. At the end use.
	. -	OB can be reutil:	ized as soil base for plantation
			-
	4. Latitude	Latitude (N)	10°42'37.08"N to
	and Longitude		10°42'57.08"N to 10°42'58.18"N
	1200	Longitud (T)	<u> </u>
	A. W	Longitude (E)	76°08'06.44"E to

		76°08'25.27"E
	hy of land and elevation	Part of the proposed land is covered with native trees, shrubs, herbs, grass, climbers, bushes etc. The highest elevation of the lease area is 125 m MSL and lowest is 80 m MSL. As the proposed area is low height hillocks, the drainage of the lease area is towards south to south-west side. No habitants are located in the lease area. Old pits lies in the lease area are marked on surface plan.
	6. Slope analysis	As the proposed area is low height hillocks, the drainage of the lease area is towards south to southwest side.
	7. Will there be any significant land disturbance resulting in soil erosion, subsidence & natural drainage.	Zone-III, Moderate damage risk zone as par BMTPC, Vulnerability atlas Seismic zone of India IS: 1893-2002.
	road to the site width and condition	
	be any adverse impact on the aesthetics of the	No, the land used will be fully reclaimed and rehabilitated by backfilling the pits and plantation and pond. Plantation and afforestation will add to the improvement in environment and aesthetic beauty of the area.
3.	Mining details	
***************************************	l. Minimum and Maximum height of excavation.	The exploitation of mineral is being done from 125 m MSL to 75m MSL in conceptual phase.
	mine proposed.	About 16 years
	und mining if any proposed	The working will be carried out by opencast semi- mechanized method as per the approved Mining Plan.
	4. Method of Mining	The working will be carried out by opencast semi- mechanized method as per the approved Mining Plan
	5. Distance from the adjacent quarry	There are two quarries of the project proponent (2.43 ha + 7.2399 ha) with environment clearance and with mining lease & one quarry of M/s ABA

		Industries (4.9421 ha) with cumulative area of 14.612 ha are in operation within 500 m. radius and the copy of cluster certificate is already submitted with E.C. Application.
	6. Cluster condition if any	None
0.00	7. Has "No cluster certificate" submitted?	Yes, cluster certificate is already submitted with Environment Clearance Application.
	8. Distance from nearby habitation	No habitation within 500m radius of the projec site.
	9. Distance from nearby forest, if applicable	None within the study area
	10. Distance from protected area, Wildlife Sanctuary, National Park etc.	None within the study area
	from nearby	BharathaPuzha, 9.50 km, N Naranipuzha, 10 km, SW Ondanthodethodu, 5 km, S
	12. Is ESA applicable? If so distance from ESA limit	Not falling in ESA
7/000000000000000000000000000000000000	13, Has approved mining plan, prepared by RQP submitted?	Yes, the approved mining plan prepared by RQP is already submitted.
	14. Capacity of production in TPA	3,00,000 MTA
	mining process	The mining will be done by open cast semi- mechanized method of mining. The bench height and width will be maintained 5 m. Excavated material is transported to the crusher unit existing within the complex for further processing. The

}	ir	
		ultimate depth of the mine workings is estimated to reach upto 75 m MSL
1	D-4-11 CDle-t cost	reach upto 73 iii Mist
4.	Details of Project cost	D 404C (Allindrica)
 	J	Rs. 4.24 Crores (All inclusive)
	2. Plant and Machinery	Rs. 4.24 Crores (All inclusive)
	1	Rs. 4.24 Crores (All inclusive)
	3. Total Cost	Rs. 4.24 Crores (An inclusive)
		Project Cost = Rs. 4.24 Crores
100		Insurance = Insurance to the quarry workers
· · · · · · · · · · · · · · · · · · ·		would provide through insurance company.
1.77	details of insurance etc.	Funding = Own source & bank loan
	Management Plan	Air Pollution Mining activities will generate
		certain quantities of dust during drilling, blasting, loading and
A second		transportation operations. The
	,*i	following measures will be taken to
	4	nnitigate the fugitive dust from
		different operations. • Laying of haul road
		as per the standards, black
*****		topping of permanent haul
		road and service road to
		avoid or eliminate air — borne dust.
-		To avoid the dust
		generation from the drilling
		operations, wet drilling
		method will be adopted. • Drill machines will
		be equipped with dust
		collectors.
		• Use of appropriate
		explosives for blasting and avoiding overcharging of
:		blast holes.
2	· ý	Controlled blasting
		techniques will be adopted.
		Watering of haul road and other road at
		regular intervals.
		Provision of dust
		filters/ mask to workers
	:	working at highly dust prone and affected areas.
		profice and affected areas.

	7 22	
	Water Pollution	Provision of green belt all along the periphery of the lease area. Periodical monitoring of ambient air quality in and around the lease area. The extracted mineral will be transported from the quarry to the end user by adopting following measures so as to minimize dust emissions. In case of long transportation the trucks after loading will be covered with tarpaulin sheets. Speed of the vehicles will be maintained within the prescribed limits. Trucks will not be over loaded and will be maintained to the body level Provision of storm water collection pond with an appropriate capacity. The water requirement for sprinkling on sources of dust emission, on roads, landscaping etc. Can be met from the stored rainwater in the pond. The major noise generating source from the proposed activity is working machinery, drilling, blasting and plying of vehicles. The following control measures are to be undertaken to bring down the noise levels: Proper maintenance of machinery, equipments and improvement on design of machines. Proper maintenance of machines. Use of personal protective devices i.e., earmuffs and earplugs by workers, who are working in high noise generating areas.

	Solid Waste Management Eco-restoration	Creation of wide green belt of dense foliage between mine areas and residential colonies. Proper training to personnel to create awareness about adverse noise level effects. Planned noise monitoring at suitable locations in the plant and outside location for proper effective remedial actions. Topsoil Management The topsoil excavated from the quarry will be dumped / stacked separately at pre-determined place and subsequently will be utilized in spreading over reclaimed areas for plantation as part of eco-restoration. Precautions will be taken to limit the height of the topsoil dump / stacked to 5 to 6 meters in order to preserve its fertility and shelf life. It will be suitably protected from soil erosion and infertility by planting fodder grass and leguminous plants during temporary storage. Overburden Management This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation. The year wise programme of eco-restoration for life of mine will be made and about 7,400 trees will be planted in an area of 7.3978 ha.
		planted in an area of 7.3978 ha.
Environment Management Plan or Eco restoration Plan satisfactory?	submitted with	onment Management Plan is already E.C. Application.
		onment Management Plan is already E.C. Application.

	VIII. If Pre-Feasibility Report (PFR) satisfactory	Detailed Pre-Feasibility Report (PFR) is already submitted with E.C. Application.
	IX. Does it need public hearing	Not Applicable
	X. Details of litigation and Courverdict if any	No litigation pending.
<u></u>	XI. Details of public complaint, if any	None
	statutory sanction required	The following Govt. Orders / Policies are to be followed:- • Kerala Minor Mineral Concession Rules, 2015. • Mines Act, 1952 • Explosive Rules, 2008 • Kerala Panchayat Raj Act, 1994 • Environment Protection Act, 1986 • EIA Notification, 2006 / 2009 • The Kerala Promotion of Tree Growth in Non-Forest Areas (Amendment) Act, 2007.
	recommendation applicable?	
	Environment Impact As	PART B sessment and Mitigation Measures
	1000 S 2000	pact on water
	water requirement per day in KLD	The total water requirement is about 16 KLD in which 2 KLD is for domestic which would be sourced from open well, 12 KLD for dust suppression system in mine as well as ancillary unit (Crusher/M sand Unit) and 2 KLD for plantation purposes and will be sourced from storm water pond.
	source/sources.	The total water requirement is about 16 KLD in which 2 KLD is for domestic which would be sourced from open well, 12 KLD for dust suppression system in mine as well as ancillary unit (Crusher/M sand Unit) and 2 KLD for plantation purposes and will be sourced from storm water pond.
	3. Expected water use per day	16 KLD

	in KLD.	
		12 KLD for dust suppression system in mine as well
	water	as ancillary units and 2 KLD for plantation will be
On Annual Control		sourced from storm water pond.
	from water	
	harvesting.	<u></u>
	5. What are	No significant impact envisaged on ground water
		due to the mining project.
	proposal on the	
	ground water?	White.
	6. How	No STP proposed for treatment of waste water.
	much of the	
	water	
	requirement can	1 SW - 2207 1087
	be met from the	
	recycling of treated waste	
	water? (Facilities	
	for liquid waste	
	treatment)	
y av avades av av av avades av	7. What is	The sewage to a tune of 1.60 KLD generated from
		the mine office will be diverted to the septic tank
		followed by soak pit.
	from waste water	
	generated from	
	the proposed	
	activities?	
	***************************************	The run-off from the lease area will be suitably
		collected through channels and will be stored in
	100000000000000000000000000000000000000	storm water pond for further utilization in Mine/ Crusher units. However, all measures will be taken
		to not to disturb the natural drainage system of the
	\$40 (279 000 000 000 000 000 1	surrounding area.
		and Eco restoration Programmes
		Due to the mining activities, there will be loss of
		some native species and vegetation. However, some
	extensive	of these species will be planted at the end use for
	į	eco-restoration.
i	modification of	
	vegetation	
	(Provide details)	
		The year wise programme of eco-restoration for life
.	I .	of mine will be made and about 7,400 trees will be
		planted in an area of 7.3978 ha.
	minimize the	
	likely impact on	

(r	
vegetation	
1	\mathbf{pf}
proposal for tre	e
plantation/	
landscaping)	
3. Is ther	-18
any displacemer	nt Not applicable
of fauna – bot	\mathbf{h}_{\parallel}
terrestrial an	
aquatic. – If s	10000
what are th	No endangered species found at site
mitigation	
measures ? 4. Presence	
of any endangered	
species or rec	
listed category	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
(in detail)	
	on Air Environment
	3
the mitigation	Mining activities will generate certain quantities of dust during drilling, blasting, loading and
measures or	dust during drilling, blasting, loading and transportation operations. The following measures
generation of	will be taken to mitigate the fugitive dust from
dust, smoke and	different operations.
air quality	Laying of haul road as per the
	standards, black topping of permanent haul
	road and service road to avoid or eliminate
	air – borne dust.
	To avoid the dust generation from the
	drilling operations, wet drilling method will
	be adopted.
	Drill machines will be equipped with
	dust collectors.
	Use of appropriate explosives for
	blasting and avoiding overcharging of blast
	holes.
	Controlled blasting techniques will
	be adopted.
	 Watering of haul road and other road at regular intervals.
	• Provision of dust filters/ mask to
	workers working at highly dust prone and
	affected areas.
	Provision of green belt all along the
i de la companya de l	periphery of the lease area.
1	Periodical monitoring of ambient air
	quality in and around the lease area.

·L	<u> </u>			
	2. Details of	The extracted mineral will be transported from		
	internal traffic	the quarry to the end user by adopting following		
:		measures so as to minimize dust emissions.		
:[the site.	• In case of long transportation the		
:		trucks after loading will be covered with		
		tarpaulin sheets.		
		 Speed of the vehicles will be 		
		maintained within the prescribed limits.		
		 Trucks will not be over loaded and 		
		will be maintained to the body level		
	3. Details of	The major noise generating source from the		
	noise from	proposed activity is working machinery, drilling,		
	traffic machines	blasting and plying of vehicles. The following		
	and wibrator and	control measures are to be undertaken to bring down		
	mitigation	the noise levels:-		
	1 -	• Proper maintenance of machinery,		
	measures	equipments and improvement on design of		
]		magnines.		
<u> </u>		• Use of personal protective devices		
		i.e., earmuffs and earplugs by workers, who		
		are working in high noise generating areas.		
		• Creation of wide green belt of dense		
:		foliage between mine areas and residential		
		colonies.		
4		Proper training to personnel to create		
		awareness about adverse noise level effects.		
2		Planned noise monitoring at suitable		
		locations in the plant and outside location for		
		proper effective remedial actions.		
		2000 - 2000		
	2. '	No DG Set proposed		
	DG sets and			
	other equipments			
	on noise and			
	vibration and			
***************************************	ambient air			
:	quality around	·		
**	the project site			
	and mitigation			
	measures			
	5. Air			
	quality	The ambient air quality monitoring of the project		
		site was carried out and the copy of report is already		
7.700.000	detail	submitted with E.C. Application.		
		**		
	Energy Conservation			
		The total power requirement will be 75 kW, which		
		will be drawn from diesel engine. Fuel Quantity –		
<u></u>	power	will be drawn from dreser engine. I der Quantity		

		
	requirement and	16 to 20 lt/ hr.
	source of	
	supply.	
	2. Details of	The total power requirement will be 75 kW, which
		will be drawn from diesel engine. Fuel Quantity -
	(non –	16 to 20 lt/ hr.
	conventional)	
	used.	
	<u></u>	k Management
		Detailed Environment Management Plan is already
	sufficient	submitted with E.C. Application.
	measures	suomitted with E.C. Appareation.
	proposed for risk	
	hazards in case	
		II 28. 3500 Sept. 3500
	1	[] GW;
	such as accident	
	at the site?	\$ 25 min 1 m
	2. Are	
		Barbed wire fencing will be done all around the
		quarry site.
	the quarry	
	satisfactory?	
		The stone quarry mine will result in increase in
	3. Storage of	frequency of blasting for mining the mineral.
		However, controlled blasting with optimum charge
	dous substance in	of holes will be carried out to loosen the rock.
	detail	Explosion hazards are envisaged due to mishandling
ie.		of explosives. Explosives will be handled with
		utmost care in compliance of conditions imposed by
	4. Facility	Chief Controller of Explosive & Metalliferous Mines
	for solid waste	
	management	
		Top soil and over burden generated from the site
		will be stored separately on earmarked place and
	56.5.	will be used for eco-restoration and internal road
.5.	I : 18751 I :	development.
	Socio I	Conomic Impacts
	1. Will the	
	project cause	
	i) +	The proposed project will directly / indirectly
	I .	develop the area by providing employment
į		opportunities. With the proposed development in
		and around the area there will be supporting
	}	facilities/ infrastructure eventually leading to the
	i i i i i	development of the area.
	values. What are	development of the area.
	the safe guards	
	ine sare guards	

Secretaria	g parameter and a superior of the superior of	ı:				
	proposed?					······································
	2. Will the proposal result in any changes to the demographic structure of local population. If so, provide details.	ther land nati etc. The	e is no veget I in the propo ve trees, shrul	ation in that osed land is bs, herbs, grahy of the leastion of the leasting of	area. The mostly corass, climber area is h	remaining vered with ers, bushes illy terrain.
	3. Are the CSR proposals satisfactory. Give details	No	Areas of Interventio n	No. of Intervention	Recurri ng Expense s (in Rs.)	Recurri
		01	Developmen t of educational Institutions	02	Nil	10,80,00
		02	Environmen tal sustainabilit y	02	1,70,000	2,20,000
		03	Empower the powerless	04	11,41,00 0	Nil
			Tøtal	08	13,11,000	13,00,000
	the projects	Due to the mining activity and due to the attached ancillary unit, there will be workers attracted to the project area. It is proposed to employ 34 persons in the project.				
PART C	<u> </u>					
	Consultant engaged- Their name, address and accreditation details	Head Office :- A1-198, JanakPuri, New Delhi. Branch Office:-				
			06, Kanchanj ., Kochi, Keral		ments, Pa	larivattom

Summary and Conclusion	
1. Overall justification for implementation of the project. 2. Explanati on of how adverse impact	It is predicted that socio-economic impact due to this project will positively increase the chance of more employment opportunities for local inhabitants. There are no Resettlement and Rehabilitation issues involved in this project. The project infrastructures will be of use to people of the area. The revenue of the State Govt. will be definitely increasing due to the proposed activity. The entire project area is devoid of any endangered flora and fauna. It is proposed to reclaim the land and develop green cover for eco-restoration with native species to a maximum possible extent. Additionally, an area is earmarked outside the proposed mining area for compensatory mass plantation. Also, a storm water pond is proposed outside the mining area for storage of rain water and for its subsequent use so as to conserve fresh water consumption. Thus the proposed project is not likely to affect the environment or adjacent ecosystem adversely. Detailed Pre-Feasibility Report (PFR) with Environment Management Plan (EMP) is already submitted with E.C. Application.

2. The 58th Meeting of SEAC, Kerala, held on 28th& 29th June, 2016 appraised the proposal based on the mining plans per KMMC Rules-2015, pre-feasibility report and all other documents submitted along with the Form I application and decided to defer the item for site inspection. The proponent agreed to set apart Rs 13 lakhs (non-recurring) and 13 lakhs (recurring) for a period of next 5 years for CSR activities for the welfare of the local community. The proponent also agreed to spend this amount in consultation with the local panchayath.

Field visit to the Quarry project site of M/s Best Granitesin Kadangod Village, Thalappillytaluk, Thrissur District, Kerala by Sri. P. K. Jaleel was carried out on 18.07.2016 by the sub-committee of SEAC, Kerala, and submitted the report.

- 3. The proposal was placed in the 63rd meeting of SEAC, Kerala, held on 04th October, 2016. The Committee appraised the proposal based on the mining plan (KMMCR-2015), prefeasibility report and all other documents submitted along with the Form I application. The Committee observed that the proponent is carrying out quarrying operations in different locations in the property owned by him. Hence the Committee decided to direct the proponent;
 - 1. To submit a sketch of the total area under his custody in the locality demarcating the proposed/existing quarries.
 - 2. The certificate that the land is not assigned for special purposes (Certificate 27 2(F) from the Village Officer).

The proponent has submitted the documents/clarifications sought by 63 d SEAC.

- 4. The proposal was placed in the 68th meeting SEAC held on 20th 21st February 2017. The Committee verified the additional documents submitted by the proponent and found satisfactory. The Committee appraised the proposal based on the Mining Plan, Pre-feasibility Report, field visit report and all other documents submitted along with Form1. The Committee decided to **Recommend for Issuance of EC subject** to the following specific condition in addition to the general conditions.
 - 1. If any plant species endemic to Western Ghats are noticed in the area they shall be properly protected in situ or by transplanting to an appropriate location inside the lease area.

The proponent agreed to set apart Rs.13 lakh (non-recurring) and Rs.13 lakh per annum (recurring) for CSR activities for the welfare of the local community in consultation with the local Panchayat.

- 5. The proposal was placed in the 66th meeting SEIAA held on 07.04.2017. The Authority decided to give a detailed note to AG / Legal department to seek legal opinion whether mining in lease areas without EC also comes under the scope of violation. The Authority decided to get the legal opinion at the earliest before the issuance of EC.
- 6. In the light of the clarifications of the legal opinion of 76th SEIAA meeting held on 16.11.2017, decided to issue EC to the proposal. The proponent has submitted an affidavit on 27.12.2017 vide reference 7th cited, satisfying all the above conditions.
- 7. Environmental clearance as per the EIA notification 2006 is hereby accorded for the proposed quarry project in Sy.Nos. 1246/4, 1246/5,1246/9,1246/14,1246/15, 1246/18, 1248/1, 1248/2, 1247/3P, 1249/2, 1249/3, 1249/4, 1249/6, 1250/1, 1251/7, 1251/8, 1251/9P, 1251/10P, 1253/2, 1253/5, 1253/6, 1293/2 at Kadangode Village & Panchayath, Thalappilly Taluk, Thrissur District, Kerala of Sri. P. K. Jaleel (Managing Partner), M/s Best Granites,

Kadangode, Thippillissery P.O., Thalappilly Taluk, Thrissur District, Kerala-680519, for an area of 9.9878 hectares, subject to the specific conditions as recommended in para 4 above, all the environmental impact mitigation and management measures undertaken by the project proponent in the Form I, EMP, PFR and Mining plan submitted to SEIAA. The assurances and clarifications given by the proponent will be deemed to be a part of these proceedings as if incorporated herein. Also the general conditions for projects stipulated for mining (items 1 to 61), appended hereto will be applicable and have to be strictly adhered to.

- 8. The clearance issued will also be subject to full and effective implementation of all the undertakings given in the application form, mitigation measures as assured in the Environment Management Plan and the mining features including progressive mine closure plan as submitted with the application and relied on for grant of this clearance. The undertakings and conditions subject to all the mining features, Environmental Management Plans as undertaken in the Mining Plan and EMP submitted to SEIAA will be deemed to be part of this proceedings as conditions as undertaken by the proponent, as if incorporated herein.
- 9. Validity of the Environmental Clearance will be five years from the date of this clearance, subject to inspection by SEIAA on annual basis and compliance of the conditions, subject to earlier review of E.C. in case of violation or non-compliance of conditions or genuine complaints from residents within the security area of the quarry.
- 10. Compliance of the conditions herein will be monitored by the State Environment Impact Assessment Authority or its authorised offices and also by the regional office of the Ministry of Environment & Forests, Govt. of India, Bangalore.
 - i. Necessary assistance for entry and inspection should be provided by the project proponent and those who are engaged or entrusted by him to the staff for inspection or monitoring.
 - ii. Instances of violation if any shall be reported to the District Collector, Thrissur to take legal action under the Environment (Protection) Act 1986.
- iii. The given address for correspondence with the authorised signatory of the project is Sri. P. K. Jaleel (Managing Partner), M/s Best Granites, Kadangode, Thippillissery P.O., Thalappilly Taluk, Thrissur District, Kerala-680519

Sd/-

P.H.KURIAN,.I.A.S, Member Secretary (SEIAA) To

Mr. P.K. Jaleel Managing Partner M/s Best Granites Kadangode, Thippillissery P.O., Thalappilly Taluk, Thrissur Thrissur -680519.

Copy to,

- 1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block, Koramangala, Bangalore-560034.
- 2. The Additional Chief Secretary to Government, Environment Department, Government of Kerala.
- 3. The Director, Mining & Geology, Thiniyananthapuram -4.
- 4. The Member Secretary, Kerala State Pollution Control Board
- 5. The District Collector, Thrissur
- 6. The District Geologist, Thrissur
- 7. The Tahasildar, Thalappilly Taluk, Thrissur District
- 8. Chairman, SEIAA.
- Website.
- 10. S/f
- 11. O/c

Forwarded/By Order

Administrator, SEIAA

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA

GENERAL CONDITIONS (for mining projects)

- 1. Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR / KPBR, unless otherwise specified.
- 2. Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.
- 3. Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including of approach road and internal roads.
- 4. Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.
- 5. Sprinklers shall be installed and used in the project site to contain dust emissions.
- 6. Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.
- 7. At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of pit is stipulated in the E.C.
- 8. Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented
- 9. The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc) shall be protected at all times and shall be conspicuous.
- Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.
- 11. Control measures on noise and vibration prescribed by KSPCB should be implemented.
- 12. Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.
- Blasting should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
- 14. A licensed person should supervise/ control the blasting operations.
- 15. Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.
- 16. Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan / specific conditions.
- 17. Height of benches should not exceed 5 m, and width should not be less than 5 m, if there is no mention is the mining plan/specific condition.
- 18. Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.
- 19. Maximum depth of mining from general ground level at site shall not exceed 10m
- 20. No mining operations should be carried out at places having a slope greater than 45°.
- 21. Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.
- 22. The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.
- 23. Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.
- 24. The transportation of minerals should be done in covered trucks to contain dust emissions.
- 25. The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the project.
- 26. Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.
- Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.
- A minimum buffer distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.
- 29. 100 m buffer distance should be maintained from forest boundaries.

- 30. Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.
- 31. All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.
- 32. In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which only the E.C is issued, the project would require a fresh appraisal by this Authority, for which the proponentshall apply and get the approval of this Authority.
- 33. The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- 34. The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
- 35. The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.
- 36. A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.
- 37. The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office.
- 38. The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public
- 39. The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.
- 40. No change in mining technology and scope of working should be made without prior approval of the SEIAA, No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.
- The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.
- 42. Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points & transfer point to reduce fugitive emissions.
- 43. The top soil, if any, shall temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.

Catch drains and siltation ponds of appropriate size shall be constructed around the mine 44. working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.

Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas 45. prone to air pollution and having high levels of PM10 and PM2.5 such as haul Road, loading and unloading points and transfer points - it shall be ensured that the Ambient Air Quality parameters

conform to the norms prescribed by the Central Pollution Control Board in this regard.

Fugitive dust emissions from all the sources should be controlled regularly. Water spraying 46. arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.

Measures should be taken for control of noise levels below 85 dBA in the work environment. 47.

A separate environmental management cell with suitable qualified personnel should be set-up 48. under the control of a Senior Executive, who will report directly to the Head of the Organization.

The funds earmarked for environmental protection measures and CSR activate should be kept in 49. separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.

The Regional Office of MOEF & CC located at Bangalore shall monitor compliance of the 50. stipulated conditions. The project authorities should extend full cooperation to the officer (S) of

the Regional Office by furnishing the requisite data/information/monitoring reports.

Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if 51. preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Concealing the factual data or submission of false/fabricated data and failure to comply with any 52. of the conditions mentioned above may result in withdrawal of this clearance and attract action

under the provisions of Environment (Protection) Act, 1986.

The SEIAA may revoke or suspend the order, for non implementation of any of the specific or 53. thisimplementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.

The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or 54. simplified, contained in any other permit, license on consent given by any other authority for the

same project.

This order is valid for a period of 5 years or the expiry date of mine lease period issued by the 55. Government of Kerala, whichever is earlier.

The Environmental Clearance will be subject to the final order of the courts in any pending 56. litigation related to the land or project, in any court of law.

The mining operation shall be respired to above ground water table and it should not intersect 57.

ground water table.

All vehicles used for transportation and within the mines shall have 'PUC' certificate from 58. authorized pollution taking centre. Washing of all vehicles shall be inside the lease area'

Project proponent should obtain necessary prior permission of the competent authorities for 59. drawal of requisite quantity of surface water and ground water for the project.

Regular monitoring of flow rates and water quality upstream and downstream of the springs and 60. perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly reports to SEIAA.

Occupational health surveillance program of the workers should be under taken periodically to 61. observe any contractions due to exposure to dust and take corrective measures, if needed.

For Member Secretary, SEIAA Kerala

