



## ***Proceedings of the State Environment Impact Assessment Authority Kerala***

*Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. P. Mara Pandiyan, I.A.S., Member Secretary*

**Sub:** SEIAA Kerala – 51<sup>st</sup> meeting of SEIAA held on 29-03-2016– Environmental Clearance under EIA Notification, 2006 accorded for removal of brick earth- Accorded – Orders issued.

## **STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY**

**No. 630/SEIAA/EC1/4856/2014**

**dated, Thiruvananthapuram 25.04.2016**

- Ref:** 1. O.M.No.L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment & Forests, Government of India.
2. Minutes of the 52<sup>nd</sup> meeting of SEAC held on 8/9-02-2016.
3. Minutes of the 51<sup>st</sup> meeting of SEIAA held on 29-03-2016.

### **ENVIRONMENTAL CLEARANCE NO. 62/2016/OE**

Environmental Clearance under notification S.O. No.1533 (E) dated 26.09.2006 read with O.M.No.L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment & Forest, Government of India, is accorded to the applicant named in column 2 of the annexure hereto in strict compliance with the following general conditions and the specific conditions stipulated in column 7 against each application in the annexure.

#### **General conditions**

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2m from the general ground level of the site, or that specifically stipulated by the Authority in column 7 of the annexure, whichever is less. The level should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of burrowed /excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers / labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at

- least half the depth of proposed excavation.
- (xi) A minimum distance of 15m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above guidelines.
3. Violation of any of above general or specific conditions as applicable to the particular case will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act, 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non-compliance if any shall be reported to the District Collector, Thrissur by the Director of Environment and Climate Change.

Sd/-  
P. MARA PANDIYAN, I.A.S.  
Member Secretary, SEIAA  
&  
Addl. Chief Secretary  
Environment & Forests Department  
Government of Kerala.

To,

Sri. K. C. Thomas,  
S/o K. T. Chakkappan,  
Kanichayi House,  
Venthala, Palayamparambu P.O.,  
Thrissur - 680741

Copy to:


1. District Collector, Thrissur
2. Tahsildar, Chalakkudi
3. DoECC, TVM
4. Director, Mining & Geology, TVM
5. Secretary, Mala Grama Panchayat, Mala P. O., Thrissur - 680732
6. Chairman, SEIAA
7. Stock File
8. Website
9. O/C



Forwarded/ By order

Administrator  
SEIAA

**Application for Environmental clearance for removal of Ordinary Earth / Brick Earth cleared in the 51<sup>st</sup> meeting of SEIAA held on 29-03-2016**

Item No.	Details of Applicant	Description of property with quantity to be excavated	Date of receipt of Application/Details of Recommendations of Revenue authority	Purpose of removal/use of removed material		Details of recommendations of SEAC with specific condition if any. And quantity permitted to be excavated	Details of decision of SEIAA
				A	B		
				Purpose of removal	Use of removed material		
1	2	3	4	5	6	7	8
51.05	Sri. K. C. Thomas, S/o K. T. Chakkappan, Kanichayi (H) Venthala, Palayamparambu P O 680741	Sy No. 538 at Annallor Village Mala Panchayath, Chalakkudy Taluk, Thrissur. Quantity= 8000 m <sup>3</sup>	 10-10-2014. Ltr No. B4/7328/14(1) dtd: 16-09-2014 Addl. Tahsildar, Chalakkudy.	Brick manufacturing.	Brick manufacturing	52 <sup>nd</sup> meeting held on 8/9-02-2016.  Removal of brick earth should be limited to a maximum depth of 2m subject to the condition that the removed area shall be refilled with top soil to facilitate paddy cultivation.  Quantity= 8000 m <sup>3</sup>	File No. 630 /SEIAA/EC1/4856/2014  Approved the recommendations in Column 7



