

ENVIRONMENTAL  
CLEARANCE

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,  
and Virtuous Environmental Single-Window Hub)



Government of India  
Ministry of Environment, Forest and Climate Change  
(Issued by the State Environment Impact Assessment  
Authority(SEIAA), KERALA)

To,

The -1  
NOUSHAD CHOORAPPILAN  
S/o Mohammed, Choorappilan House  
Mullampara, Manjeri Post -676121

**Subject:** Grant of Environmental Clearance (EC) to the proposed Project Activity  
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)  
in respect of project submitted to the SEIAA vide proposal number  
SIA/KL/MIN/431401/2023 dated 14 Jul 2023. The particulars of the environmental  
clearance granted to the project are as below.

1. EC Identification No.	EC25B001KL142385
2. File No.	2346/EC2/2023/SEIAA
3. Project Type	New
4. Category	B
5. Project/Activity including Schedule No.	1(a) Mining of minerals
6. Name of Project	Laterite building stone quarry of Mr. Noushad. C. P
7. Name of Company/Organization	NOUSHAD CHOORAPPILAN
8. Location of Project	KERALA
9. TOR Date	N/A

The project details along with terms and conditions are appended herewith from page  
no 2 onwards.

Date: 10/03/2025

(e-signed)  
Mir Mohammed Ali IAS  
Member Secretary  
SEIAA - (KERALA)

*Note: A valid environmental clearance shall be one that has EC identification  
number & E-Sign generated from PARIVESH. Please quote identification  
number in all future correspondence.*

*This is a computer generated cover page.*





**PROCEEDINGS OF THE  
STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT  
AUTHORITY – KERALA, THIRUVANANTHAPURAM**

*(Present : Dr.H.Nagesh Prabhu IFS (Retd), Chairman,  
Shri.K.Krishna Panicker, Member, Sri. Mir Mohammed Ali IAS, Member Secretary)*

**Sub:- SEIAA - Environmental Clearance for the Laterite Building Stone Quarry  
Project of Sri. Noushad C.P., S/o Mohammed, Choorappilan House,  
Mullampara, Manjeri Post, Malappuram - Granted – Orders issued.**

---

**STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, KERALA**

---

**Proposal No: SIA/KL/MIN/431401/2023**

**File No. 2346/EC2/2023/SEIAA**

Ref: 1. Application for EC received from Sri. Noushad C.P via PARIVESH on 30.05.2023.  
2. Minutes of the 178<sup>th</sup> SEAC meeting held on 24<sup>th</sup> January 2025  
3. Minutes of the 153<sup>rd</sup> meeting of SEIAA held on 21<sup>st</sup> & 22<sup>nd</sup> February, 2025

**ENVIRONMENTAL CLEARANCE NO:26/L/2025**

Sri. Noushad C.P., S/o Mohammed, Choorappilan House, Mullampara, Manjeri Post Malappuram, submitted an application for Environmental Clearance, vide paper read as 1<sup>st</sup> above, for the Laterite Building Stone Quarry Project for an area of 0.5696 Ha at Re-Survey Nos. 172/3009, 172/3010 in Kodyathoor Village, Kozhikode Taluk, Kozhikode. The project details are as follows.

**1) Project Details**

SL.No.	Particulars	Details
1	Name of the Project	Laterite Building Stone Quarry Project of Sri. Noushad C.P

2	Proposed Activity	Mining of Laterite Building Stone
3	Name of the Sector & Schedule No. (in the EIA Notification, 2006)	Category B2, Schedule 1(a)
4	Name & Address of the Project Proponent	Sri. Noushad C.P., S/o Mohammed Choorappilan House, Mullampara, Manjeri Post, Malappuram- 676121
5	Project Location	
	a) ReSurvey No	172/3009, 172/3010
	b) Village	Kodiyathoor
	c) Taluk	Kozhikode
	e) District	Kozhikode
6	Extent (in Hectare)	0.5696 Ha
7	Project Cost (in Rs.)	20 lakh
8	Mineable Resource	The Mining & Geology Department shall reassess the mineable reserve as per Specific Condition No. (3).

## 2) EMP Details

Items	Source	Solution	Capital Cost	Maintenance Cost
Noise Pollution	<ul style="list-style-type: none"> <li>Excavators</li> <li>Power tiller</li> <li>Movement of Vehicles</li> </ul>	<ul style="list-style-type: none"> <li>Effective maintenance of machineries and vehicles at regular and frequent intervals</li> <li>PPE's will be provided</li> <li>The project area</li> </ul>	50,000	20,000

		<p>is separated with temporary sheet fencing, Machineries used will be fitted with silencer.</p> <ul style="list-style-type: none"> <li>• The speed of trucks entering or leaving the mine is limited to moderate speed of 25 km/h.</li> <li>• Noise level from the machineries deployed in mining operations is to the range of 70-75 Db at the time of operation.</li> <li>• Mining will be conducted exclusively during day time.</li> </ul>		
Air Pollution	<ul style="list-style-type: none"> <li>• Lateritic cutting</li> <li>• Transport of raw material/product</li> <li>• Dumping</li> </ul>	<ul style="list-style-type: none"> <li>• Sprinklers are used.</li> <li>• Dust masks would be provided.</li> <li>• Trucks are covered with sheets.</li> <li>• Dumping area protected with sheet fencing.</li> <li>• Surrounding area of mine will be covered by fiber sheets to avoid dust dispersion.</li> <li>• To avoid dust</li> </ul>	50,000	20,000

		generation during the cutting of laterite using blade mounted power tiller, wet cutting practice will be adopted.		
Water Pollution	<ul style="list-style-type: none"> <li>Dust explosion during lateritic cutting</li> <li>Transportation and dumping</li> </ul>	<ul style="list-style-type: none"> <li>Garland Drains</li> <li>Water storage tank</li> <li>Temporary barrier of Green fiber sheets</li> </ul>	50,000	20,000
Health and Safety	<ul style="list-style-type: none"> <li>Machineries</li> <li>Vehicles</li> </ul>	<ul style="list-style-type: none"> <li>PPE's will be provided</li> <li>First Aid Box</li> </ul>	40,000	15,000
Reclamation and Rehabilitation	<ul style="list-style-type: none"> <li>Mining</li> </ul>	<ul style="list-style-type: none"> <li>Refilling the mined out area</li> <li>The area reclaimed with stacked and dumped overburden and rehabilitated by plantation</li> <li></li> </ul>	60,000	25,000
<b>Sub Total</b>			<b>Rs. 2,50,000</b>	<b>Rs.1,00,000</b>
<b>Total</b>			<b>Rs. 3,50,000</b>	

### 3) CER Details

Sl.No.	Area of Intervention	Amount (Rs)
1	Providing a water purifier for the drinking water purpose to the Muthalath A.L.P. School, Manassery P.O., Mukkam, Kozhikkode  <b><u>Specification of Water Purifier</u></b> Material - Plastic Special Feature - RO Storage Capacity - 150 Litre (L) Included - RO water purifier and all installation Components - Accessories	Rs. 45,000/-
<b>Total</b>		<b>Rs. 45,000/-</b>

2. After due appraisal, in the 178<sup>th</sup> meeting, the SEAC recommended EC for 3 (three) years subject to certain specific conditions in addition to the general conditions.

3. In the 153<sup>rd</sup> SEIAA meeting, the Authority noticed that the SEAC had appraised the project based on Form 1, Pre-Feasibility Report, Mining Plan, and the additional details/documents obtained from the Project Proponent during appraisal and recommended for issuance of EC. In the above circumstances, the Authority decided to issue Environmental Clearance for the project life of 3 (Three) years, subject to the following Specific Conditions in addition to the General Conditions.

- 1. The Project Proponent shall carry out quarrying as per the approved Mining Plan and the Specific Conditions mentioned hereafter. The Project Proponent should strictly follow the Kerala Minor Mineral Concession Rules 2015 and amendments thereby.*
- 2. The EC shall be valid from the date of execution of permit/lease from the Department of Mining and Geology. The copy of the permit / lease order should be provided to the SEIAA before commencing the mining activity.*

3. **The mining should be limited to maximum depth of 6 bgl considering the depth to water table, subject to limiting the depth 1 m above the lithomarge.**
4. **Proper benches should be provided at an interval of every 1.5 m.**
5. **The approach road to the project area should be widened before the commencement of the mining activity.**
6. **Water stagnation in the benches and the project area should be avoided.**
7. The excavation activity should not involve blasting.
8. The excavation activity should be restricted to 2m above the groundwater table at the site.
9. The excavation activity should not alter the natural drainage pattern of the area
10. The excavated pit should be restored by the Project Proponent for agriculture and other useful purposes.
11. Appropriate fencing all around the excavated pit should be made to prevent any mishap.
12. Measures should be taken to prevent dust emissions by covering excavated earth during transportation.
13. Safeguards should be adopted against health risks on account of breeding of vectors in the water bodies created due to the excavation of earth.
14. Workers/laborers should be provided with facilities for drinking water and sanitation.
15. A berm should be left from the boundary of adjoining field having a width equal to at least half the depth of the proposed excavation.
16. A minimum distance of 50m from any civil structure should be kept from the periphery of the project area.
17. No water logging should be allowed in the mine pit. Appropriate drainage should be ensured from the project area prior to the commencement of mining.

18. *The drain should be provided with silt traps and siltation pond and the overflow water should be clarified and drained to the nearest natural drain without any hindrance.*
19. *The drainage system should be cleaned and desilted periodically to facilitate unhindered drainage.*
20. *Measures incorporated in the CER should be implemented within 6 months from the date of EC.*
21. *Transportation of mined material should not be done during the peak hours in the forenoon (8.00am to 10.00am) and afternoon (3.30pm to 5.00 pm)*
22. *As per OM no F.No.22-65/2017-IA.III dated 30<sup>th</sup> September 2020, under Corporate Environmental Responsibility (CER) the Project Proponent should implement the Environment Management Plan (EMP)/CER as directed by SEAC during appraisal, covering the issues to address the environmental problems in the project region, from the beginning of the project, indicating both physical and financial targets year wise. The EMP/CER shall be implemented in consultation with Local Self Govt. Institutions. A copy of the approved EMP/CER shall be made available to the concerned Panchayat for information and implementation support. The indicated cost for implementation of CER activities shall be 2% of the project cost.*
23. *As per the directions contained in the OM F.No.22-34/2018-IA.III dated 16<sup>th</sup> January 2020 issued by MoEF&CC, in obedience to the directions of the Hon'ble Supreme Court the Project Proponent shall, undertake re-grassing the mining area and any other area which may have been disturbed due to his mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc. The compliance of this direction shall be included in the Half Yearly Compliance Report which will be monitored by SEAC at regular intervals.*
24. *The Project Proponent is directed to install a CCTV camera and take all other essential measures to ensure that mining site is not used by antisocial elements for nefarious antisocial activities which are detrimental for peaceful coexistence in the project region. In case if such complaints are received, the EC given is likely to be cancelled after a police verification.*



25. The violation of EC condition may lead to cancellation of EC and action under The Environment (Protection) Act 1986.

**4. Environmental Clearance under Notification S.O. No.1533 (E) dated 14.09.2006 of the Ministry of Environment & Forests, Government of India, is hereby accorded to Sri. Noushad C.P., S/o Mohammed, Choorappilan House, Mullampara, Manjeri Post Malappuram for the Laterite Building Stone Quarry Project, for an area of 0.5696 Ha at Re-Survey Nos. 172/3009, 172/3010 in Kodyathoor Village, Kozhikode Taluk, Kozhikode, for the quantity reassessed by the Mining & Geology Department as per specific condition No.(3) for the project life of 3 (Three) years from the date of issuance of Permit from Department of Mining and Geology as per S.O.1807 (E) dated 12.04.2022 of MoEF & CC, subject to the Specific Conditions stipulated by SEIAA in Para 3<sup>rd</sup> above in addition to the following General Conditions.**

**Standard Conditions for Laterite Mining Projects**

<b>Statutory Compliances</b>	
<b>Sl. No.</b>	<b>Conditions</b>
1.1	The Environmental Clearance shall be subject to orders of Hon'ble Supreme Court of India, Hon'ble High Courts, NGT and any other Court of Law, from time to time, and as applicable to the project.
1.2	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
1.3	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
1.4	The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report (in case of the presence of schedule-I species in the study area).
1.5	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee. A copy of the same shall be included with HYCRs.
1.6	The project proponent shall obtain the necessary permission from the Central /

	State Ground Water Authority, if the project intersects ground water table.
1.7	Solid/hazardous waste generated in the mines needs to be addressed in accordance with the Solid Waste Management Rules, 2016/Hazardous & Other Waste Management Rules, 2016.
1.8	Permission of power supply to be taken from the concerned authority for meeting power demand of the project site.
1.9	The maximum production or peak production at any given time shall not exceed the limit as prescribed in the approved mining plan/scheme of mining.
1.10	Project Proponent should obtain all necessary statutory clearances for mining.
1.11	If EC period is more than 6 months, Half Yearly Compliance Report (HYCR) shall be uploaded in the PARIVESH Portal and also submitted to SEIAA, Kerala via email.
1.12	The minimum distance norm from the boundary/periphery of other properties buildings/civil structures as prescribed in KMMC Rules and other statutory rules and orders shall be followed.

#### **Air Quality Monitoring and Mitigation Measures**

2.1	Vehicular emissions shall be kept under control and regularly monitored. All the vehicles engaged in mining and allied activities shall operate only after obtaining 'PUC' certificate from the authorized pollution testing centres.
2.2	Applicable labour laws for mining shall be followed. Proper masks and onsite facilities shall be provided to the workers. All safety measures shall be followed while cutting laterite using machines.
2.3	The Project Proponent shall monitor the air quality during operation and submit ambient air quality monitoring details along with the HYCRs.

#### **Water Quality Monitoring and Mitigation Measures**

3.1	The effluent discharge (mine waste water, workshop effluent) shall be monitored in terms of the parameters notified under the Water Act, 1974, and other applicable standards as amended from time to time by the Central Pollution Control Board or State Pollution Control Board.
3.2	Ground water, excluding mine water, shall not be used for mining operations. Rainwater harvesting shall be implemented for conservation and augmentation of ground water resources.
3.3	Adequate groundwater recharge measures shall be taken up for augmentation of ground water. The project authorities shall meet water requirement of nearby village(s) in case the village wells go dry due to dewatering of mine.
3.4	The project proponent shall take all precautionary measures to ensure the riverine/ riparian ecosystem in and around the mine up to a distance of 5 km. A riverine/riparian ecosystem conservation and management plan should be prepared and implemented in consultation with the irrigation/water resource department in the state government.

<b>Noise And Vibration Monitoring And Prevention</b>	
4.1	Adequate measures shall be taken for control of noise levels as per Noise Pollution Rules, 2016 in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with personal protective equipments (PPE) like ear plugs/muffs in conformity with the prescribed norms and guidelines in this regard. Adequate awareness programme for users to be conducted. Progress in usage of such accessories to be monitored.

<b>Mining Plan</b>	
5.1	Mining shall be carried out as per the approved mining plan (including Mine Closure Plan), suggestions from SEAC, KMMC Rules 2015 and amendments thereby and all other statutory rules and orders.
5.2	The mining activity should not involve blasting.
5.3	Provide 1.5 m x 1.5 m benches for mining depths greater than 2 m to prevent slope failures.
5.4	Maximum depth of removal of laterite building stone should be limited to 1 m above the lithomarge clay layer. The level should be prominently marked before initiating the work.
5.5	Removal of laterite building stone should be restricted to 2m above the ground water table at the site. The decision taken by the expert team of SEAC in this regard, in relation to details provided in the mining plan, after the field inspection shall be final.
5.6	The top soil and overburden shall be stacked in separate demarcated area and shall be used for reclaiming the excavated pit. Proper measures shall be provided to prevent the erosion of the stacked material.
5.7	Mine has to be closed as per progressive mine closure plan and final mine closure plan.

<b>Land Reclamation</b>	
6.1	Regular monitoring of subsidence movement on the surface over and around the working areas and its impact on natural drainage pattern, water bodies, vegetation, structure, roads and surroundings shall be continued till movement ceases completely. In case of observation of any high rate of subsidence beyond the limit prescribed, appropriate effective mitigation measures shall be taken to avoid loss of life and materials. Cracks should be effectively plugged in with ballast and clay soil/suitable material.
6.2	Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
6.3	Proper retaining wall shall be provided for safeguarding the immediately adjacent property, other buildings and civil structures.
6.4	Thorough inspection of the mine lease area for any cracks developed at the surface due to mining activities below ground shall be carried out to prevent inrush of water in the mine.

6.5	A berm shall be left from the boundary of the adjoining field having a width equal to at least half the depth of the proposed excavation or as specified in the mining plan.
6.6	The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the mining plan.
6.7	Suitable indigenous plants should be planted around the mining area and sides of the haul road as a green belt.

#### **Public Hearing And Human Health Issues**

7.1	Adequate illumination shall be ensured in all mine locations (as per DGMS standards) and monitored.
7.2	Safeguards shall be adopted against health risks on account of breeding of vectors in the waterbodies created due to burrowing/excavation of laterite building stone.
7.3	Effective arrangement shall be made to provide and maintain at suitable points conveniently situated, a sufficient supply of drinking water for all the persons employed.

#### **Corporate Environment Responsibility**

8.1	The Project Proponent shall implement the EMP and environmental conditions along with CER from the comments of activity. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the IRO Regional Office / SEIAA Kerala along with the Six Monthly Compliance Report.
8.2	Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

#### **Miscellaneous**

9.1	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which, one shall be in the vernacular language within seven days, and in addition, this shall also be displayed on the project proponent's website permanently.
9.2	The project proponent shall upload the status of compliance with the stipulated environment clearance conditions, including results of monitored data on their website and update the same on a half-yearly basis. The HYCRs shall be uploaded in the PARIVESH Portal to IRO MoEF&CC, Bangalore & SEIAA, Kerala.
9.3	The Environmental Clearance shall be liable to be cancelled in case of violation of any of the EC conditions.
9.4	The project proponent must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
9.5	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, if any, commitment made during Public Hearing, if

	any and also during their presentation to the State Expert Appraisal Committee.
9.6	No further expansion or modifications in the project shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC) or SEIAA, Kerala.
9.7	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
9.8	The SEIAA, Kerala reserves the right to revoke or suspend the Environmental Clearance, if implementation of any of the above conditions is not satisfactory.
9.9	The SEIAA, Kerala reserves the right to stipulate additional conditions if found necessary. The project proponent in a time-bound manner shall implement these conditions.
9.10	The Regional Office of the MoEFCC shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
9.11	The illumination and sound at night at project sites disturb the villages in respect of both human and animal population. Consequent sleeping disorders and stress may affect the health in the villages located close to mining operations. Habitations have a right for darkness and minimal noise levels at night. PPs must ensure that the biological clock of the villages is not disturbed; by orienting the floodlights/ masks away from the villagers and keeping the noise levels well within the prescribed limits for day light/night hours.
9.12	Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

5. The Environmental Clearance issued will also be subject to full and effective implementation of all the undertakings given in the Application Form, mitigation measures as assured in the Environment Management Plan and the mining features including Progressive Mine Closure Plan as submitted with the application. The above undertakings and the conditions and the undertakings of the Mining Plan in (Mining), (Mines Drainage), (Stacking of Mineral rejects and Disposal of waste), (Environment Management Plan) & (Progressive Mine Closure Plan) as submitted will deemed to be part of this Proceedings as conditions as undertaken by the project proponent, as if incorporated herein.

6. Validity of the Environmental Clearance will be for **Three (3) years** from the date of execution of valid mine lease / permit from Mining & Geology Department, subject to the earlier review by SEAC, in case of violation or non – compliance of any of the conditions or genuine complaints from residents within the security area of the quarry.

7. Violation of any of the above Specific & General Conditions as applicable to the particular case will entail cancellation of the Environmental Clearance, in addition to legal action under the provisions of the Environment (Protection) Act, 1986. Non-compliance, if any shall be reported to the **District Collector, Kozhikode** by the State Level Environment Impact Assessment Authority – Kerala.

8. The Half Yearly Compliance Report (HYCRs) with name of the project, EC No. and date, the period of submission with its contents, compliance report and environmental monitoring data & covering letter have to be uploaded in the PARIVESH Portal as per O.M. F.No.IA3-22/1/2022-IA-III(E)-17264 dated 14.06.2022 and the website of the Project Proponent. Hardcopy of HYCRs shall not be acceptable.

9. The given address for correspondence of the Project Proponent is Sri. Noushad C.P., S/o Mohammed, Choorappilan House, Mullampara, Manjeri Post, Malappuram – 676121.

To

Sri. Noushad C.P.,  
S/o Mohammed,  
Choorappilan House,  
Mullampara, Manjeri Post  
Malappuram - 676121

Copy to :-

1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4<sup>th</sup> Floor, E&F Wing, II Block, Koramangala, Bangalore-560034. (through e-mail: [rosz.bng-moefcc@gov.in](mailto:rosz.bng-moefcc@gov.in))
2. The Secretary, Environment Department, Government of Kerala
3. The Member Secretary, Kerala State Pollution Control Board, Trivandrum
4. The Director, Directorate of Environment & Climate Change, Trivandrum
5. The District Collector, Kozhikode
6. The Director, Mining & Geology, Trivandrum
7. The District Geologist, Kozhikode
8. The Environmental Engineer, KSPCB, Kozhikode
9. The Tahsildhar, Kozhikode Taluk, Kozhikode
10. The Secretary, Karassery Grama Panchayath, Kozhikode
11. The Chairman, SEIAA
12. Website
13. S/F/O/C