



Proceedings of the State Environment Impact Assessment Authority Kerala

*Present : Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. P. Mara Pandiyan, I.A.S.,
Member Secretary.*

Sub: SEIAA Kerala – 51st meeting of SEIAA held on 29-03-2016– Environmental Clearance under EIA Notification, 2006 accorded for removal of ordinary earth for public works- E.C. Granted – Orders issued.

Environmental Clearance

No. 1004/SEIAA/EC1/5042/2015

dated, Thiruvananthapuram 30-04-2016

Ref: 1. O.M.No.L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment & Forests, Government of India.

2. Minutes of the 51st meeting of SEIAA held on 29-03-2016.

ENVIRONMENTAL CLEARANCE NO.57/2016/OE

Environmental Clearance under notification S.O. No. 1533 (E) dated 26.09.2006 read with O.M. No. L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment & Forest, Government of India, is accorded to the applicants named in column 2 of the annexure hereto in strict compliance with the following general conditions.

General conditions

- i. The activity shall not involve blasting.
- ii. The maximum depth of removal of earth should not go beyond 2m from the general ground level of the site, or that specifically stipulated by the Authority in column 7 of the annexure, whichever is less. The level should be prominently marked before initiating the work.
- iii. Removal of earth should be restricted to 2m above to the ground water table at the site.
- iv. The excavation activity shall not alter the natural drainage pattern of the area.
- v. The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- vi. Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- vii. Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- viii. Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- ix. Workers/ labourers shall be provided with facilities for drinking water and sanitation.
- x. A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- xi. A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.

- xii. The quantity of O.E being excavated from each site and to be deposited at each work site shall be fixed.
- xiii. Name of the work, site and quantity permitted to be removed from the site shall be exhibited on the vehicle.
- xiv. Contractor shall inform the registration number of the vehicle deployed for transportation of the O.E from permitted sites, to the user Govt. Department agency in charge of the work in column 6 of the annexure. The number of the vehicles as intimated may be reported to the concerned police authorities and local authorities by the user agency/department.
- xv. User agency shall ensure/ oversee that the O.E extracted as permitted is used only for their use and project.
- xvi. The Environmental Clearance shall be liable to be cancelled in any case of violation of any of the above conditions.

Violation of any of above general conditions as applicable to the particular case will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act, 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non-compliance if any shall be reported to the District Collector, Thrissur by the State Environment Impact assessment Authority.

Sd/-
P. MARA PANDIYAN, I.A.S.
Member Secretary, SEIAA
&
Addl. Chief Secretary
Environment & Forests Department
Government of Kerala.

To,

Sri. Suresh Babu P.K.,
Thalassery House,
Koorikuzhy P.O.,
Kaiplamangalam,
Thrissur-680681

Copy to:


1. District Collector, Thrissur
2. Tahsildar, Thalappilly, Wadakkancherry, thrissur
3. DoECC, TVM
4. Director, Mining & Geology, TVM
5. Secretary, Mundathikkode Grama Panchayat, Thrissur.
6. Chairman, SEIAA
7. Stock File
8. Website
9. O/C



Forwarded/ By order

Administrator, SEIAA

Application for Environmental clearance for removal of Ordinary Earth / Brick Earth for Public works cleared in the 51st meeting of SEIAA held on 29-03-2016

Item No.	Details of Applicant	Description of property with quantity to be excavated	Date of receipt of Application/Details of Recommendation of Revenue authority	Purpose of removal/ use of removed material		Details of recommendations of SEIAA with specific condition if any. And quantity permitted to be excavated	Details of decision of SEIAA
				A	B		
1	2	3	4	5	6	7	8
51.36 (19)	Smt. Elcy George, Chittinappilly House, Karukutty P.O., Ernakulam-683576.	Re. Sy Nos. 2064/1,2,3 and 4 at Kuttichira Village, Chalakkudy Taluk, Thrissur. Quantity= 10,000 m ³	17-10-2015 Certified by Tahsildar, Chalakkudy, Ltr. No. Nil dtd. 28-09-2015	Land levelling for replantation of new cultivation	KLDC bund construction.	Quantity= 5,000 m ³	No. File 952/SEIAA /EC1/4341/15 Approved the recommendations in Column 7
51.36 (20)	Sri. Suresh Babu P.K., Thalassery House, Koorikuzhy P.O., Kaipalamangalam, Thrissur-680681	Re. Sy No 23/2 at Parikkad Village and 44/8 at Minnalloor Village, Thalappilly Taluk, Thrissur. Quantity= 10,000 m ³	17-10-2015 Certified by Addl. Tahsildar, Thalappilly, Ltr. No. C1-2344/15 dtd. 27-11-2015	Building construction	KLDC bund construction.	Quantity= 5,000 m ³	File No. 1004/SEIAA/ EC1/5042/15 Approved the recommendations in Column 7
51.36 (21)	Sri. Mathew John, Ettyikkattu, Adooparambu, Moovattupuzha- 686661	Sy no. 56/113/1 Muvattupuzha Village, Muvattupuzha Taluk, Ernakulam Quantity= 22,660 m ³	18-1-2016 No. 16009/15/FI Certified by Addl. Tahsildar, Muvattupuzha	Agriculture Purpose	M.C. Road, Moovattupuzha	Quantity= 11330 m ³ 	(File No. 1026/EC3/146/SEIAA /2016) Approved the recommendations in Column 7

website