### ABSTRACT

State Environment Impact Assessment Authority, Kerala-Removal of Ordinary Earth from Sy. No. 17/11 of Thycadu Village, Chavakkad Taluk, Thuissur District Application of Sri. Benny Thomas, Dreams World Living Space Pvt. Ltd., Next to Govt. Ayurved a Hospital, Thycadu P.O., Guruvayoor, Thrissur-680104 - Environmental Clearance - Issued

#### STATE EN VIRONMENTAL IMPACT ASSESSMENT AUTHORITY

### No. 413/SELAA/KL/2919/2014

Date: 31.10.2014

Ref:

- 1. Application dated 02.05.2014 from Sri. Benny Thomas, Dreams World Living Space Pvt. Ltd., Next to Govt. Ayurveda Hospital, Thycadu P.O., Guruvayoor, Thrissur 680104
- 2. Certificate dated 02/05/2014 of Additional Tahsildar, Chavakkad
- 3. Minutes of 34th meeting of SEIAA held on 24.10.2014

# 3/1

## ENVIRONMENTAL CLEARANCE NO. 44/2014

Sri. Benny Thomas, Dreams World Living Space Pvt. Ltd., Next to Govt. Ayurveda Hospital, Thycadu P.O., Guruvayoor, Thrissur – 680104 applied for Environmental Clearance for removal of 1200 m<sup>3</sup> of ordinary earth from 20 cents of land comprised in Sy. No. 17/11 of Thycadu Village, Chavakkad Taluk, Thrissur District for the purpose and in the manner as particularised below:

_раг	rticularised below:		
1	Date of receipt of completed application	:	19.06.2014
(a)	Undertakings given by applicant		
2	Nature of Land	<u> </u>	Thottam
3	Extent of the land in the Sy. No. and extent of land for which permission for removal of ordinary earth is applied for		17/11 From 20 cents
4	Revenue authority who certified the Application		Additional Tahsildar, Chavakkad
5	Purpose of removal of Ordinary Earth	:	Construction of Flats
6	If to be transported out of the site, end use of the ordinary earth removed		Levelling the ground in survey no.s 17/2, 3, 2C, 11, 36/4, 5 and 37/1A in Thycadu Village under the ownership of Smt. Bindu.
b) Appraisal and Recommendation by SEAC			
7	Date of recommendation of SEAC for removal of ordinary earth	:	30.07.2014
_(c	) Environmental Clearance by SEIAA		
1		1	T

8 Date of clearance given by SEIAA : 24.10.2014
9 Quantity of ordinary earth sanctioned to be removed : 1200m³

10 Special condition if any for removal of ordinary earth from the site : N.A.

- 2. Environmental Clearance under S.O. No. 1 533(E) dated 26.09. 2006 read with 0.M. No.L-11.011/47/2011-1.AII(M) dated 24.06.2013 is accorded to Sri. Benny Thomas, Dreams World Living Space Pvt. Ltd., Next to Govt. Ayurveda Hospital, Thycadu P.O., Guruvayoor, Thrissur 680 1 04 the applicant, to remove 1200 m³ of ordinary earth from the land owned by him in Sy.No. 17/II of Thycadu Village, Chavakkad Taluk in strict compliance with the general conditions in the annexure.
- 3. Violation of any of above undertakings general or special conditions will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act 1986 and Notification No.S.O.637(E) dated 28.02.2014 of the MoEF, Govt. of India. Non compliance if any noted shall be reported to the District Collector, Thrissur by the Director of Environment and Climate Change.

Olirectorate of Environment initivate anth appuration 93 034 Go

For Member Secretary (SEIAA)

To,

Sri. Benny Thomas, Dreams World Living Space Pvt. Ltd., Next to Govt. Ayurveda Hospital, Thycadu P.O., Guruvayoor, Thrissur – 680104. Ph: 8113855000

# Copy to:

- 1. The District Collector, Thrissur
- 2. The Tahsildar, Chavakkad
- 3. The Director, Mining & Geology, Trivandrum-4.
- 4. The Secretary, Guruvayoor Municipality, Chavakkad
- 5. The Chairman, SEIAA
- 6. StockFile
- 7. Website
- 8. O/c

### ANNE AURE

(vide hem c. Hyara I)

The rivity shall not involve blasting.

The maximum depth of removal of earth should not go beyond I in firm the general ground level of the site, which should be pronincally marked before initiating the work.

Removal of eath should be restricted to 2 m above to the ground water table at the sie.

The excavation activity shall not alto the materal drivage patern of the area.

The hurrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.

Appropriate fencing all around the borrowed/excevated pit shall be made to prevent any mishap.

Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.

Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to borrowing/excavation of earth.

Workers / labourers shall be provided with facilities for drinking water and sanitation.

A bern shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.

A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.

The Environmental Clearance shall be liable to be cancelled in any case of violation of above conditions.

Directorate of Environment States

of property of the second seco