

**State Environment Impact Assessment Authority
(SEIAA) Kerala**

'Devi Kripa', Pallimukku, Pettah P.O., Thiruvananthapuram - 695 024

Ph: +91471-2742264 (Off) 0471-2742554(Dir) +91471-2742554 (Fax)

e-mail: seacseiaakerala@gmail.com

web: www.envt.kerala.gov.in; www.seiaakerala.org

Proceedings of the State Environment Impact Assessment Authority Kerala
Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini Member; Sri. P. Mara Pandiyan IAS,
Member Secretary

Sub: SEIAA Kerala - 40th meeting held on 03/04-08-2015 – Environmental Clearance under EIA Notification 2006 accorded for removal of ordinary/ brick earth- Accorded – Orders issued.

Environmental Clearance

No. 616 /EC3/4770/2014/SEIA

dated, Thiruvananthapuram 03.09.2015

Ref: 1. O.M. No. L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment & Forests, Government of India.

2. Minutes of the 40th meeting of SEIAA held on 03/04-08-2015.

ENVIRONMENTAL CLEARANCE NO. 63 /2015/OE

Environmental Clearance under notification S.O. No. 1533 (E) dated 26.09.2006 read with O.M. No. L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment & Forest, Government of India, is accorded to the applicants named in column 2 of the annexure hereto in strict compliance with the following general conditions and the specific conditions stipulated in column 7 against each application in the annexure.

General conditions

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2m from the general ground level of the site, or that specifically stipulated by the Authority in column 7 of the annexure, whichever is less. The level should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.

- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against the health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers/labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above guidelines
3. Violation of any of above general or specific conditions as applicable to the particular case, will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non compliance if any shall be reported to the District Collector, by the Director of Environment and Climate Change.

Sd/-

Member Secretary (SEIAA)

To,

Sri. M.A. Saju and Babu. M. Abraham
Mecheri Puthen Purayil,
Kinginimattom P.O., Kolanchery,
Ikkaranadu South
Ernakulam -682311

Copy to:

1. District Collector,
2. Tahsildar,
3. DoECC,
4. Director, Mining & Geology,
5. Secretary, Panchayat,
6. Chairman, SEIAA
7. Stock File
8. Website
9. O/C

Forwarded by order

Administrator
SEIAA



Application for Environmental clearance for removal of Ordinary Earth / Brick Earth cleared in the 40th meeting of SEIAA held on 03/04-08-2015

Item No.	Details of Applicant	Description of property with Quantity to be excavated	Date of receipt of Application/Details of Recommendations of Revenue authority	Purpose of removal/ use of removed material		Details of recommendations of SEAC with specific condition if any. And Quantity permitted to be excavated	Details of decision of SEIAA
				A	B		
1	2	3	4	Purpose of removal	Use of removed material	7	8
40.09	Sri. Pradeep T.V., Thirukulam Veedu, P.O. Puthenchira, Thrissur - 680682	Sy. No. 12/1 at Velookkara Village & Panchayath, Mukundapuram Taluk, Thrissur District Quantity = 3500 m ³	24.06.2014 B5-24132/13 Addl. Tahsildar, Mukundapuram	To level the Parambu Road	To improve the fertility of soil & also for PWD works	1. Mining should be carried out uniformly by forming terraces limiting the average depth to 2m.. 2. Quantity = 3500 m ³	File No. 433/ SEIAA/ EC1/2993/2014 Approved the recommendations in Column 7
40.10	Sri. M.A. Saju and Babu. M. Abraham, Mecheri Puthen Purayil, Kingimattom P.O., Kolanchery, Ikkananadu South Ernakulam -682311	Sy. No. 186/1-2 at Ikkananadu South Village, Kunnathunadu Taluk, Ernakulam District Quantity = 23000 m ³	09.10.2014/ Addl Tahsildar, Kunnathunadu	Since it is an elevated site	Commercial purpose (Kuttanadu package bund road)	1. Removal should be in terraced manner limiting to average depth of 2 m. 2. Quantity= 5000 m ³	File No. 616/ SEIAA/ EC3/4770/2014 Approved the recommendations in Column 7
40.12	Sri. Sulaiman, Pallathu Chembilikadavil Veedu, Kozhikkara, Kappoor P.O., Palakkad -679552	Sy. No. 219/2 at, Kozhikkara, Kappoor Village, Pattambi Taluk, Palakkad District. Quantity = 5000 m ³	28.08.2014 Revenue Divisional Officer, Ottappalam	For levelling the land for Agricultural Purpose.	Commercial purpose (Construction of KLDC Bund)	1. Mining should be carried out uniformly by forming terraces limiting the average depth to 2m. 2. Quantity = 5000 m ³	File No. 640/ SEIAA/ EC1/4936/2014 Approved the recommendations in Column 7