

**State Environment Impact Assessment Authority
(SEIAA) Kerala**

'Devi Kripa', Pallimukku, Pettah P.O., Thiruvananthapuram - 695 024

Ph: +91471-2742264 (Off); +91471-2742554 (Fax)

e-mail: seacseiaakerala@gmail.com

web: www.emvt.kerala.gov.in; www.seiaakerala.org

Proceedings of the State Environment Impact Assessment Authority Kerala

**Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini Member; Sri. P. Mara Pandiyan IAS,
Member Secretary**

Sub: SEIAA Kerala - 41st meeting held on 02-09-2015 – Environmental Clearance under EIA Notification 2006 accorded for removal of ordinary/ brick earth- Accorded – Orders issued.

Environmental Clearance

No. 619/SEIAA/KL/4773/14

dated, Thiruvananthapuram 01.10.2015

Ref: 1. O.M. No. L-11011/47/2011-1AII (M) dated 24.06.2013 of the Ministry of Environment & Forests, Government of India.

2. Minutes of the 41st meeting of SEIAA held on 02-09-2015.

ENVIRONMENTAL CLEARANCE NO. 77/2015/OE

Environmental Clearance under notification S.O. No. 1533 (E) dated 26.09.2006 read with O.M. No. L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment & Forest, Government of India, is accorded to the applicants named in column 2 of the annexure hereto in strict compliance with the following general conditions and the specific conditions stipulated in column 7 against each application in the annexure.

General conditions

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2m from the general ground level of the site, or that specifically stipulated by the Authority in column 7 of the annexure, whichever is less. The level should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.

- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers/labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above guidelines

Violation of any of above general or specific conditions as applicable to the particular case will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non-compliance if any shall be reported to the District Collector, by the Director of Environment and Climate Change.

Sd/-


Member Secretary (SEIAA)

To,

Smt. Bohi
W/o Diyu,
Cherppanath veedu,
Annanadu P.O, 680324

Copy to:

1. District Collector, Thrissur,
2. Additional Tahsildar, Chalakudy, Thrissur.
3. DoECC,
4. Director, Mining & Geology, Kesavadasapuram,
5. Secretary, Kodassery Panchayat, Chattikulam P.O.,
via. Chalakudy, Thrissur.
6. Chairman, SEIAA
7. Stock File
8. Website
9. O/C



Forwarded by order

[Signature]

Administrator
SEIAA

Application for Environmental clearance for removal of Ordinary Earth / Brick Earth cleared in the 41st meeting of SEIAA held on 02-09-2015

Item No.	Details of Applicant	Description of property with quantity to be excavated	Date of receipt of Application/Details of Recommendations of Revenue authority	Purpose of removal/ use of removed material		Details of recommendations of SEAC with specific condition if any. And quantity permitted to be excavated	Details of decision of SEIAA
				A	B		
41.10	Sri. Jithu George K., Kollannoor Veedu, Pazhanji (via), Mangad P.O., Porkulam, Thrissur - 680542	Sy. No. 55/3 at Mangad Village, Porkulam Panchayath, Talpilly Taluk, Thrissur District Quantity = 7,500 m ³	20.06.2014 Letter No. C1- 2617/14 dated 12- 06-2014 Tahsildar, Thalappilly.	Agricultural purpose	Construction of KLDC Bund	1. Mining should be carried out uniformly forming terraces limiting the average depth to 1m in addition to general conditions. 2. Quantity = 3,200 m ³	File No. 415/ SEIAA/ EC1/2948/2014 Approved the recommendations in Column 7
41.11	Sri. P.V. Johny, (H), Pallippadan Azhakam Kurukutty, Aluva-683577	Re.Sy. Nos. 471 and 483 Karikkad Village, Kadavallur Panchayath, Talpilly Taluk, Thrissur District. Quantity = 12,000 m ³	04.08.2014, Letter No.C1- 21216/12 Addl Tahsildar, Thalappilly.	For agriculture purpose	Construction of KLDC Bund	1. Removal should be in terraced manner limiting to average depth of 1 m in addition to general conditions. 2. Quantity = 6,500 m ³	File No. 502/ SEIAA/ EC1/3605/2014 Approved the recommendations in Column 7
41.13	Smt. Bohi w/o Diju, Cherppanath veedu, Annanadu P.O., Pin: 680324	Sy. No. 237/5, 243/1 of Kodassery Village, Chalakkudy Taluk, Kodassery Panchayath, Thrissur District Quantity = 4000 m ³	28.08.2014 Letter No. B4/1983/14 dated 01/08/2014 Addl Tahsildar, Chalakkudy	To level the plot with the road.	NABARD-RIDF- 19. Infrastructural development works in kole wetlands in Thrissur and Malappuram- improvements to chemmenchal in Mukundapuram	1. Mining should be carried out uniformly forming terraces limiting the average depth to 1m. 2. Q = 4000 m ³	File No. 619/ SEIAA/ EC1/4773/14 Approved the recommendations in Column 7

Administrator

State Environment Impact Assessment Authority
Pallippadu, Pottaiy
Thiruvananthapuram-695024
Phone: 0471-2742364