



सत्यमेव जयते

Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Dr. A.E. Muthunayagam, Chairman; Prof. (Dr.) K.P. Joy, Member; Sri. James Varghese IAS, Member Secretary

Sub: SEIAA Kerala - Proposed building stone quarry project in Survey Nos. 446/1 (P) & 446/2 (P) at Kottangal Village, Mallapally Taluk, Pathanamthitta District, Kerala by M/s Amity Rock Products Pvt. Ltd. - Environmental Clearance under EIA Notification 2006 accorded - Orders issued

Environmental Clearance

No. 59/SEIAA/KL/7644/2012

dated, Thiruvananthapuram 22-02-2013

ORDER

The Director of M/s Amity Rock Products Pvt. Ltd., vide their application dated 20-11-2012 has sought environmental clearance under the EIA Notification, 2006 for the building stone quarry project at Kottangal Village, Mallapally Taluk, Pathanamthitta District, Kerala. The proposal has been appraised by the State Level Expert Appraisal Committee Kerala constituted by the competent authority, as per prescribed procedure in the lights of provisions under the EIA Notification 2006 and subsequent amendments, in its 10th meeting held on 26th and 27th November 2012 and also in the 11th meeting held on 9th January, 2013 AND on the basis of the supporting documents enclosed with the application viz., the Form - 1, questionnaire for mining projects, pre-feasibility report, Environment Management Plan and the additional clarifications furnished in response to the observations, the SEAC Kerala recommended environmental clearance to the project.

It is interalia, noted that the project comes under the Category B, Activity 1(a) of Schedule of EIA Notification 2006. The proposed project site falls within 9°26'45.36" to 9°26'50.87"N and 76°45'20.91" to 76°45'25.29"E. The proposed project is to carry out building stone quarry operation with a proposed production capacity of 40000 tonnes. The anticipated life of the quarry will be 5 years. The proposed project does not involve any underground mining activities. The mining will be done by open cast semi mechanised method of mining. The height of the benches is proposed to be maintained as 10 m and width as 5 m. The ultimate depth of the mine workings is 100 m. The overburden waste generated from the existing quarry will be used for levelling of the uneven floors and laying road, filling of cracks developed due to subsidence and pitching of embankments, filling of low lying area, etc. Domestic effluents obtained from toilets from the labour colonies will be treated in septic tank followed by soak pit. No additional domestic waste will be generated as there is no proposal for any new township. Water source to the quarry area is mainly through storm and ground water (Open well) supply. A recharging pit is already constructed at the site for the abstraction of water. In order to minimize adverse effects on water regimes, garland drains are constructed and maintained to channelize water, particularly during monsoon and plantation will be carried out all along the periphery of the lease.

The SEIAA, after due consideration of the relevant documents and additional clarifications submitted by the project proponent, and in view of the recommendations of SEAC, approved for issuance of Environmental Clearance for the project mentioned above at its 14th meeting held on 22nd January 2013. Accordingly, the State Level Environment Impact Assessment Authority (SEIAA) Kerala constituted by Govt. of India vide Notification No. S.O. 2484(E) dt.3-11-2011 of Ministry of Environment and Forests, Govt. of India, published as Gazette extraordinary No. 2074 on 3-11-2011, hereby accord necessary Environmental Clearance for the above project as per powers vested with it under the provisions of Environment Impact Assessment Notification - 2006 and subsequent

amendments and also under the provisions made in the O.M.No. L-1101 1/47/2011-IA.II(M) dated 8 May 2012 of the Ministry of Environment and Forests, Government of India, and further subject to strict compliance of the following specific conditions, and the general conditions contained in the Annexure, which shall also form a part of this document.

1. Bench height and width should be maintained at 5 m.
2. Periodical monitoring of environmental quality shall be done.
3. Specific methodology adopted for drilling and blasting that are provided in the proposal should be adhered to.
4. Blasting and drilling shall be done with acoustic enclosures so that noise will not get amplified.
5. Measures to be taken to control fugitive emissions.

Compliance of the above conditions will be monitored by the Directorate of the Department of Environment and Climate Change, Government of Kerala or its agencies and also by the Regional Office of the Ministry of Environment and Forests, Government of India located at Bangalore. Necessary support for entry and inspection should be provided by the project proponent to the staff of the Directorate and Ministry for monitoring purposes.

The given address of correspondence of the Authorized Signatory of the project is:- Mr. Abraham K. Thomas, Director, M/s Amity Rocks Products (P) Ltd., IX/376, Thottathumkuzhy, Chungappara P.O., Pathanamthitta District, Kerala- 686547; Telephone No: 0469-2697070; Mobile No: 9447025207; Fax: 0469-2697070; E mail: amityrockproducts@gmail.com

Agency with NABET accreditation for EIA is:- M/s Metamorphosis, #143, 2nd Floor, 4th Cross, 39th Main, Behind Silk Board, BTM II Stage, Bengaluru, Karnataka - 560068; Phone & Fax: +9180 26783006; Mobile No: +91 9845027475; E-mail: shanth@metamorphosis-india.com

10/10 James Varghese IAS
Member Secretary, SEIAA
and Principal Secretary to Government
Environment Department

To

Mr. Abraham K. Thomas
Director
M/s Amity Rocks Products (P) Ltd.
IX/376, Thottathumkuzhy, Chungappara P.O.
Pathanamthitta District
Kerala- 686547.

Copy to :

1. The Principal Secretary, Environment Dept., Government of Kerala, Secretariat
2. The Director, Dept. of Environment and Climate Change, Govt. of Kerala, Tvm — 24.
3. IA-Division, Monitoring Cell, MoEF, Paryavaran Bhavan, CGO Complex, Lodhi Road, New Delhi - 110003
4. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block Koramangala, Bangalore - 560034
5. Chairman and Members of SEIAA Kerala
6. Chairman, SEAC Kerala ✓ Website uploading ✓ Stock file

Annexure

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA

GENERAL CONDITIONS (for mining projects)

- (i) Rain water harvesting to collect and utilize the entire water falling in land area should be provided.
- (ii) Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.
- (iii) Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, inclusive of approach road and internal roads.
- (iv) The project shall incorporate devices for solar energy generation and utilization wherever possible.
- (v) Sprinklers shall be installed and used in the project site to contain dust emissions.
- (vi) The eco-restoration plan submitted with the proposal should be fully implemented.
- (vii) Barbed metal wire fencing around the mining area shall be provided with a height of not less than 5 ft so that falling of animals/human/belongings/dumping of garbages etc. does not happen.
- (viii) Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.
- (ix) Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.
- (x) Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB.
- (xi) Assurance in the form of affidavit should be given to SEIAA that eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.
- (xii) Assurance in the form of affidavit should be given to SEIAA that only a maximum of 10 percent of the total mined area shall be retained as water body, which shall be lined properly and further provided with protective wall to prevent accidents.
- (xiii) Garland drains to be provided in the lower slopes around the core area to channelize storm water.
- (xiv) Debris/ silt traps to be provided to prevent entry of dust and quarry wastes entering the main streams.
- (xv) All other statutory clearances should have been obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.
- (xvi) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Authority.
- (xvii) The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions

of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

- (xviii) The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
- (xix) The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the Department of Environment and Climate Change, Govt. of Kerala and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same should be forwarded to the office of this Authority as confirmation.
- (xx) A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.
- (xxi) The proponent shall submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data **(both in hard copies as well as by e-mail)** and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the Directorate of Environment and Climate Change, Govt. of Kerala.
- (xxii) The conditions of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40.
- (xxiii) The proponent should provide affidavit that all the conditions stipulated in the EC shall be scrupulously followed.

Sd/-

Member Secretary, SEIAA Kerala