

**State Environment Impact Assessment Authority
(SEIAA) Kerala**

‘Devi Kripa’, Pallimukku, Pettah P.O., Thiruvananthapuram - 695 024

Ph: +91471-2742262 (Off); +91471-2742265 (Fax)

e-mail: seacseiaakerala@gmail.com

web: www.seiaakerala.org

Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini Member and Sri. V.S.Senthil

I.A.S., Member Secretary

Sub: SEIAA Kerala – 55th meeting held on 16-7-2016– Environmental Clearance under EIA Notification 2006 accorded for removal of Ordinary/ Brick Earth/Laterite- Accorded – Orders issued.

Environmental Clearance

No.1032/SEIAA/EC3/267/2016

dated, Thiruvananthapuram 11-08-2016

Ref: 1. O.M.No.L-11011/47/2011-1AII (M) dated 24.06.2013 of the Ministry of Environment & Forests, Government of India.

2. Minutes of the 55th meeting of SEIAA held on 16-7-2016.

ENVIRONMENTAL CLEARANCE NO.OE/2016 | 114

Environmental Clearance under notification S.O. No. 1533 (E) dated 26.09.2006 read with O.M. No. L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment & Forest, Government of India, is accorded to the applicants named in column 2 of the annexure hereto in strict compliance with the following general conditions and the specific conditions stipulated in column 7 against each application in the annexure.

General conditions

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth the general ground level shall not go below that specifically stipulated by the Authority in column 7 of the annexure. The level should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against the health risk on account of breeding of vectors in the water body created due to burrowing/excavation of earth.
- (ix) Workers/labourers shall be provided with facilities for drinking water and sanitation.

- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above guidelines.

Violation of any of above general or specific conditions as applicable to the particular case will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non-compliance if any shall be reported to the Ernakulam District Collector, by the State Environment Impact Assessment Authority.


Sd/-
V.S. SENTHIL I.A.S
Member Secretary, SEIAA
&
Additional Chief Secretary
Environment & Forest Department
Government of Kerala

To,
Sri. P.M. Elias,
Pullyattu House, Paigarapilly P.O.,
Mulanthuruthi , Ernakulam Pin – 682 314

Copy to:

1. District Collector,
2. Director, Mining & Geology, Kesavadasapuram,
3. Secretary Mulanthuruthi Grama Panchayath , Ernakulam
4. Additional Tahasildar, Kanayannur, Ernakulam
5. Chairman, SEIAA
6. Stock File
7. Website
8. O/C



Forwarded/By Order

Administrator
SEIAA

Application for Environmental clearance for removal of Ordinary Earth / Brick Earth/ Laterite cleared in the 55th meeting of SEIAA held on 17-06-2016

Item No.	Details of Applicant	Description of property with quantity to be excavated	Date of receipt of Application/Details of Recommendation of Revenue authority	Purpose of removal/ use of removed material	Use of removed material	Details of recommendations of SEIAA with specific condition if any. And quantity permitted to be excavated	Details of decision of SEIAA
1	2	3	4	5	6	7	8
55.12	Sri. P.M. Elias, Pulliyattu House, Palligarapilly P.O., Mulanthuruthi Pin - 682 314	Sy. No140/1 at Mulanthuruthi Village and Mulanthuruthi Panchayat, Kanayannur Taluk, Ernakulam District Quantity = 2,76045 m ³	03-2-16 Additional Thahasildar, Kanayannur	Protect land slide Purpose of removal	Earth fill work for BPCL	The removal shall be in three steps starting from South viz, from southern side soil to be removed up to a depth of 6 m from an extent of 40 m length, North- South and mean width 36 m east-west In the next step soil shall be removed up to a depth of 4 m from an area of 40 m North- South and mean width 47m east-west stretch In the next bench, immediately on the North side, soil shall be removed up to 2 m depth 45m north-south, mean width 43 m, east- west. Quantity = 20,000m ³	File No. 1032/SEIAA/EC3/267/20 16 Approved the recommendations in Column 7

G. RAJEEV
Administrator

State Environment Impact Assessment Authority
Pallimukko, Pettab
Thiruvananthapuram-695024
Phone: 0471-2742264

[Signature]