

# FIGUREDINGS OF THE ADMINISTRATOR, STATE FOR THE ADMINISTRATOR FOR THE ADMIN

(Present. Sabitha.S)

# \* I I I I NVIRONMENT IMPACT ASSESSMENT AUTHORITY

### ######CZ/2019/SEIAA

dated, Thiruvananthapuram: 22.10,2019

- ### + O.M.No.L-11011/47/2011-1AII (M) dated 24.06.2013 of the Ministry of Invironment & Forests, Government of India.
  - 2 Application received on 02.07.2019 from Sri.Aslam,S
  - 1 Minutes of the 101st meeting of SEAC held on 01st & 02nd August 2019
  - 1. Minutes of the 97th meeting of SEIAA held on 24th September 2019
  - 5. G.O (Rt.)No.29/2019/Envt dated 12.04.2019.

### **ENVIRONMENTAL CLEARANCE NO.60/OE/2019**

Alsam.S, Kakkakuzhiyil, Thoonalloor.P.O, Pandalam, Pathanamthitta-Alsam.S, Kakkakuzhiyil, Thoonalloor.P.O, Pandalam, Pathanamthitta-BEIAA for Change of Ordinary earth from the land at Sy. No.215/12-1, 215/13-1, 215/13 of Change of land for removing §02.03 m<sup>3</sup> of ordinary earth The proposal was placed in the 101<sup>st</sup> meeting of SUAC held on 01<sup>st</sup> & 02<sup>nd</sup> August 2019. The Committee decided to recommend for EC subject to the general conditions

The proposal was placed in 97<sup>th</sup> meeting of SETAA held on 24<sup>th</sup> September 2019. Authority decided to issue EC for removal of 800 m<sup>3</sup> of ordinary earth for a period of 6 months subject to following specific condition in addition to general conditions.

• The proponent shall carry out quarrying as per the approved Mining Plan-and the proponent should strictly follow the Kerala Minor Mineral Concession Rules 2015 and amendments thereby.

In the circumstances the Authority is pleased to accord finvironmental Clearance under Notification S.O. No.1533 (E) dated 26.09 2006 rend with O.M. as first paper above of the Ministry of Environment & Forest, Clovernment of India, to Sri.Alsam.S,Kakkakuzhiyil,Thoonalloor.P.O,Pandalam,Pathamanthitta 689501 for a period of 6 months for removal of 800m<sup>3</sup> of ordinary earth in Sy. No.215/12-1,215/13-1,215/13 of Pathanamthitta Village,Kozhanebery Taluk, Pathanamthitta District subject to the following general conditions and the above specific condition.

### General conditions

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2m from the general ground level of the site (lithomark). The level should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful

- purposers as specified in the application.
- (11) Appropriate lending all around the burrowed/excavated pit shall be made to prevent
- the Manufer shall be taken to prevent dust emission by covering of harmweakeven vated earth during transportation.
- in the water bodies created due to burrowing/excavation of earth.
- water and sand-distribution.
- the state of a limit the depth of proposed excavation.
- 1-11 A minimum distance of 15 m from any civil structure shall be kept from the
- the quantity of O.E being excavated from each site is to be deposited at each work
- Holation of any of the above conditions.

Violation of any of above general conditions as applicable to the particular case will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act, 1986. Non-compliance, if any shall be reported to the District Collector, Pathanamthitta by the State Environment Impact assessment Authority

Sabifha.S Administrator, SEIAA

To.

Sri.Alsam.S C/o Fashion Textiles G.H.S Road Pathanamthitta-689645

# Copy to:

- 1. District Collector, Pathanamthitta
- 2. Tahsildhar, Kozhanchery Taluk, Pathanamthitta
- 3. Director, Mining & Geology, Trivandrum
- 4. District Geologist, Pathanamthitta
- 5. Village Officer, Pathanamthitta Village, Kozhanchery Taluk, Pathanamthitta
- 6. Chairman, SEIAA
- 7. Stock File
  - 8. Website
  - 9. O/C