



सत्यमेव जयते

State Environment Impact Assessment Authority Kerala

'Devikripa', Pallimukku, Pettah P. O., Thiruvananthapuram- 695 024

Ph: +91471-2742264(Off); 0471-2742554(Dir); +91471-2742554 (Fax)

e-mail: environmentdirector@seiaa.org web: www.seiaakerala.org , www.envt.kerala.gov.in

PROCEEDINGS OF THE MEMBER SECRETARY

Present: Sri. James Varghese IAS

Sub: Environment Impact Assessment Authority- Construction of "Cyberpark" -IT Building project at Nellicode and Pantheerankavu Village, Olavanna Taluk, Kozhikode District, Kerala - Environmental Clearance under EIA Notification 2006 accorded - Orders issued

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA

No. 6/SEIAA/KL/377/2012

dated, Thiruvananthapuram 21-05-2012

- Read: (1) Letter No. 19-141/2011-IA-III dated 27th January 2012 from Ministry of Environment and Forests forwarding the project proposal of M/s CYBERPARK, KERALA for environmental clearance**
- (2) Minutes of the 1st SEAC meeting held on 3rd March 2012**
- (3) Minutes of the 2nd SEIAA meeting held on 23rd April 2012**

ORDER



The CEO, 'Cyberpark', vide letter No. CP/MoEF/2011/300 dated 28-10-2011 submitted a proposal to the Ministry of Environment and Forests seeking prior environmental clearance under the EIA Notification, 2006 for the construction of an I.T. Building Project, 'Cyberpark', at Nellicode and Pantheerankavu Village, Olavanna Taluk, Kozhikode District, Kerala. MoEF forwarded the proposal to the Member Secretary SEIAA vide reference (1) cited for further necessary action. The proposal has been appraised by the State Level Expert Appraisal Committee Kerala constituted by the competent authority, as per prescribed procedure in the lights of provisions under the EIA Notification 2006, in its 1st meeting held on 3rd March, 2012 AND on the basis of the supporting documents enclosed with the application viz., the Form - 1 & 1A, Conceptual Plan and the additional clarifications furnished in response to the observations, the SEAC Kerala recommended environmental clearance to the project.

It is interalia, noted that the project involves the construction of an IT building on a plot area of 1.614 ha. The proposed project is coming up at Nellicode and Pantheerankavu Village, Olavanna Taluk, Kozhikode District, Kerala. The total built-up area is 25,855.21 m². The total domestic water consumption is estimated 39.852 KL/day. The proposed project has provision of Sewage Treatment Plant (S.T.P) of 10 KL per day capacity to treat sewage during construction phase and an STP of capacity of about 43 KL/day within the project premises to treat sewage during operation phase. The solid waste generation is expected to be about 221.40 Kg/day. Power requirement is 2,000 KVA. Total cost of the project is Rs 64.78 crores.

The SEIAA, after due consideration of the relevant documents and additional clarifications submitted by the project proponent in view of the recommendations of SEAC, approved for issuance of Environmental Clearance for the project mentioned above. Accordingly, the State Level Environment Impact Assessment Authority (SEIAA) Kerala constituted by Govt. of India vide Notification No. S.O. 2484(E) dt.3-11-2011 of Ministry of Environment and Forests, Govt. of India, published as Gazette extraordinary No. 2074 on 3-11-2011, hereby accord necessary Environmental Clearance for the above project as per powers vested with it under the provisions of Environment Impact Assessment Notification - 2006 and its subsequent amendments, subject to strict compliance of the following specific conditions, and also the general conditions contained in the Annexure:

1. Specific system for e-waste management should be proposed, approved by SEIAA and complied with.
2. Sufficient storage facility for run off water should be made by connecting the ponds in the area to aid in the percolation of ground water.

The above conditions will be monitored by the Directorate of Environment and Climate Change, Government of Kerala and also by the Regional Office of the Ministry of Environment and Forests, Government of India located at Bangalore. Necessary facilities should be provided by the project proponent to the staff of the Directorate and Ministry during their inspection.

8/8

 James Varghese IAS
 Member Secretary, SEIAA
 and Principal Secretary to Government
 Environment and LSG Departments


To

Mr. K.G. Girish Babu
 Chief Executive Officer
 CYBERPARK
 33/4685, Malaparamba Housing Colony
 Malaparamba P.O., Kozhikode- 673009.

Copy to :

1. The Principal Secretary, Environment Dept., Government of Kerala, Secretariat
2. The Director, Dept. of Environment and Climate Change, Govt. of Kerala, Tvm - 24
3. IA-Division, Monitoring Cell, MoEF, Paryavaran Bhavan, CGO Complex, Lodhi Road, New Delhi - 110003
4. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block Koramangala, Bangalore-560034
5. Website uploading
6. File No. SEIAA/E4/556/2012
7. ✓ Stock file

Annexure

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA

GENERAL CONDITIONS

- (i) Rain water harvesting to collect and utilize the entire water falling in land area should be provided.
- (ii) Environment Monitoring Cell should be formed and made functional.
- (iii) Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any.
- (iv) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Authority.
- (v) The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- (vi) All other statutory clearances shall be obtained, as applicable, by project proponents from the respective competent authorities.
- (vii) The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
- (viii) The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the Department of Environment and Climate Change, Govt. of Kerala and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same should be forwarded to the office of this Authority as confirmation.
- (ix) A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.

- (x) The proponent shall submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the Directorate of Environment and Climate Change, Govt. of Kerala.
- (xi) The proponent should provide affidavit that all the conditions stipulated in the EC shall be scrupulously followed.

Sd/-
Member Secretary, SEIAA Kerala