

ABSTRACT

DISPATCHED

Date: 9/12/14

State Environment Impact Assessment Authority, Kerala - Removal of Ordinary Earth from Sy. No. 362/7, Mezhuveli Village, Mezhuveli Panchayath, Kozhenchery Taluk, Pathanamthitta District- Application of Smt. M.T. Chellamma, Binu, S. & Biji, C., Mangalathu Thekkethil, Angadikkal Vadakku P.O, Pathanamthitta Environmental Clearance - issued

**STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY**

No. 431/SEIAA/KL/2991/2014

Date: 31.10.2014

- Ref: 1. Application dated 11.04.2014 from Sri. M.T. Chellamma, Binu, S. & Biji, C., Mangalathu thekkethil, Angadikkal vadakku P.O, Pathanamthitta  
2. Letter No. C4-8083/14 dated 22/05/14 of Deputy Collector, Pathanamthitta  
3. Minutes of 34<sup>th</sup> meeting of SEIAA held on 24.10.2014

**ENVIRONMENTAL CLEARANCE NO. 20/2014**


Sri. M.T. Chellamma, Binu, S. & Biji, C., Mangalathu thekkethil, Angadikkal vadakku P.O, Pathanamthitta applied for Environmental Clearance for removal of 990 m<sup>3</sup> of ordinary earth from 15.6 Ares of land comprised in Sy. No. 362/7, Mezhuveli Village, Mezhuveli Panchayath, Kozhenchery Taluk, Pathanamthitta District for the purpose and in the manner as particularised below:

1	Date of receipt of completed application	:	24.06.2014
<b>a) Undertakings given by applicant</b>			
2	Nature of Land	:	Purayidam
3	Extent of the land in the Sy. No. and extent of land for which permission for removal of ordinary earth is applied for	:	362/7
4	Revenue authority who certified the Application	:	Deputy Collector, Pathanamthitta
5	Purpose of removal of Ordinary Earth	:	For agricultural purpose
6	If to be transported out of the site, end use of the ordinary earth removed	:	For road construction in Kumarapuram Panchayath, Harippad
<b>b) Appraisal and Recommendation by SEAC</b>			
7	Date of recommendation of SEAC for removal of ordinary earth	:	12/13.08.2014
<b>(c) Environmental Clearance by SEIAA</b>			
8	Date of clearance given by SEIAA	:	24-10-2014
9	Quantity of ordinary earth sanctioned to be removed	:	360 m <sup>3</sup>
10	Special condition if any for removal of ordinary earth from the site	:	N.A.

Environmental Clearance under S.O. No. 1533 (E) dated 26.09.2006 read with  
No.L11011/47/2011-1 All(MD) dated 24.06.2013 is accorded to Sri. M.T.  
Chellamma, Binu, S. & Gigi, C, Mangalathu thekkethil, Angadikkal vadakku P.O.,  
Pathanamthitta the applicant, to remove 360 m<sup>3</sup> of ordinary earth from the land  
owned by him in Sy.No.362/7, Mezhuveli Village, Mezhuveli Panchayath, Kozhancheri  
District, Pathanamthitta District in strict compliance with the general conditions in the  
order.

Violation of any of above undertakings general or special conditions will entail  
cancellation of the EC, in addition to legal action under the provisions of the  
Environment (Protection) Act 1986 and Notification No.S.O.637 (E) dated  
22.02.2014 of the MoEF, Govt. of India. Non compliance if any noted shall be  
reported to the District Collector, Pathanamthitta by the Director of Environment and  
Climate Change.



  
For Member Secretary (SEIAA)

M.T. Chellamma,  
Mangalathu thekkethil,  
Angadikkal vadakku P.O.,  
Pathanamthitta-689648.


1. The District Collector, Pathanamthitta ✓  
2. The Tahsildar, Kozhancheri ✓  
3. The Director, Mining & Geology, Trivandrum-4 ✓  
4. The Secretary, Mezhuveli Grama Panchayath, Kozhanchery, Pathanamthitta District ✓  
5. The Chairman, SEIAA ✓  
6. Stock File  
7. Website  
8. 1/c

ANNEXURE

(vide Item c.14 para I)

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2 m from the general ground level of the site, which should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2 m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The borrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the borrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of borrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to borrowing/excavation of earth.
- (ix) Workers / labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above conditions.



  
C.S. VALAKKUPIS  
DIRECTOR

Director of Environment & Climate Change  
Pattimukku, Pattah  
Chiruvanchathapuram-24