



***Proceedings of the State Environment Impact Assessment
Authority Kerala***

*Present : Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member &
Sri. James Varghese I.A.S., Member Secretary.*

**Sub: SEIAA Kerala – Application from Shri. T.J.Chacko - Environmental Clearance
under EIA Notification, 2006 accorded for removal of ordinary earth - Granted –
Orders issued.**

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. 850A/SEIAA/EC3/2948/2015

dated, Thiruvananthapuram 15/6/2017

- Ref: 1. O.M.No.L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of
Environment & Forests, Government of India.
2. Application dated 28/7/2015 from Shri.T.J.Chacko
3. Minutes of the 68th meeting of SEAC held on 20-21/02/2017
4. Minutes of the 66th meeting of SEIAA held on 07/04/2017

ENVIRONMENTAL CLEARANCE NO. 39 /2017/OE

Sri. T.J. Chacko, S/o of Joseph, Thaiparambil House, Erumathala, Keezhmadu
(kara) Chunangamvely Aluva East, Ernakulam – 683 112 has applied for Environmental
Clearance for the removal of 10,000 m³ Ordinary Earth from an area of 19.41 Ares
(0.1941 ha) of land in Re Sy. No 526/24-1 (Block 27) at Pattimattom Village and
Kizhakambalam Panchayat, Kunnathunad Taluk, Ernakulam District.

The proposal was placed in the 68th meeting SEAC held on 20th & 21st February
2017. The Committee appraised the proposal based on the details provided by the
applicant and decided to Recommend for issuance of Environmental Clearance for
removal of 3,000 m³ of ordinary earth subject to the condition that removal should be
in terraced manner limiting maximum depth cutting to 2m.

SEIAA in its 66th meeting held on 7th April 2017 decided to accept the
recommendation of SEAC to issue Environmental Clearance for the removal of
3000 m³ of the Ordinary Earth subject to the condition that removal should be in
terraced manner limiting maximum depth cutting to 2m.

Environmental Clearance under notification S.O. No.1533 (E) dated 26.09.2006
read with O.M.No.L-11011/47/2011-1AII (M) dated 24.06.2013 of the Ministry of
Environment & Forest, Government of India, is hereby accorded to Shri.T.J.Chacko,
S/o Joseph, Thyparambil Veedu, Erumathala.P.O., Keezhmadu (Kara) Chungaveli,

Aluva for the removal of 3000m³ Of ordinary earth from the land in Re.Sy.No. 526/24-1 (Block 27) of Pattimattom Village of Kizhakkambalam Panchayath, Kunnathunadu Taluk, Ernakulam District, for commercial purpose. The removed material will be used for the construction works of Nedumbassery Airport (Construction of Aircraft parking bays, taxi links and installation of associated air field etc) The environmental clearance is subject to the condition that removal should be in terraced manner limiting maximum depth cutting to 2m and in strict compliance with the following general conditions.

General conditions

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2m from the general ground level of the site, or that specifically stipulated by the Authority in column 7 of the annexure, whichever is less. The level should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers/labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The quantity of O.E being excavated from each site is to be deposited at each work site, shall be fixed.
- (xiii) The Environmental Clearance shall be liable to be cancelled in any case of violation of any of the above conditions.

Violation of any of above general conditions as applicable to the particular case will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act, 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non-compliance if any shall be reported to the District Collector, Ernakulam by the State Environment Impact assessment Authority.

James Varghese.IAS
Member Secretary, SEIAA

To,

Sri.T.J.Chacko,
S/o.Joseph
Thyparambil Veedu, Erumathala (PO)
Keezhmadu (Kara) Chunagaveli,
Aluva

Copy to:

1. District Collector, Ernakulam
2. Additional Tahsildhar, Kunnathunadu,
3. Director, Mining & Geology, TVM
4. District Geologist Ernakulam
5. Secretary, Kizhakambalam Panchayath, Ernakulam District
6. Chairman, SEIAA
7. Stock File
8. Website
9. O/C

Forwarded/By Order



Administrator (SEIAA)

