



**Proceedings of the State Environment Impact Assessment  
Authority Kerala**

*Present : Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. V. S. Senthil, I.A.S.,  
Member Secretary.*

Sub: SEIAA Kerala -Environmental Clearance under EIA Notification, 2006 accorded for  
removal of ordinary earth/brick earth - E.C. Granted - Orders issued.

**Environmental Clearance**

File No. 1020/SEIAA/EC3/5449/15

dated, Thiruvananthapuram 30-09-2016

- Ref: 1. O.M.No.L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of  
Environment & Forests, Government of India.  
2. Minutes of the 58<sup>th</sup> meeting of SEAC held on 28/29-06-2016  
3. Minutes of the 57<sup>th</sup> meeting of SEIAA held on 26-08-2016.

**ENVIRONMENTAL CLEARANCE NO. .... /2016/OE**

Environmental Clearance under notification S.O. No.1533 (E) dated 26.09.2006  
read with O.M.No.L-11011/47/2011-1AII (M) dated 24.06.2013 of the Ministry of  
Environment & Forest, Government of India, is accorded to the applicant named in  
column 2 of the annexure hereto in strict compliance with the following general  
conditions and the specific conditions stipulated in column 7 against each application in  
the annexure.

**General conditions**

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2m from the  
general ground level of the site, or that specifically stipulated by the Authority in  
column 7 of the annexure, whichever is less. The level should be prominently  
marked before initiating the work.
- (iii) Removal of earth should be restricted to 2m above to the ground water table at the  
site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful  
purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent  
any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of  
burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors  
in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers/labourers shall be provided with facilities for drinking water and  
sanitation.

- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The quantity of O.E being excavated from each site and to be deposited at each work site shall be fixed.
- (xiii) The Environmental Clearance shall be liable to be cancelled in any case of violation of any of the above conditions.

Violation of any of above general conditions as applicable to the particular case will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act, 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non-compliance if any shall be reported to the District Collector, Ernakulam by the State Environment Impact assessment Authority.

Sd/  
V. S., Senthil, I.A.S.  
Member Secretary, SEIAA

To,

Smt. Saneeja,  
W/o Wilson,  
Thozhuppadan House,  
Kandanad P.O.,  
Kureekkode Road, Ernakulam - 682 305

Copy to:


1. District Collector, Ernakulam
2. Additional Tahsildhar Kanayanoor, Ernakulam
3. Director, Mining & Geology, TVM
4. Secretary, Mulanthuruthy Panchayat, Ernakulam
5. Chairman, SEIAA
6. Stock File
7. E.C File
8. Website
9. O/C

Forwarded/ By Order

*Rajendran*

C. Administrator  
SEIAA  
State Environment Impact Assessment Authority  
Pattimukku, Pattuk  
Thiruvananthapuram-24  
Phone No: 0471-2742262



57.14	Sri. Akhil K. John, Kallachiyil, Aarakkunnam P.O., Ernakulam- 682 313	From an area of 0.3733 ha in Sy.No. 406/2 at Mulanthuruthy Village and Kamayannoor Taluk, Ernakulam District Quantity = 6,850 m <sup>3</sup>	Additional Tahsildar, Kunnathunadu, Ernakulam	For construction of house & and for Agriculture	For road Construction at Perikalthuruth u- Kaayipuram road	Removal of ordinary earth subject to the condition that removal should be in terraced manner limiting maximum depth of removal to 2m from the portion of land marked for agriculture. Quantity= 6000 m <sup>3</sup>	File No.1018/SEIAA/EC3/ 5225/15 Approved the recommendations in Column 7
57.16	Smt. Saneja, W/o Wilson, Thozhuppadan House, Kandanad P.O, Kureekode Road, Ernakulam - 682 305	From an area of 0.5666 ha in Sy. Nos. 385/2 & 385/3 at Mulanthuruthy Village and Kamayannoor Taluk, Ernakulam District Quantity =50,000 m <sup>3</sup>	Additional Tahsildar, Kamayannoor, Ernakulam No.H-23427/2015 Dated 09/12/15	Plot is higher than road level. <i>Redundant</i>	For Cochin Port Trust, Fort Kochi	Removal of ordinary earth subject to the condition that removal should be in terraced manner limiting maximum depth of removal to 1m. Quantity = 5000 m <sup>3</sup>	File No.1020/SEIAA/ EC3/5449/15 Approved the recommendations in Column 7 
57.17	Sri.James Jacob, Karottumundackal, Perumbayikkadu P.O, Kottayam – 686 016	From an area of 0.31.23 ha in Sy. Nos. 298/4, 297/5, 297/5-2 at Perumbayikkode Village, Kottayam Taluk, Kottayam District Quantity =9,340 m <sup>3</sup>	11-01-2016 Deputy Collector (LR) Kottayam (Lr.No.E9.55758/ 15 dt.09.12.15)	For making land suitable for cultivation	Agriculture purpose	Removal of ordinary earth subject to the condition that removal should be in terraced manner limiting maximum depth of removal to 2m. Quantity = 3000 m <sup>3</sup>	File No. 1024/SEIAA/EC4/115 /2016 Approved the recommendations in Column 7