

**State Environment Impact Assessment Authority
(SEIAA) Kerala**

'Devi Kripa', Pallimukku, Pettah P.O., Thiruvananthapuram - 695 024
Ph: +91471-2742264 (Off); +91471-2742554 (Fax)

e-mail: seacseiaakerala@gmail.com

web: www.envt.kerala.gov.in; www.seiaakerala.org

Proceedings of the State Environment Impact Assessment Authority Kerala

*Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. P. Mara
Pandiyar, I.A.S., Member Secretary.*

Sub: SEIAA Kerala – 47th meeting held on 07-01-2016– Environmental Clearance under EIA
Notification 2006 accorded for removal of ordinary/ brick earth- Accorded – Orders issued.

Environmental Clearance

No. 820/SEIAA/EC3/ 2522/2015

dated, Thiruvananthapuram 28.01.2016

- Ref: 1. O.M. No. L-11011/47/2011-IAII (M) dated 24.06.2013 of the Ministry of
Environment & Forests, Government of India.
2. Minutes of the 47th meeting held on 07-01-2016.

ENVIRONMENTAL CLEARANCE NO. 04/2016/OE

Environmental Clearance under notification S.O. No. 1533 (E) dated 26.09.2006 read with O.M. No. L-11011/47/2011-IAII(M) dated 24.06.2013 of the Ministry of Environment & Forest, Government of India, is accorded to the applicants named in column 2 of the annexure hereto in strict compliance with the following general conditions and the specific conditions stipulated in column 7 against each application in the annexure.

General conditions

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2m from the general ground level of the site, or that specifically stipulated by the Authority in column 7 of the annexure, whichever is less. The level should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the

- water bodies created due to burrowing/excavation of earth.
- (ix) Workers/ labourers shall be provided with facilities for drinking water and sanitation.
 - (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
 - (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
 - (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above guidelines

Violation of any of above general or specific conditions as applicable to the particular case will entail cancellation of the E.C., in addition to legal action under the provisions of the Environment (Protection) Act, 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non-compliance if any shall be reported to the District Collector, Ernakulam for action under violation proceedings.

Sd/-
P. MARA PANDIYAN, I.A.S.,
Member Secretary (SEIAA)
&
Addl. Chief Secretary
(Environment & Forest Department)
Government of Kerala


To,

Sri. K. C. Thampi,
Chettikuzhiyil House,
Thiruvaniyoor P.O.,
Puthencruz,
Ernakulam -682308

Copy to:


1. District Collector, Ernakulam.
2. Director, Mining & Geology, Kesavadasapuram,
3. Additional Tahsildar, Taluk Office, Kunnathunadu, Perumbavoor, EKM.
4. Secretary, Thiruvaniyoor Grama Panchayath, Thiruvaniyoor P.O.,
Puthencruz, EKM-682308
5. Chairman, SEIAA
6. Secretary, SEAC, DoECC
7. Stock File
8. Website
9. O/C

Forwarded/ By order


G. Rajeev,
Administrator,
SEIAA

Application for Environmental clearance for removal of Ordinary Earth / Brick Earth cleared in the 47th meeting of SEIAA held on 07-01-2016

Item No.	Details of Applicant	Description of property with quantity to be excavated	Date of receipt of Application/Detailed Recommendation of Revenue authority	Purpose of removal/ use of removed material		Details of recommendations of SEAC with specific condition if any. And quantity permitted to be excavated	Details of decision of SEIAA
				A Purpose of removal	B Use of removed material		
1	2	3	4	5	6	7	8
47.07	Sri. K. C. Thampi, Chettikuzhiyil House, Thiruvaniyoor P.O., Puthencruz, Ernakulam -682308	246/14 at Thiruvaniyoor Village, Thiruvaniyoor Panchayath, Kunnathunadu Taluk, Ernakulam District Quantity = 8000 m ³	12.06.2015 Letter No. G2- 4048/14 dtd. 02.06.2015 Addl. Tahsildar, Kunnathunadu	For house construction, agriculture purpose and for making the land suitable for transportation	For Kerala State Industrial Development Corporation (KSIDC) work	1. Removal should be in terraced manner limiting average depth of removal to 2m and the removed earth should be utilised only for KSIDC work 2. Quantity= 2500 m ³	File No. 820/SEIAA/EC3/ 2522/2015 Approved the recommendations in Column 7
47.08	Sri. V. K. Rasheed, Kannethuparambil, Poonithura, Ponnuruthy, Kochi, Ernakulam	Sy. No. 156/4,3,2 at Arakkapadi Village, Vengola Panchayath, Kunnathunadu Taluk, Ernakulam District Quantity = 7,000 m ³	05.08.2014 Letter No. G2- 17617/2013 dtd. 21.07.2014 Addl. Tahsildar, Kunnathunadu	For leveling the ground for agriculture purpose	For Road work	1. Removal should be in terraced manner limiting average depth of removal to 1m and the removed earth should be utilised only for road work 2. Quantity= 2000 m ³	File No. 829/SEIAA/EC3/ 2663/2015 Approved the recommendations in Column 7


C. K. RAVEESH
 Assistant Secretary
 State Environment Impact Assessment Agency
 P.O. Thiruvananthapuram, Kerala - 695 022
 Thiruvananthapuram, Kerala - 695 022
 Phone: 0471 27 20 24