

State Environment Impact Assessment Authority (SEIAA) Kerala

Dev. Kripa, Pallimukku, Pettah P.O., Thiruvananthapuram - 695 024

Ph: +91471-2742264 (Off) 0471-2742554 (Dir) +91471-2742554 (Fax)

e-mail: environmentdirector@gmail.com

web: www.envt.kerala.gov.in www.seiaakerala.org

Proceedings of the State Environment Impact Assessment Authority Kerala

Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini Member; Sri. P. Mara Pandiyan IAS,
Member Secretary

Sub: SEIAA Kerala - 38th meeting held on 4-6-2015 - Environmental Clearance under EIA
Notification 2006 accorded for removal of ordinary/ brick earth- Accorded - Orders
issued.

688.A

Environmental Clearance

No. 360/SEIAA/EC/12519/2014

dated, Thiruvananthapuram 9.6.2015


- Ref: 1. O.M.No.L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment
& Forests, Government of India.
2. Minutes of the 38th meeting of SEIAA held on 4-6-2015.

ENVIRONMENTAL CLEARANCE NO. 134 /2015/OE

Environmental Clearance under notification S.O. No.1533 (E) dated 26.09.2006 read with
O.M.No.L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment & Forest,
Government of India, is accorded to the applicants named in column 2 of the annexure hereto in
strict compliance with the following general conditions and the specific conditions stipulated in
column 7 against each application in the annexure.

General conditions

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2m from the
general ground level of the site, or that specifically stipulated by the Authority in column
of the annexure, whichever is less. The level should be prominently marked before
initiating the work.
- (iii) Removal of earth should be restricted to 2m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful
purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any
mishap.



- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against the health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers/labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above guidelines

3. Violation of any of above general or specific conditions as applicable to the particular case, will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non compliance if any shall be reported to the District Collector, by the Director of Environment and Climate Change.

Sd/-

Member Secretary (SEIAA)

To,

Sri. Antony Nirappel,
Chairman,
St. Antonies Educational and Charitable Society,
P.B. no. 126 Kanjirapally,
Idukki- 686507

Copy to:

1. District Collector,
2. Tahsildar,
3. DoECC,
4. Director, Mining & Geology,
5. Secretary, Panchayat,
6. Chairman, SEIAA
7. Stock File
8. Website

9/ O/C

Original is Received
[Signature]
Antony
11/1/2016



Forwarded by order

[Signature]
Administrator
SEIAA

Details of Applicant	Description of property with quantity to be excavated	Date of receipt of Application/Details of Recommendation of Executive authority	Purpose of removal	Purpose of removal use of removed material	Details of removal of material if any. And if excavated material is re-utilized	Details of SEIAA of SEIAA
38.41 Sri. C.K. Varghese, Chakkyath, Vazhakkala, Cheranallor, Cochin, -682034	20.24 ares of land in Sy. No. 60/2-3, 60/5 at Rayamangalam Village, Kunnathunadu Taluk, Ernakulam District, Q = 6372 m ³	23.10.2014 / Addl. Tahsildar, Kunnathunadu Letter No. G2- 6118/14 dtd. 20.09.14	For agriculture purpose	For levelling of land at Vengoor west village Bl. No. 10 Re. Sy. No. 52/1-3 of Sri. Sajeev Xavier and Koovappadi village Bl. No. 7 Re. Sy. No. 43/3- 6 of Joy	1. Removal should be in terraced manner limiting to average depth of 1 m. 2. 2000 m ³	(File No. 687/SEIAA/EC3/5485/2014) Approved the recommendations in Column 7
38.42 Sri. Antony Nirappal, Chairman, St. Antones Educational and Charitable Society, P.B. no. 126 Kanjirapally, Idukki- 686507	Ha of land comprised in Sy. no. 63/1/1, 637/1, 633/1 at Peruvanthanam Village, Peruvanthanam Panchayath, Peerumedu Taluk, Idukki District Q = 300 m ³	01.12.2014 / Tahsildar, Peerumedu Certificate no. 10535/14 dtd. 27.10.2014	To level the plot for building construction and widening the road	To level the same plot	1. Nil 2. 300 m ³	(File No. 688 (A) /SEIAA/EC3/5640/2014) Approved the recommendations in Column 7
38.43 Sri. Saji C.K., Chennom Molathu Veetil, Kingimattom P.O., Kollanchery, Ernakulam -682311	0.7451 Hectors of land in Sy. No. 197/12-2, 197/13-2, 197/15-2 at Ikkaranadu South Village, Kunnathunadu Taluk, Ernakulam District Q = 20,000 m ³	01.12.2014 / Tahsildar, Kunnathunadu Letter No. G2- 13406/14 dtd. 23.10.14	For agriculture purpose	For Metro Rail work Muttom Yard, Kochi (no consent has been provided for utilization)	1. For Metro Rail work Muttom Yard, Kochi 2. 6000 m ³	(File No. 691/SEIAA/EC3/5643/2014) Approved the recommendations in Column 7
38.44 Sri. Anto K. Sebastian, Kalathiparambil (H), Vilayankode (P.O.), Kannur-670501	0.0900 Ha of land in Sy. No. 643/1B at Cheruthazham Village, Cheruthazham Panchayat, Kannur Taluk and District Q = 5000 m ³	01-12-2014/ Deputy Collector (DM), Kannur Letter No. L7- 14/54665/13 dated 04-11-2014	For the construction of rain water storage unit	Agriculture purpose	1. Removal should be in terraced manner limiting to average depth of 1m. 2. 1800 m ³	(File No. 692/SEIAA/EC4/5644/2014) Approved the recommendations in Column 7

For the
construction of
rain water
storage unit

For the
construction of
rain water
storage unit

For the
construction of
rain water
storage unit