

Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. P.H.Kurian I.A.S., Member Secretary.

Sub: SEIAA- Environmental Clearance for the Stone quarry project in Survey No. 168, Karukutty Village, Karukutty Grama Panchayat, Afwaye Taluk, Ernakulam District, Kerala State by Sri. Saji Vadakkekara (Proprietor), M/s Planters Aggregates - Granted - Orders issued.

STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY, KERALA

No. 1065//SEIAA/EC3/1912/2016

Dated, Thiruvananthapuram 22.12.2017

- Ref: 1. Application dated.17,12.2015 from Sri. Saji Vadakkekara (Proprietor), M/s Planters Aggregates, Palissery, Ezhaffumugham P.O., Angamaly, Ernakulam, Kerala-683 577
 - 2. Minutes of the 69th meeting of SEAC held on 9th & 10th March 2017
 - 3. Minutes of the 73rd meeting of SEAC held on 30th & 31st May 2017
 - 4. Minutes of the 71st meeting of SEIAA held on 20.07.2017
 - 5. Minutes of the 74th meeting of SEIAA held on 09th October 2017
 - 6. Minutes of 76th meeting of SEIAA held on 16th November 2017
 - 7. Affidavit dt.30.11 2017 received from Sri. Saji Vadakkekara (Proprietor), M/s Planters Aggregates

ENVIRONMENTAL CLEARANCE NO.102/2017

Sri. Saji Vadakkekara (Proprietor), M/s Planters Aggregates, Palissery, Ezhattumugham P.O., Angamaly, Ernakulam, Kerala-683 577, vide his application dated 17.12.2015 has sought Environmental Clearance under EIA Notification, 2006 for the quarry project in Sy. No. 168, Karukutty Village, Karukutty Grama Panchayat, Alwaye Taluk, Ernakulam District, Kerala State for an area of 4.1885 hectares. The project comes under Category B, Activity 1(a), (i) as per the Schedule of EIA Notification 2006 (since it is below 50 hectares) and as per O.M. No. L-11011/47/2011-IA.II(M) dated 18th May 2012 of Ministry of Environment and Forests. It is further categorized as Category B2 as per Notification No.S.O.141 (E)

dt.15.01.2016 of Ministry of Environment and Forests, since the area of the project is below 25 hectares.

Details of the project as furnished by the applicant are as follows;

BASIC INFORMATION OF QUARRY (To be filled in by the Project Proponent) PART A

		PART A					
_	I. Project details						
1.	File No.	1065 / EC3 / 2016 / SEIAA					
2.	Name /Title of the project	Environment Clearance for Building Stone Quarry (Minor Mineral) project of M/s Planters Aggregates					
3.	Name and address of project proponent.	Mr. SAJI VADAKKEKARA (Applicant & Proprietor), M/s PLANTERS AGGREGATES, Palissery, Ezhattumugham P.O., Angamaly, Ernakulam, Kerala-683577					
4.	Owner of the land	The land for the proposed quarry is a private owned land and the land is possessed in the name of M/s Planters Aggregates.					
5.	Survey No. District/Taluk/ and Village etc.	Survey No. 168, Karukutty Village, Alwaye Taluk, Ernakulam District, Kerala					
6.	Details of period of lease or permit with number including the beginning and expiry date of lease /permit period (Copy to be attached)	The proposed project proposal is for an area of 4.1885 ha. [with mine lease (P. O. No. 717/2005-2006/2017/M3/2006) valid up to April, 2018] out of the total area of 16.80 ha. But there was no quarrying operation carried out in the said land.					
7.	Present Status of the project a. Date & Year of starting the work of the quarry project b. whether the quarry is working at present or not? c. If stopped working since when?	The proposed project proposal is for an area of 4.1885 ha. [with mine lease (P. O. No. 717/2005-2006/2017/M3/2006) valid up to April, 2018] out of the total area of 16.80 ha. But there was no quarrying operation carried out in the said land.					
8.	Application	17/12/2015					
9	Brief description	The land for the proposed quarry is a private owned land and the land is possessed in the name of M/s Planters Aggregates. The targeted					

		production of mine will be 1,00,000 MTA. The estimated project cost will be Rs. 8 Crores. The expected life of mine estimated will be of about 31 years. The mining operation will be carried out by opencast semi-mechanized method as per approved Mining Plan.
10	Details of Authorized Signatory and address for correspondence	Mr. SAJI VADAKKEKARA (Applicant & Proprietor), M/s PLANTERS AGGREGATES, Palissery, Ezhattumugham P.O., Angamaly, Ernakulam, Kerala-683577
		Land Details
17	in hectares	4.1885 hectares
12	d)Is the property forest land/ Govt. land / own land/patta land	The land for the proposed quarry is a private owned land.
13	e)Quantity of top soil/over burden produced and managed	A total quantity of 93,543 cu. m. of topsoil is proposed to be removed during the mining operations. The topsoil excavated from the quarry will be dumped / stacked separately at pre-determined place and subsequently will be utilized in spreading over reclaimed areas for plantation as part of eco-restoration. About 17,452 cu. m of overburden (OB) will be generated throughout the mine life. This waste will be utilized within the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation.
14	f)Latitude and Longitude	Lafitude (N) 10°16'27.60" to 10°16'35.21" Longitude (E) 76°24'59.17" to 76°25'08.73"
15!	g) Topography of land and elevation	Part of the proposed land is covered with native trees, shrubs, herbs, grass, climbers, bushes etc. The highest elevation of the lease area is 115 m MSL and lowest is 65 m MSL
16	h)Slope analysis	Slope of the lease area is towards North side.
17	i)Will there be any significant land disturbance resulting in soil erosion, subsidence & natural drainage.	Due care will be taken to provide channel all around the foot of hill to collect run off and also to avoid soil erosion. There is no danger of flood or inundation as the proposed working is above the normal ground level. The area is not susceptible to flood.
18	j)Access road to the site width and condition	7m wide tarred road.
19	any adverse impact on the	No, the land used will be fully reclaimed and rehabilitated by backfilling the pits and plantation and pond. Plantation and afforestation will add to the improvement in environment and aesthetic beauty of the area.

	proposal site	
		Mining details
	153.47	Willing uctains
20	I)Minimum and Maximum height of excavation.	The exploitation of mineral is being done from 115 m to 55m MSL in conceptual phase.
21	Life of mine proposed.	About 31 years.
22	Underground mining if any proposed	No underground mining proposed.
23	Method of Mining	The working will be carried out by opencast semi-mechanized method as per the approved Mining Plan
24	Distance from the adjacent quarry	There is one quarry of Mr. Saji Vadakkekkara (M/s Planters Aggregates) in operation within 500m radius which is accorded with environment clearance for an area of 4.8033 ha which is contiguous with the application area.
25.	Cluster condition if any	No cluster condition
26	Has "No cluster certificate" submitted?	Cluster Certificate issued by Department of Mining and Geology, Govt. of Kerala is already submitted with E.C. application.
27	Distance from nearby habitation	Nearest house is at 142 m towards N side of the lease area.
28	Distance from nearby forest, if applicable	Sholayar Reserve Forest, 8.50 km, NE
29	Distance from protected area, Wildlife Sanctuary, National Park etc.	None within the study area
30	Distance from nearby streams /rivers/ National Highway and Roads	Chalakkudy River, 2.50 km, N
31	Is ESA applicable? If so distance from ESA limit	Not in ESA
32	Has approved mining plan, prepared by RQP submitted?	Yes, the approved mining plan prepared by RQP is already submitted along with E.C. Application.
33		1,00,000 MTA

	production in TPA							
34	Details of mining process	The mining will be done by open cast semi-mechanized method of mining. The bench height and width will be maintained 5 m. Excavated material is transported to the crusher unit existing within the complex for further processing. The exploitation of mineral is being done from 115 m to 55m MSL in conceptual phase						
35	I am A am A	I. Details of Project cost						
\vdash	Dlant and	Rs. 8 Crores (All inclusive)						
36	Machinery	Rs. 8 Crores (All inclusive)						
37		Rs. 8 Crores (All inclusive)						
38	V. Financial Statement including funding sourceand details of insurance etc.	Rs. 8 Crores (All inclusive) Insurance = Insurance to the quarry workers would provide through insurance company. Funding = Own source & bank loan						
39	Alanagement Plan	Air Pollution Mining activities will generate certain quantities of dust during drilling, blasting, loading and transportation operations. The following measures will be taken to mitigate the fugitive dust from different operations. Laying of haul road as per the standards, black topping of permanent haul road and service road to avoid or eliminate air – borne dust. To avoid the dust generation from the drilling operations, wet drilling method will be adopted. Drill machines will be equipped with dust collectors. Use of appropriate explosives for blasting and avoiding overcharging of blast holes. Controlled blasting techniques will be adopted. Watering of haul road and other road at regular intervals. Provision of dust filters/ mask to workers working at highly dust prone and affected areas. Provision of green belt all along the periphery of the lease area. Periodical monitoring of ambient air quality						

	The extracted mineral will be transported
	from the quarry to the end user by adopting
	following measures so as to minimize dust
	emissions.
	In case of long transportation the trucks after
	loading will be covered with tarpaulin sheets.
	Speed of the vehicles will be maintained
	within the prescribed limits.
	Trucks will not be over loaded and will be
	maintained to the body level
Water	Provision of storm water collection pond with an
Pollution	appropriate capacity. The water requirement for
Fontation	sprinkling on sources of dust emission, on roads,
	landscaping etc. Can be met from the stored
	rainwater in the pond.
Noise	The major noise generating source from the
	proposed activity is working machinery,
	drilling, blasting and plying of vehicles. The
	following control measures are to be
	undertaken to bring down the noise levels:-
	• Proper maintenance of machinery,
	equipments and improvement on design
	of machines.
	• Use of personal protective devices i.e.,
	earmuffs and earplugs by workers, who are
	working in high noise generating areas.
	• Creation of wide green belt of dense
	foliage between mine areas and residential
	colonies.
	Proper training to personnel to create
	awareness about adverse noise level
	effects.
	• Planned noise monitoring at suitable
	locations in the plant and outside location
	for proper effective remedial actions.
Solid Waste	Topsoil Management
Management	The topsoil excavated from the quarry
	will be dumped / stacked separately at pre-determined place and
	pre-determined place and subsequently will be utilized in
	spreading over reclaimed areas for
	plantation as part of eco-restoration.
	Precautions will be taken to limit the
	height of the topsoil dump / stacked to
	5 to 6 meters in order to preserve its
	fertility and shelf life. It will be
	suitably protected from soil erosion
	and infertility by planting fodder

Ţ.			· · · · · · · · · · · · · · · · · · ·					
			grass and leguminous plants during					
-			temporary storage.					
			Overburden Management					
			This waste will be utilized within the pit for					
			lying of haul roads. At the end use, OB can					
		Fac	be reutilized as soil base for plantation.					
		Eco-	The year wise programme of eco-restoration					
		restoration	for the life of mine will be made and about					
			2,250 trees will be planted in an area of					
-	VI. Whether	Yes.	2.2427 ha.					
	Environment	i es.						
40	1							
''	or Eco restoration							
	Plan satisfactory?							
	VII. Does	Detailed Environ	mont Monggoment Disc. 2011 1 1 1 1 1 1 1					
	it suggest	E.C. Application.	nment Management Plan is already submitted with					
	mitigation	E.C. Application.						
41	measures							
	for each	agt ^à .						
	activity							
-	VIII. If Pre-	Detailed Pre-Fear	sibility Report (PFR) is already submitted with E.C.					
42	Feasibility Report	Application.	stority Report (FFR) is already submitted with E.C.					
	(PFR) satisfactory	rippiiounor.						
10	IV Does it need	Not Applicable						
43	public hearing	ppneasie						
	X. Details of	No litigation pend	ling					
44	litigation and Court							
	verdict if any							
	XI. Details of	None 4						
45	public complaint, if							
	any							
		The following Go	vt. Orders / Policies are to be followed:-					
	XII. Details of	➤ Consents from	Kerala State Pollution Control Board.					
46.	statutory sanction		n Mining & Geology Department.					
	required	Permission from	n Explosive Department					
			n Panchayat Office.					
	XIII.If CRZ	Not Applicable						
47.	recommendation							
	applicable?	·						
	PART B							
	Environment Impact Assessment and Mitigation Measures							
		Impa	act on water					
	a) Details of water	The total water re	quirement is about 15 KLD in which 1 KLD is for					
48	requirement per	domestic which w	rould be sourced from open well, 12 KLD for dust					
	day in KLD	suppression system	n in mine as well as ancillary units and 2 KLD for					
	<u> </u>	plantation will be a	sourced from storm water pond.					
49	b) Water source	1 KLD for domest	ic requirement would be sourced from open well, 12					

	/sources.	KLD for dust suppression system in mine as well as ancillary units
		and 2 KLD for plantation will be sourced from storm water pond.
	c) Expected water	1 KLD for domestic requirement, 12 KLD for dust suppression system
50	use per day in	in mine as well as ancillary units and 2 KLD for plantation
ļ	KLD.	11 - v - o - 11 -
	d) Details of water	12 KLD for dust suppression system in mine as well as ancillary units
51	requirements	and 2 KLD for plantation will be sourced from storm water pond.
	met from water	
	harvesting.	1 water due to the mining
	What are the	No significant impact envisaged on ground water due to the mining
52	impact of the	project.
52	proposal on the	
	ground water?	
	How much of	Nil
	the water	
	requirement can	
!	be met from the	
53	recycling of	
	treated waste	
	water?	
	(Facilities for	
	liquid waste	
	treatment) What is the	The sewage to a tune of 0.80 KLD generated from the mine office will
	incremental	be diverted to the septic tank followed by soak pit.
	pollution load	oc. grvortea to
	from waste	
54	water generated	
	from the	
	proposed	
	activities?	
		Storm water drains with silt traps will be suitably constructed all
		along the periphery of the pit area to collect the run-off from the
		lease area and divert into the storm water pond/tanks proposed
	TT- in the	within the complex.
	How is the	All measures will be taken not to disturb the existing drainage
55	storm water from within the	pattern adjacent to the other property.
	site managed?	> De-siltation traps and storm water collection pond proposed for
	Site managear	silt removal.
	**	> The storm water collected from the lease area will be utilized for
		dust suppression on haul roads, plantation within the premises
		etc.
		ct on Biodiversity and Eco restoration Programmes
	Will the	Due to the mining activities, there will be loss of some native species
	project	and vegetation. However, some of these species will be planted at the
50	involve	end use for eco-restoration.
'`	extensive	•
	clearing or	
	modification	

_		
	of vegetation	
	(Provide	
	details)	
	What ate the	The year wise programme of eco-restoration for the life of mine will
	measures	be made and 2,250 trees will be planted in an area of 2.2427 ha.
	proposed to	Ecological restoration for the mined area by plantation of the species
	minimize the	as per the time schedule suggested below: -
	likely impact	First Six months Herbs & grass
57	on vegetation	Next Six months Shrubs
	(details of	Next Six months onwards Trees
	proposal for	Selection of species is based on High Dust Capturing, Soil Holding
	tree	Capacity, ground water recharge capacity etc. More focus is given for
	plantation/	medicinal plants.
İ	landscaping)	F
\vdash	Is there any	
İ	displacement	
	of fauna —	Gas.
	both terrestrial	Not applicable
	and aquatic	
	If so what are	
50	the mitigation	
58	measures?	No endangered species found at site
	Presence of	
	any	
	endangered	
	species or red	
	listed category	
	(in detail)	
		Impact on Air Environment
	What are the	Details already provided at EMP section at Sr. No. 39 above.
	mitigation	
	measures on	
59	generation	
	of dust.	
	smoke and	
	air quality	
	Details of	Designated space will be provided for parking of truck / tipper within
	internal	the site. For the purposes of mining activities, existing roads are
60	traffic	sufficient. However, haul road will be suitably developed within the
-	management	proposed area. Speed of the vehicles will be maintained within the
	of the site.	prescribed limits (Speed Governor fitted).
	Details of	1 () () () () () () () () () (
	noise from	Details already provided at EMP section at Sr. No. 39 above.
	traffic,	The state of the s
ارر	machines	
61	and vibrator	
	and	
	mitigation	
	measures	

	Impact of DG sets	
	and other	Details provided at EMP section at Sr. No. 39 above and air, noise and
	equipments on	water sampling reports were already submitted with EC Application.
	noise and vibration	
62	and ambient air	
~	quality around the	
	project site and	
	mitigation	
	measures	
		Details provided at EMP section at Sr. No. 39 above and air, noise and
63	Air quality	water sampling reports were already submitted with EC Application.
i	monitoring in detail	
r	D + '1 C	Energy Conservation The total power requirement will be 75 kW, which will be drawn from
	Details of power	
64.	1	diesel engine. Fuel Quantity – 16 to 20 lt/hr.
	source of supply.	
	Details of	We will promote renewable energy resources
65	renewable energy	
	(non –	
i	conventional) used.	
		Risk Management
	Are there sufficient	
	measures proposed	
66	for risk hazards in	Detailed Environment Management Plan is already submitted with
	case of emergency	E.C. Application.
,	such as accident at	
	the site?	
	Are proposals for	Barbed wire fencing will be done all around the quarry site.
	fencing around the	
	quarry satisfactory?	The stone quarry mine will result in increase in frequency of blasting for
	quality satisfactory:	mining the mineral. However, controlled blasting with optimum charge of
	61	holes will be carried out to loosen the rock. Explosion hazards are
-7	Storage of	envisaged due to mishandling of explosives. Explosives will be handled
67	SSS -	with utmost care in compliance of conditions imposed by Chief Controller
1	hazardous	of Explosive & Metalliferous Mines Regulation, 1961.
	substance in detail	
	Tability for salid	Top soil and over burden generated from the site will be stored separately
	Facility for solid	on earmarked place and will be used for eco-restoration and internal road
	waste management	development.
		Socio Economic Impacts
	Will the project	No
	cause adverse	
	effects on local	
	communities	
68	disturbance to	
	sacred sites or other	
	cultural values.	
	What are the safe	
	guards proposed?	
69	Will the proposal	The mining project will directly / indirectly develop the area by
09	w in the proposar	The finning project win directly indirectly develop the area by

Γ-			
		result in any changes to the demographic	providing employment opportunities. With the proposed development in and around the area there will be many supporting facilities/infrastructure eventually leading to the development of the area.
		structure of local population. If so,	minustrative eventually leading to the development of the area.
_	i	provide details.	
			Yes.
7	70	Are the CSR proposals satisfactory. Give details	A detailed study on social status of the project site surroundings & need base study on proposed CSR activities were carried out and the copy of report was submitted with EC Application. The project proponent will set apart Rs. 10 Lakhs (non-recurring) and Rs. 10 Lakhs (recurring) for CSR activities for the welfare of the local community in consultation with the local body.
		What are the	community in consultation with the local body.
7	1	projects benefits in terms of employment	Due to the mining activity and due to the attached ancillary unit, there will be workers attracted to the project area. It is proposed to employ 22 persons in the project.
L	_	potential?	
			PART C
		Details of NABET approved EIA	M/s Environmental Engineers & Consultants Pvt. Ltd. (NABET Accredited Consultant Organization)
72	- 1	Consultant	(I ganization)
/ /		engaged-Their name, address and	Head Office :- A1-198, Janak Puri, New Delhi.
		accreditation	
.	4	details	Branch Office:-
_	⊥.		C-306, Kanchanjunga Apartments, Palarivattom P.O., Kochi, Kerala.
			Summary and Conclusion
			It is predicted that socio-economic impact due to this project will
			positively increase the chance of more employment opportunities for
l			local inhabitants. There are no Resettlement and Rehabilitation issues
			involved in this project. The project infrastructures will be of use to
			people of the area. The revenue of the State Govt. will be definitely
	1	Overall	increasing due to the proposed activity. The entire project area is
73		ustification for	devoid of any endangered flora and fauna. It is proposed to reclaim the land and develop green cover for eco-restoration with native
		mplementation of	species to a maximum possible extent. Additionally, an area is
	ן נ	he project.	earmarked outside the proposed mining area for compensatory
İ			mass plantation. Also, a storm water pond is proposed outside the
			mining area for storage of rain water and for its subsequent use so
			as to conserve tresh water consumption. Thus the proposed project
			is not likely to affect the environment or adjacent ecosystem
	F		adversely.
			Detailed Pre-Feasibility Report (PFR) with Environment Management
74		ave been	Plan (EMP) is already submitted with E.C. Application.
		nitigated.	

2. The proposal was placed in the 69th meeting of SEAC held on 9th & 10th March 2017. Further to the intimation the Proponent and the RQP attended the meeting and RQP made a power point presentation about the salient features of the project. The Committee appraised the proposal based on the Mining Plan, Pre-feasibility Report and all other documents submitted along with Form1. The proponent agreed to set apart Rs.10 lakh (non-recurring) and Rs.10 lakhper annum (recurring) for CSR activities for the welfare of the local community in consultation with the local Panchayat. The Committee decided to defer the item for field inspection. During Field visit, whether the conditions stipulated in the E.C given for the adjoining quarry of the proponent have been adhered to has to be examined closely.

Subsequently, site visit was conducted on 08.04.2017 by Subcommittee consisting of Er.P.Sreekumaran Nair, Dr.K.G.Padmakumar & Dr.E.A.Jayson. The representatives of the proponent were present at the site at the time of site visit. The report is as follows;

Mr. Saji Vadakkekara (Proprietor), M/s Planters Aggregates, Palissery, Ezhattumugham P.O., Angamaly, Ernakulam, Kerala-683 577, vide his application received online 19/12/2015 and, has sought Environmental Clearance under EIA Notification, 2006 for the quarry project in Sy. No. 168, Karukutty Village & Karukutty GramaPanchayat and Re-Survey No. 168, Karukutty Village & Karukutty GramaPanchayat, Alwaye Taluk, Ernakulam District, Kerala Statefor an area of 4.1885 hectares. The proposed project site falls within Latitude 10°16'27.60" to 10°16'35.21" N to Longitude 76°24'59.17" to 76°25'08.73" E. The lease area consists of 4.1885 hectares, which is private own land. The proposed project is for quarrying of 1,00,000 MTAof building stone.

Distance of the mining area from the pearest human settlement is recorded as 142m towards N side. The project area does not fall into any ESA village. Sholayar R.F.—is at 8.5 Km. NE. Nearest river is Chalakkudy River, at 2.50 km, North. There is one quarry in operation located within 500m radius. The run-off from the lease area shall have to be passed through channels and will be stored in storm water pond which could be recycled in Mine/ Crusher units, run as ancillary unit by the proponent.

The haul road and service roads has been laid dust free, Display boards placed commendably well and the whole premises has been kept clean and this is a well-managed quarry. The committee was impressed with cleanliness and the green belt around, and evensports court and recreation facility has been provided for the use of employees and workers. A quarry of the same management is working adjacently with environmental clearance. This quarry is now functioning with benches and the overburden is also stored in the designated places.

- 3. The proposal was considered in the 73rd meeting of SEAC held on 30th and 31st May 2017. The Committee verified the additional documents submitted by the proponent and found satisfactory. Based on the Mining plan, Form.1, all other documents submitted with the proposal and the field visit report, the committee decided to **Recommend for issuance of EC** subject to general conditions in addition to the following specific condition.
 - 1. If any plant species endemic to Western Ghats are noticed in the area they shall be properly protected in situ or by transplanting to an appropriate location inside the

lease area.

The proponent agreed to set apart Rs. 10 lakh (non-recurring) and Rs. 10 lakh per annum (recurring) for CSR activities for the welfare of the local community in consultation with the local body.

4. The proposal was placed in the 71st meeting of SEIAA held on 20.07.2017. Authority accepted the recommendation of SEAC and decided to issue EC subject to obtaining legal opinion as decided in the 66th SEIAA meeting whether quarrying on lease areas without Environmental Clearance would also come under the scope of violation.

EC is recommended subject to the general condition in addition to the following specific condition.

If any plant species endemic to Western Ghats are noticed in the area they shall be properly protected in situ or by transplanting to an appropriate location inside the lease area.

The proponent should set apart an amount of Rs. 10 lakh (non-recurring) and Rs. 10 lakh per annum (recurring) for CSR activities for the welfare of the local community in consultation with the local body. A notarised affidavit for the commitment of CSR activities and agreeing all the general and specific conditions should be submitted before the issuance of EC.

- 5. Then the proponent vide letter dt.15.09.2017 stated that though there is a mine lease for the area under consideration, there is no mining activity in progress in the area and therefore there is no violation of the provisions of law. The Sub Committee report states that the Mining activity is in progress in the adjoining land to the area under consideration which is already obtained Environmental Clearance. Since no mining activity is carried out in the proposed area the proponent requested to accord EC for the project.
- 6. The proposal was placed in the 74th meeting of SEIAA held on 09th October 2017. Authority decided to conduct a site visit to verify the present status of the project.

Accordingly the Chairman and the Member SEIAA conducted the site visit on 25.10.2017 to M/s Planters Aggregates, owned by Mr.Saji Vadakkekara (Proprietor), Palissery, Ezhattumugham P.O., Angamaly, Ernakulam, Kerala-683 577, as per the decision of 74th SEIAA to verify the present status of the project. The Administrator, SEIAA was also present. The project is fresh one and no quarrying operations are carried out at the project site.

7. The proposal was finally placed in the 76th meeting of SEIAA held on 16th November 2017. Authority accepted the recommendation of SEAC and decided to issue EC subject to the general condition in addition to the following specific condition.

- 1) The mandatory distance between the existing and the proposed quarry should be maintained.
- 2) If any plant species endemic to Western Ghats are noticed in the area they shall be properly protected in situ or by transplanting to an appropriate location inside the lease area.

The proponent should set apart Rs. 10 lakh (non-recurring) and Rs. 10 lakh per annum (recurring) for CSR activities for the welfare of the local community in consultation with the local body and the details should be forwarded to SEIAA. A notarised affidavit for the commitment of CSR activities and also agreeing to all the general and specific conditions should be submitted before the issuance of EC. The proponent has submitted the affidavit vide reference 7th cited agreeing all the above conditions.

- 8. Environmental Clearance as per the EIA Notification 2006 is hereby accorded for the proposed quarry project of Sri. Saji Vadakkekara (Proprietor), M/s Planters Aggregates, Palissery, Ezhattumugham P.O., Angamaly, Ernakulam, Kerala-683 577, in Survey No. 168, Karukutty Village, Karukutty Grama Panchayat, Alwaye Taluk, Ernakulam District, Kerala for an area of 4.1885 hectares, subject to the specific conditions as in para 7 above, all the environmental impact mitigation and management measures undertaken by the project proponent in the Form I, EMP, PFR and Mining plan submitted to SEIAA. The assurances and clarifications given by the proponent will be deemed to be a part of these proceedings as if incorporated herein. Also the general conditions for projects stipulated for mining (items 1 to 61), appended hereto will be applicable and have to be strictly adhered to.
- 9. The Clearance issued will also be subject to full and effective implementation of all the undertakings given in the application form, mitigation measures as assured in the Environment Management Plan and the mining features including progressive mine closure plan as submitted with the application and relied on for grant of this clearance. The undertakings and conditions subject to all the mining features, Environmental Management Plans as undertaken in the Mining Plan and EMP submitted to SEIAA will be deemed to be part of this proceedings as conditions as undertaken by the proponent, as if incorporated herein.
- 10. Validity of the Environmental Clearance will be five years from the date of this clearance, subject to inspection by SEIAA on annual basis and compliance of the conditions, subject to earlier review of E.C in case of violation or non-compliance of conditions or genuine complaints from residents within the security area of the quarry.
- 11. Compliance of the conditions herein will be monitored by the State Environment Impact Assessment Authority or its authorised offices and also by the regional office of the Ministry of Environment & Forests, Govt. of India, Bangalore.
 - Necessary assistance for entry and inspection should be provided by the project proponent and those who are engaged or entrusted by him to the staff for inspection or

monitoring.

- ii. Instances of violation if any shall be reported to the District Collector, Ernakulam.
- iii. The given address for correspondence with the authorised signatory of the project is Sri. Saji Vadakkekara (Proprietor), M/s Planters Aggregates, Palissery, Ezhattumugham P.O., Angama ly, Ernakulam, Kerala-683 577.

Sd/P.H.KURIAN I.A.S,
Member Secretary (SEIAA)

To,

Sri. Saji Vadakkekara (Proprietor), M/s Planters Aggregates, Palissery, Ezhattumugham P.O., Angamaly, Ernakulam, Kerala-683 577

Copy to,

- 1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block, Koramangala, Bangalore-560034.
- 2. The Additional Chief Secretary to Government, Environment Department, Government of Kerala.
- 3. District Collector, Ernakulam
- 4. Director, Mining & Geology, Thiruvananthapuram -4.
- 5. The Member Secretary, Kerala State Pollution Control Board
- 6. District Geologist, Ernakulam
- 7. Tahsildhar, Alwaye Taluk, Ernakulam
- 8. Chairman, SEIAA.
- 9. Website.
- 10. S/f
- 11. O/c

Forwarded/By Order

Administrator, SEIAA

			٠		
				·	
		·			

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA

GENERAL CONDITIONS (for mining projects)

- 1. Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR / KPBR, unless otherwise specified.
- 2. Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.
- 3. Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including of approach road and internal roads.
- 4. Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.
- 5. Sprinklers shall be installed and used in the project site to contain dust emissions.
- 6. Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.
- 7. At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of pit is stipulated in the E.C.
- 8. Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented
- 9. The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc) shall be protected at all times and shall be conspicuous.
- Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.
- 11. Control measures on noise and vibration prescribed by KSPCB should be implemented.
- 12. Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.
- Blasting should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
- 14. A licensed person should supervise/ control the blasting operations.
- 15. Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.
- 16. Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan / specific conditions.
- 17. Height of benches should not exceed 5 m, and width should not be less than 5 m, if there is no mention is the mining plan/specific condition.
- 18. Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.
- 19. Maximum depth of mining from general ground level at site shall not exceed 10m
- 20. No mining operations should be carried out at places having a slope greater than 45°.
- Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.
- 22. The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.
- 23. Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.
- 24. The transportation of minerals should be done in covered trucks to contain dust emissions.
- 25. The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the project.
- 26. Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.
- Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.
- A minimum buffer distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.
- 29. 100 m buffer distance should be maintained from forest boundaries.

- 30. Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.
- 31. All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.
- 32. In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which only the E.C is issued, the project would require a fresh appraisal by this Authority, for which the proponentshall apply and get the approval of this Authority.
- 33. The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- 34. The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
- The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.
- A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.
- The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office.
- 38. The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public
- 39. The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.
- 40. No change in mining technology and scope of working should be made without prior approval of the SEIAA, No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.
- The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.
- 42. Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points & transfer point to reduce fugitive emissions.
- 43. The top soil, if any, shall temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.

- 44. Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.
- 45. Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM₁₀ and PM_{2.5} such as haul Road, loading and unloading points and transfer points it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- 46. Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.
- 47. Measures should be taken for control of noise levels below 85 dBA in the work environment.
- 48. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 49. The funds earmarked for environmental protection measures and CSR activate should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.
- 50. The Regional Office of MOEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (S) of the Regional Office by furnishing the requisite data/information/monitoring reports.
- 51. Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act. 2010.
- 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- 53. The SEIAA may revoke or suspend the order, for non implementation of any of the specific or thisimplementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
- 54. The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any other authority for the same project.
- 55. This order is valid for a period of 5 years or the expiry date of mine lease period issued by the Government of Kerala, whichever is earlier.
- 56. The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.
- 57. The mining operation shall be restricted to above ground water table and it should not intersect ground water table.
- All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution taking centre. Washing of all vehicles shall be inside the lease area'
- 59. Project proponent should obtain necessary prior permission of the competent authorities for drawal of requisite quantity of surface water and ground water for the project.
- 60. Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly reports to SEIAA.
- Occupational health surveillance program of the workers should be under taken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.

For Member Secretary, SEIAA Kerala

JR yb

