



**PROCEEDINGS OF THE ADMINISTRATOR, STATE
ENVIRONMENT IMPACT ASSESSMENT AUTHORITY,
THIRUVANANTHAPURAM**
(Present. MINIMOL V.G)

Sub:- SEIAA – Environmental Clearance for removal of ordinary earth in Re Sy. Nos. 711/1/1, 711/1/2-2 & 711/1/2-1 of Kilikolloor Village, Kollam Taluk, Kollam District, Kerala by Shri. Jithin Abraham Thomas – Granted - Orders issued.

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. 381/A1/2019/SEIAA

dated, Thiruvananthapuram 14.05.2019

- Ref: 1. O.M.No.L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment & Forests, Government of India.
2. Application received on 01.02.2019
3. Minutes of the 94th SEAC meeting held on 12th & 13th March, 2019.
4. Affidavit dated 23.03.2019 submitted by Sri.Jithin Abraham Thomas
5. Minutes of the 95th meeting of SEAC held on 27th & 28th March 2019
6. Minutes of the 91st meeting of SEIAA held on 29th April 2019
7. G.O(Rt.) No.29/2019/Env dated.12.04.2019

ENVIRONMENTAL CLEARANCE NO. 14/2019

Shri. Jithin Abraham Thomas, CRA 77, Panachamoottil, Chennilodu, Medical College P.O, Thiruvananthapuram-695 011, has submitted an application for Environmental Clearance in SEIAA as per the paper read as second above for removal of ordinary earth from the land in Sy. No. 711/1/1, 711/1/2-2 & 711/1/2-1 of Kilikolloor Village, Kollam Taluk, Kollam District, Kerala as per reference read as 2nd paper above. The proposal is for extraction of ordinary earth from an area of 5.45 ares of land for building construction and the quantity proposed is 800 m³.

The proposal was placed before the 94th SEAC meeting held on 12th & 13th March, 2019. A sworn affidavit by the proponent indicating the storage and use of the removed ordinary earth was asked to be submitted to the SEAC.

Upon receiving the affidavit indicating the storage and use of the removed ordinary earth, the proposal was again placed in the 95th meeting of SEAC held on 27th & 28th March 2019. The Committee decided to recommend the proposal for issuance of EC for 6 months.

The proposal after get it recommended by SEAC was placed in the 91st meeting of SEIAA held on 29th April 2019. Authority decided to issue EC subject to the condition that the excavation should be carried out as per KMMC Rules 2015 and as per OM No. L-11011/47/2011-IA.II(M) dt.24.06.2013 of MoEF & CC under EIA Notification 2006.

Environmental Clearance, under Notification S.O. No.1533 (E) dated 26.09.2006 read with O.M. as first paper above of the Ministry of Environment & Forest, Government of India, is hereby accorded to Shri. Jithin Abraham Thomas, CRA 77, Panachamoottil, Chennilodu, Medical College P.O, Thiruvananthapuram -695 011 subject to the conditions suggested by SEIAA for the removal of ordinary earth from an area of 5.45 ares of land in Sy. No. 711/1/1, 711/1/2-2 & 711/1/2-1 of Kilikolloor Village, Kollam Taluk, Kollam District, Kerala. The Environmental Clearance is accorded subject to the following general conditions.

General conditions

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2m from the general ground level of the site (lithomark). The level should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.

- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers/labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The quantity of O.E being excavated from each site is to be deposited at each work site, shall be fixed.
- (xiii) The Environmental Clearance shall be liable to be cancelled in any case of violation of any of the above conditions.

Violation of any of above general conditions as applicable to the particular case will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act, 1986. Non-compliance if any shall be reported to the District Collector, Kollam by the State Environment Impact assessment Authority.


MINIMOL.V.G
Administrator, SEIAA

To,

Shri. Jithin Abraham Thomas,
CRA 77, Panachamoottil,
Chennilodu, Medical College P.O.,
Thiruvananthapuram -695 011

Copy to:

1. District Collector, Kollam
2. Tahsildhar, Kollam Taluk, Kollam District
3. Director, Mining & Geology, Trivandrum
4. District Geologist, Kollam
5. Village Officer, Kilikolloor Village, Kollam Taluk, Kollam
6. Chairman, SEIAA
7. Stock File
8. Website
9. O/C

