

### ABSTRACT

State Environment Impact Assessment Authority, Kerala - Removal of Ordinary Earth from Sy. No. 412/7 of Village Pazhavangadi, Taluk Ranni, District Pathanamthitta Application of Sri. Unnithan Abraham, Nochu Mannil Veedu, Pazhavangadi P.O., Ranni, Pathanamthitta - 689673 - Environmental Clearance - Issued

### STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY

No. 397/SEIAA/KL/2765/2014

Date: 31.10.2014

- Ref: 1. Application dated 13.06.2014 from Sri. Unnithan Abraham, Nochu Mannil Veedu, Pazhavangadi P.O., Ranni, Pathanamthitta - 689673  
2. Letter No. A 2-871/14 dated 21-05-2014 of Additional Tahsildar, Ranni  
3. Minutes of 34<sup>th</sup> meeting of SEIAA held on 24.10.2014

### ENVIRONMENTAL CLEARANCE NO. 37/2014

Sri. Unnithan Abraham, Nochu Mannil Veedu, Pazhavangadi P.O., Ranni, Pathanamthitta - 689673 applied for Environmental Clearance for removal of 765.7 m<sup>3</sup> of ordinary earth from 14.09 ares of land comprised in Sy. No. 412/7 of Village Pazhavangadi, Panchayath Pazhavangadi, Taluk Ranni, District Pathanamthitta for the purpose and in the manner as particularised below:


1	Date of receipt of completed application	:	13.06.2014
<b>a) Undertakings given by applicant</b>			
2	Nature of Land	:	Purayidam
3	Extent of the land in the Sy. No. and extent of land for which permission for removal of ordinary earth is applied for	:	412/7
4	Revenue authority who certified the Application	:	Additional Tahsildar, Ranni
5	Purpose of removal of Ordinary Earth	:	Construction of house
6	If to be transported out of the site, end use of the ordinary earth removed	:	Reconstruction of Kombanker - Theveri road in Niranom Grama Panchayath
<b>b) Appraisal and Recommendation by SEAC</b>			
7	Date of recommendation of SEAC for removal of ordinary earth	:	30.07.2014
<b>(c) Environmental Clearance by SEIAA</b>			
8	Date of clearance given by SEIAA	:	24.10.2014
9	Quantity of ordinary earth sanctioned to be removed	:	205 m <sup>3</sup>
10	Special condition if any for removal of ordinary earth from the site	:	N.A.

2. Environmental Clearance under S.O. No.1533 (E) dated 26.09.2006 read with O.M.No.L-11011/47/2011-1AI (M) dated 24.05.2013 is accorded Sri. Unnithan

Abraham, Nochu Mannil Veedu, Pazhavangadi P.O., Ranni, Pathanamthitta - 689673  
the applicant, to remove 205m<sup>3</sup> of ordinary earth from the land owned by him in  
Sy.No. -412/7 of Pazhavangadi Village, Ranni Taluk in strict compliance with the  
general conditions in the annexure.

3. Violation of any of above undertakings general or special conditions will entail  
cancellation of the EC, in addition to legal action under the provisions of the  
Environment (Protection) Act 1986 and Notification No.S.0.537(E) dated 28.02.2014  
of the MoEF, Govt. of India. Non compliance if any noted shall be reported to the  
District Collector, Pathanamthitta by the Director of Environment and Climate  
Change.



  
For Member Secretary (SEIAA)

To,

Sri. Unnittan Abraham,  
Nochu Mannil Veedu,  
Pazhavangadi P.O.,  
Ranni, Pathanamthitta - 689673

Copy to:

1. District Collector, Pathanamthitta
2. Tahsildar, Ranni
3. Director, Mining & Geology
4. Secretary, Pazhavangadi Grama Panchayath, Ranni
5. Chairman, SEIAA
6. Stock File
7. Website

ANNEXURE

(vide Item C-14 para 1)

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2 m from the general ground level of the site, which should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2 m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The borrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the borrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of borrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to borrowing/excavation of earth.
- (ix) Workers / labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above conditions.



*[Handwritten signature]*

C.S. VALAKI IFS  
DIRECTOR  
Department of Environment & Climate Change  
Pallimukku, Pottan  
Tiruvananthapuram-24