



Proceedings of the State Environment Impact Assessment Authority Kerala

*Present : Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. V. S. Senthil, I.A.S.,
Member Secretary.*

Sub: SEIAA Kerala –Environmental Clearance under EIA Notification, 2006 accorded for
removal of ordinary earth/brick earth - E.C. Granted – Orders issued.

Environmental Clearance

File No. 1044/SEIAA/EC3/742/2016

dated, Thiruvananthapuram-03-01-2017

- Ref: 1. O.M.No.L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of
Environment & Forests, Government of India.
2. Minutes of the 62nd Meeting of SEAC held on 6th & 7th September 2016
3. Minutes of the 60th meeting of SEIAA held on 27-11-2016

ENVIRONMENTAL CLEARANCE NO. 170/2017/OE

Environmental Clearance under notification S.O. No.1533 (E) dated 26.09.2006
read with O.M.No.L-11011/47/2011-1AII (M) dated 24.06.2013 of the Ministry of
Environment & Forest, Government of India, is accorded to the applicant named in
column 2 of the annexure hereto in strict compliance with the following general
conditions and the specific conditions stipulated in column 7 against each application in
the annexure.

General conditions

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2m from the
general ground level of the site, or that specifically stipulated by the Authority in
column 7 of the annexure, whichever is less. The level should be prominently
marked before initiating the work.
- (iii) Removal of earth should be restricted to 2m above to the ground water table at the
site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful
purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent
any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of
burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors
in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers/labourers shall be provided with facilities for drinking water and
sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at

- least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
 - (xii) The quantity of O.E being excavated from each site and to be deposited at each work site shall be fixed.
 - (xiii) The Environmental Clearance shall be liable to be cancelled in any case of violation of any of the above conditions.

Violation of any of above general conditions as applicable to the particular case will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act, 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non-compliance if any shall be reported to the District Collector, Ernakulam by the State Environment Impact assessment Authority.

Sd/
V. S., Senthil, I.A.S.
Member Secretary, SEIAA

To,

Sri. Alex.F, Secretary,
Mynagappally Grama Panchayat,
Mynagappally P.O, Kollam - 690 519

Copy to:

1. District Collector Kollam
2. Additional Tahsildhar, Kunnathur, Kollam
3. Director, Mining & Geology, TVM
4. Secretary, Mainagappally Grama Panchayath, Kollam
5. Chairman, SEIAA
6. Stock File
7. E.C File
8. Website
9. O/C



Rajendran
C. RAJENDRAN CHETTIAR
Administrator
State Environment Impact Assessment Authority
Pellimukku, Pettah
Thiruvananthapuram-24
Phone No: 0471-2742262

Application for Environmental Clearance for removal of Ordinary Earth / Brick Earth for Public works cleared in the 60th meeting of SEIAA held on 27-11-2016

Item No.	Details of Applicant	Description of property with quantity to be excavated	Date of receipt of Application/Details of Recommendations of Revenue authority	Purpose of removal/ use of removed material		Details of recommendations of SEAC with specific condition if any. And quantity permitted to be excavated	Details of decision of SEIAA
				A	B		
1	2	3	4	5	6	7	8
60.07	Sri. Alex.F, Secretary, Mynagappally Grama Panchayat, Mynagappally P.O, Kollam - 690 519	From an area of 2.90 Ares of land in B-10, Sy.No.49/9 at Mainagappally Village, Kunnathur Taluk, Kollam, Quantity=1904.68 m ³	Tahsildar, Kunnathur, Kollam	The road stands in a elevated position, it may cause accidents.	Construction of road in the same IV - Ward	The Committee appraised the proposal and decided to recommend for issuance of Environmental Clearance for removal of required amount of earth to ease the existing gradient. Quantity=1904.68 m ³	File No 1044/SEIAA/EC/1042 /2016 Approved the recommendations in Column-7

Rajendran

U. RAJENDRAN CHETTIAR

Administrator
State Environment Impact Assessment Society
Pallipurukku, Pettai,
Thiruvananthapuram - 6
Phone No: 94471-2742362

