



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), Kerala)

To,

The Owner

JAYAKRISHNAN

Parammal House , South pang P.O Kuruva, Perinthalmanna Malappuram
-679338

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)
in respect of project submitted to the SEIAA vide proposal number
SIA/KL/MIN/272889/2022 dated 17 Jun 2022. The particulars of the environmental
clearance granted to the project are as below.

1. EC Identification No.	EC24B001KL176636
2. File No.	2144/EC1/2022/SEIAA
3. Project Type	New
4. Category	B2
5. Project/Activity including Schedule No.	1(a) Mining of minerals
6. Name of Project	JayaKrishnan
7. Name of Company/Organization	JAYAKRISHNAN
8. Location of Project	Kerala
9. TOR Date	N/A

The project details along with terms and conditions are appended herewith from page
no 2 onwards.

Date: 26/07/2024

(e-signed)
Dr Rathan U kelkar IAS
Member Secretary
SEIAA - (Kerala)

*Note: A valid environmental clearance shall be one that has EC identification
number & E-Sign generated from PARIVESH. Please quote identification
number in all future correspondence.*

This is a computer generated cover page.





**PROCEEDINGS OF THE
STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT
AUTHORITY KERALA, THIRUVANANTHAPURAM**

*(Present: Dr. H. Nagesh Prabhu IFS (Retd), Chairman, SEIAA, Sri. K. Krishna
Panicker, Member, Dr.Rathan U.Kelkar IAS, Member Secretary)*

**Sub:- SEIAA - Environmental Clearance for the Laterite Building Stone Quarry
Project of Sri. Jayakrishnan, Parammal House, South pang P.O., Kuruva,
Perinthalmanna Malappuram - Granted – Orders issued.**

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, KERALA

Proposal No. SIA/KL/MIN/272889/2022

File No. 2144/EC1/2022/SEIAA

- Ref: 1. Application for EC received from Sri. Jayakrishnan on 17.06.2022.
2. Minutes of the 163rd SEAC meeting held on 16th, 17th & 18th April 2024.
3. Minutes of the 142nd meeting of SEIAA held on 30th and 31st May 2024.

ENVIRONMENTAL CLEARANCE NO. 175/L/2024

Sri. Jayakrishnan, Parammal House, South pang P.O., Kuruva, Perinthalmanna Malappuram, read as 1st paper above submitted an application for Environmental Clearance for the Laterite Building Stone Quarry Project for an area of 0.6824 Ha at Re-Survey Nos. 2/5 & 5/2 in Ongallur-1 Village, Pattambi Taluk, Palakkad.

I. Project Details

Sl.No	Particulars	Details
1	Name of the Project	Laterite Building Stone Quarry Project of Sri. Jayakrishnan

2	Proposed Activity	Mining of Laterite Building Stone
3	Name of the Sector & Schedule No. (in the EIA Notification, 2006)	Category B2, Schedule 1(a) Mining of Minerals
4	Name & Address of the Project Proponent	Sri. Jayakrishnan, Parammal House, South pang P.O., Kuruva, Perinthalmanna Malappuram-679338
5	Project Location	
	a) Re Survey Nos.	2/5 & 5/2
	b) Village	Ongallur-1
	c) Taluk	Pattambi
	d) District	Palakkad
6	Extent (in Hectare)	0.6824
7	Project Cost	44 Lakhs
8	Mineable Reserve	The Mining & Geology Department shall re-assess the mineable quantity as per Specific Condition no.(3)

II.EMP Details

Items	Area of Intervention	Non- Recurring cost (Rs.)	Recurring cost for 3 Years
Air Pollution Control	Personal protective equipment to mineworkers		25,000
	Wetting of roads (paved and unpaved) and sprinkler system	1,25,000	1,50,000
	Total	1,25,000	1,75,000
Noise & Vibration Pollution Control	PPEs like Ear Muffs	5,000	15,000
	Notice Boards	2,000	3,000
	Total	7,000	18,000
Water Pollution Control	Construction of Garland Drains with intermittent siltation traps (storm water management)	80,000	35,000
	Seasonal cleaning of Garland drain		30,000

	& desiltation tanks		
	Total	80,000	65,000
Ecological Environment Management	Afforestation plan for site reclamation	40,000	20,000
	Total	40,000	20,000
Solid waste management	Topsoil dumping area yard development	30,000	15,000
	Waste oil management	2,000	3,00
	Total	32,000	18,000
Road development	Road maintenance	2,00,000	
	Total	2,00,000	
Drainage Development Plan	Drainage maintenance	20,000	
	Total	20,000	
Grand Total		5,04,000	2,96,000

III. CER Details

Year	Activities Proposed	Expecting Cost
2023-24	G.W.L.P School, Pulassery at Ongallur Grama Panchayath <ul style="list-style-type: none"> • Boundary wall construction • Side wall pillars • Entrance Gate 	2,00,000
2024 - 25	Garden Area development with Fruiting and Flowering plants	1,00,000
2025 - 26	Maintenance of the boundary wall, entrance and gate (painting and weather protection works), Maintenance of the Garden area by using organic fertilizer, protecting nets etc.	50,000
Total		3,50,000

2. After due appraisal, in the 163rd SEAC meeting, the Committee recommended EC for the mine life of 3 years subject to certain Specific Conditions in addition to the General Conditions.

3. In the 142nd SEIAA meeting, the Authority perused the proposal and noted the decisions of various SEAC/SEIAA meetings held on different dates. The Authority noticed

that the SEAC had appraised the project based on Form 2, Pre-Feasibility Report, Mining Plan, the additional details/documents obtained from the Project Proponent. As per the decision of 134th SEIAA meeting the SEAC in its 163rd meeting reappraised the proposal along with the detailed plan and documents regarding the storage of overburden and mine waste and to prevent damaging drainage thereby properly addressed the concerns raised by SEIAA and recommended EC for the mine life of 3 years, subject to certain Specific Conditions in addition to the General Conditions.

In the above circumstances, the Authority decided to issue Environmental Clearance for the project life of 3 (Three) years, subject to the following Specific Conditions in addition to the General Conditions.

- 1. The Project Proponent shall carry out quarrying as per the approved Mining Plan and the Specific Conditions mentioned hereafter. The Project Proponent should strictly follow the Kerala Minor Mineral Concession Rules 2015 and amendments thereby.*
- 2. The EC shall be valid from the date of execution of permit/lease from the Department of Mining and Geology. The copy of the permit / lease order should be provided to the SEIAA before commencing the mining activity.*
- 3. The mining should be restricted to a maximum depth of 5 m below ground level as proposed in the mining plan, subject to limiting the depth 1 m above the lithomarge.*
- 4. Proper benches should be provided at an interval of every 1.5 m.*
- 5. The Project Proponent should implement the plan to prevent drainage of waste/topsoil and run off water to nearby wells and fields.*
- 6. The excavation activity should not involve blasting.*
- 7. The excavation activity should be restricted to 2m above the groundwater table at the site.*
- 8. The excavation activity should not alter the natural drainage pattern of the area.*
- 9. The excavated pit should be restored by the Project Proponent for agriculture and other useful purposes.*

10. *Appropriate fencing all around the excavated pit should be made to prevent any mishap.*
11. *Measures should be taken to prevent dust emissions by covering excavated earth during transportation.*
12. *Safeguards should be adopted against health risks on account of breeding of vectors in the water bodies created due to the excavation of earth.*
13. *Workers/labourers should be provided with facilities for drinking water and sanitation.*
14. *A berm should be left from the boundary of adjoining field having a width equal to at least half the depth of the proposed excavation.*
15. *A minimum distance of 50m from any civil structure should be kept from the periphery of the project area.*
16. *No water logging should be allowed in the mine pit. Appropriate drainage should be ensured from the project area prior to the commencement of mining.*
17. *The drain should be provided with silt traps and siltation pond and the overflow water should be clarified and drained to the nearest natural drain without any hindrance.*
18. *The drainage system should be cleaned and desilted periodically to facilitate unhindered drainage.*
19. *Measures incorporated in the CER should be implemented within 6 months from the date of EC.*
20. *Transportation of mined material should not be done during the peak hours in the forenoon (8.00am to 10.00am) and afternoon (3.30pm to 5.00 pm)*
21. *As per OM no F.No.22-65/2017-IA.III dated 30th September 2020, under Corporate Environmental Responsibility (CER) the Project Proponent should implement the Environment Management Plan (EMP)/CER as directed by SEAC during appraisal, covering the issues to address the environmental problems in the project region, from the beginning of the project, indicating both physical and financial targets year wise. The EMP/CER shall be implemented in consultation with Local Self Govt.*

Institutions. A copy of the approved EMP/CER shall be made available to the concerned Panchayat for information and implementation support. The indicated cost for implementation of CER activities shall be 2% of the project cost.

22. *As per the directions contained in the OM F.No.22-34/2018-IA.III dated 16th January 2020 issued by MoEF&CC, in obedience to the directions of the Hon'ble Supreme Court the Project Proponent shall, undertake re-grassing the mining area and any other area which may have been disturbed due to his mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc. The compliance of this direction shall be included in the Half Yearly Compliance Report which will be monitored by SEAC at regular intervals.*

23. *The violation of EC condition may lead to cancellation of EC and action under The Environment (Protection) Act 1986..*

4. Environmental Clearance, under Notification S.O. No.1533 (E) dated 14.09.2006 of the Ministry of Environment & Forests, Government of India, is hereby accorded to Sri. Jayakrishnan, Parammal House, South pang P.O., Kuruva, Perinthalmanna, Malappuram-679338 , for the Laterite Building Stone Quarry Project for an area of 0.6824Ha at Re-Survey No. 2/5 & 5/2 in Ongallur-1 Village, Pattambi Taluk, Palakkad for the quantity re-assessed by the Mining and Geology Department as per specific condition No.(3), for a period of Three (3) years from the date of issuance of mine permit, from the Mining and Geology Department subject to the Specific Conditions suggested by SEIAA in Para 3 above in addition to the following General Conditions.

General Conditions

1. *Proponent should obtain all necessary statutory clearances for mining.*
2. *Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.*
3. *Proper retaining wall shall be provided for safeguarding the immediately adjacent property, other buildings and civil structures.*
4. *A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation or as specified in mining plan.*
5. *Mining shall be done as per mining plan and suggestions by SEAC.*
6. *The mining activity should not involve blasting*

7. *The excavation shall not alter the natural drainage pattern of the area.*
8. *Appropriate measures shall be taken to prevent dust pollution caused during laterite cutting.*
9. *Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of laterite building stone.*
10. *Provide 2m x 2m benches for mining depth greater than 3m to prevent slope failures. For soil and soft formation the benches of height 1.5m to 2m are to be provided to prevent collapse of wall.*
11. *Maximum depth of removal of laterite building stone should be limited to 1 m above the clay layer (Lithomarge clay layer). The level should be prominently marked before initiating the work.*
12. *Removal of laterite building stone should be restricted to 2m above the ground water table at the site. The decision taken by the expert team of SEAC in this regard, in relation to details provided in the mining plan, after the field inspection shall be final.*
13. *The top soil and overburden shall be stacked in separate demarcated area and shall be used for reclaiming the excavated pit. Proper measures shall be provided to prevent the erosion of the stacked material.*
14. *The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the mining plan.*
15. *Measures shall be taken to prevent dust pollution by covering of burrowed/excavated laterite building stone during transportation.*
16. *Applicable labour laws for mining shall be followed. Proper masks and onsite facilities shall be provided to the workers. All safety measures shall be followed while cutting laterite using machines.*
17. *Mine has to be closed as per progressive mine closure plan and final mine closure plan.*
18. *If EC period is more than 6 months, half yearly compliance report shall be submitted to SEIAA.*
19. *The Environmental Clearance shall be liable to be cancelled in case of violation of any of the above conditions.*
20. *The minimum distance norm from the boundary/periphery of other properties buildings/civil structures as prescribed in KMMC Rules and other statutory rules*

and orders shall be followed.

21. *Suitable indigenous plants should be planted around the mining area and sides of the haul road as green belt.*

5. Validity of the Environmental Clearance will be for a period of **Three (3) years** from the date of execution of valid mine lease / permit from Mining & Geology Department, subject to the early review by SEAC in case of violation or non-compliance of conditions or genuine complaints from residents within the security area of the quarry.

6. Violation of any of the above Specific & General Conditions as applicable to the particular case will entail cancellation of the Environmental Clearance, in addition to legal action under the provisions of the Environment (Protection) Act, 1986. Non-compliance, if any shall be reported to the **District Collector, Palakkad** by the State Level Environment Impact Assessment Authority Kerala.

7. The Half Yearly Compliance Report (HYCRs) with name of the project, EC No. and date, the period of submission with its contents, compliance report and environmental monitoring data & covering letter have to be uploaded in the Parivesh Portal as per O.M. F.No.IA3-22/1/2022-IA-III(E)-17264 dated 14.06.2022 and the website of the Project Proponent. Hardcopy of HYCRs shall not be acceptable.

8. The given address for correspondence of the Project Proponent is Sri. Jayakrishnan, Parammal House, South pang P.O., Kuruva, Perinthalmanna, Malappuram-679338

**Sd/
Administrator, SEIAA
For Member Secretary, SEIAA**

To,

Sri. Jayakrishnan
Parammal House
South pang P.O.
Kuruva
Perinthalmanna
Malappuram-679338.

Copy to:

1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block, Koramangala, Bangalore-560034.(through e-mail: rosz.bng-mefcc@gov.in)
2. The Secretary to Government, Environment Department, Government of Kerala.
3. The Director, Directorate of Environment & Climate Change, 4th Floor KSRTC Bus Terminal, Thampanoor, Thiruvananthapuram, Kerala 695001.
4. The District Collector, Palakkad
5. The Director, Mining & Geology, Thiruvananthapuram -4.
6. The Member Secretary, Kerala State Pollution Control Board, Thiruvananthapuram
7. The District Geologist, Palakkad
8. The Environmental Engineer, KSPCB, Palakkad
9. The Tahsildhar, Pattambi Taluk, Palakkad
10. The Secretary, Ongallur Grama Panchayath, Palakkad
11. The Chairman, SEIAA.
12. Website.
13. S/f / O/c