



12  
Validity expires on 31.11.14

## Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member; Sri P.K. Mohanty IAS, Member Secretary

Sub: SEIAA Kerala – Removal of ordinary earth/brick earth in Sy. No. 2057 at Kuttichira Village, Chalakudy Taluk, Thrissur District, Kerala by Mr. Shibu P. John – Environmental Clearance under EIA Notification 2006 accorded – Orders issued

### Environmental Clearance

No. 261/SEIAA/KL/1189/2014

dated, Thiruvananthapuram 24.05.2014

Read:- SEIAA Kerala Minutes of the 30<sup>th</sup> meeting dt. 09-05-2014

### ORDER



Mr. Shibu P. John, Pynadath House, Sanjoe Nagar, Karukutty P.O., Emakulam, Kerala has applied for Environmental Clearance on 16.03.2014 in simplified format for removal of 10000 m<sup>3</sup> ordinary earth from 0.8094 hectare of land in Sy. No. 2057 at Kuttichira Village, Chalakudy Taluk, Thrissur District, Kerala, for levelling the land for planting rubber. The removed earth shall be utilized for construction of Kole bund of KLDC Ltd. Forest land is not involved in the project. It is interalia, noted that the project comes under Category B, Activity 1(a), (i) of Schedule of EIA Notification 2006.

The proposal has been appraised by the State Level Expert Appraisal Committee Kerala constituted by the competent authority, as per prescribed procedure in the lights of provisions under the EIA Notification 2006 and subsequent amendments, in its 28<sup>th</sup> meeting held on 25<sup>th</sup> and 26<sup>th</sup> April 2014. SEAC Kerala considering the application, documents and clarifications provided by the proponent in person, recommended environmental clearance to the project.

The SEIAA, after due consideration of the relevant documents and additional clarifications submitted by the project proponent, and in view of the recommendations of SEAC, approved for issuance of Environmental Clearance for the project mentioned above at its 30<sup>th</sup> meeting held on 9<sup>th</sup> May 2014. Accordingly, the State Level Environment Impact Assessment Authority (SEIAA) Kerala constituted by Govt. of India vide Notification No. S.O. 2484(E) dt. 3-11-2011 of Ministry of

Environmental Clearance No. 261/SEIAA/KL/1189/2014

13

Ed 12/13

Environment and Forests, Govt. of India, published in Gazette extraordinary No. 2074 on 3-11-2011 and further amended by Govt. of India vide Notification No. S.O. 546(E) dt. 25.02.2014 of Ministry of Environment and Forests, Govt. of India, published in Gazette extraordinary No. 466 dated 25-02-2014, hereby accord necessary Environmental Clearance to Mr. Shibu P. John, Pynadath House, Sanjoe Nagar, Karukutty P.O., Ernakulam- 683576, Kerala for removal of 10000 m<sup>3</sup> ordinary earth from 0.8094 hectare of land in Sy. No. 2057 at Kuttichira Village, Chalakudy Taluk, Thrissur District, Kerala, as per powers vested with it under the provisions of Environment Impact Assessment Notification - 2006 and subsequent amendments and also under the provisions made in O.M. No. L-11011/47/2011-IA.II(M) dated 18<sup>th</sup> May 2012 of the Ministry of Environment and Forests, Government of India, and further subject to strict compliance of the following specific and General conditions:

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2 m from the general ground level of the site, which should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2 m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the waste bodies created due to burrowing/excavation of earth.
- (ix) Workers / labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of excavation area.
- (xii) The quantity of earth removed should not exceed 10000 m<sup>3</sup> out of which only the portion of earth left after levelling the plot shall be given for the construction of Kule bund of KLDC Ltd.
- (xiii) The Environmental Clearance shall be liable to be cancelled in any case of violation of at guidelines.

Compliance of the above conditions shall be monitored by the Directorate of the Department Environment and Climate Change, Government of Kerala, its agencies and also by the Regional Office of the Ministry of Environment and Forests, Government of India located at Bangalore.

Environmental Clearance No: 261/S/144/KL/1189/2014



Necessary support for entry and inspection should be provided by the project proponent to the staff of the Directorate and Ministry for monitoring purposes. In case of non-compliance of conditions, noted, if any, the Director, Department of Environment and Climate Change shall report the matter to the District Collector concerned to take necessary action under Environment Protection Act 1986.

The given address of correspondence of the Authorized Signatory of the project is:- Mr. Shibu P. John, Pynadath House, Sanjoe Nagar, Karukutty P.O., Ernakulam- 683576, Kerala; Mobile No. 9846719014; Email: Pycons@gmail.com

The validity of EC is for a period of six months from today.



To

Mr. Shibu P. John  
Pynadath House  
Sanjoe Nagar, Karukutty P.O.  
Ernakulam- 683576.

Sd/-  
P.K.Mohanty IAS  
Member Secretary, SEIAA  
and Addl. Chief Secretary to Government  
Environment, Forest & Wildlife Departments

Copy to :

1. IA-Division, Monitoring Cell, MoEF, Paryavaran Bhavan, CGO Complex, Lodhi Road, New Delhi - 110003
2. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4<sup>th</sup> Floor, E&F Wing, II Block Koramangala, Bangalore-560034
3. The Addl. Chief Secretary to Government, Environment Dept., Government of Kerala
4. The Principal Secretary to Government, Local Self Government Department
5. The District Collector concerned
6. The Director, Dept. of Environment and Climate Change, Govt. of Kerala, Tvm - 24.
7. The Director, Mining and Geology Department, Government of Kerala
8. Chairman and Members of SEIAA Kerala
9. Chairman, SEAC Kerala
10. Website uploading
11. Stock file

Forwarded/ By Order

P. Sreekanth Nair  
Director, DoECC  
(Secretariat of SEIAA/ SEAC Kerala)

Environmental Clearance No: 261/SEIAA/KL/1189/2014

Page 3 of 3

This is the true copy of the  
document marked as EXHIBIT  
ANNEXURE referred

in the above case

ADVOCATE