

**State Environment Impact Assessment Authority
(SEIAA) Kerala**

'Devi Kripa', Pallimukku, Pettah P.O., Thiruvananthapuram - 695 024
Ph: +91471-2742264 (Off) 0471-2742554(Dir) +91471-2742554(Fax)

e-mail: environmentdirector@seiaa.org

web: www.seiaa.org

Proceedings of the State Environment Impact Assessment Authority Kerala

Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini Member; Sri. P. Mara Pandiyan IAS,
Member Secretary

Sub: SEIAA Kerala - 38th meeting held on 4-6-2015 – Environmental Clearance under EIA
Notification 2006 accorded for removal of ordinary/ brick earth- Accorded – Orders
issued.

Environmental Clearance

No. 360/SEIAA/EC1/2519/2014

dated, Thiruvananthapuram 9.6.2015

- Ref: 1. O.M.No.L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment
& Forests, Government of India.
2. Minutes of the 38th meeting of SEIAA held on 4-6-2015.

ENVIRONMENTAL CLEARANCE NO. 46 /2015/OE

DISPATCHED

Date 12/8/15
5- letters

Environmental Clearance under notification S.O. No.1533 (E) dated 26.09.2006 read with
O.M.No.L-11011/47/2011-1AII(M) dated 24.06.2013 of the Ministry of Environment & Forest,
Government of India, is accorded to the applicants named in column 2 of the annexure hereto in
strict compliance with the following general conditions and the specific conditions stipulated in
column 7 against each application in the annexure.

General conditions

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2m from the
general ground level of the site, or that specifically stipulated by the Authority in column
of the annexure, whichever is less. The level should be prominently marked before
initiating the work.
- (iii) Removal of earth should be restricted to 2m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful
purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any
mishap.

- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against the health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers/labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above guidelines

3. Violation of any of above general or specific conditions as applicable to the particular case, will entail cancellation of the EC, in addition to legal action under the provisions of the Environment (Protection) Act 1986 and Notification No.S.O.637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non compliance if any shall be reported to the District Collector, by the Director of Environment and Climate Change.

Sd/-

Member Secretary (SEIAA)

✓ To,

Sri. Babu Elias,
Neelankal House,
Mudavoor P.O., Muvattupuzha,
Ernakulam -666869

Copy to:

- ✓ 1. District Collector,
- ✓ 2. Tahsildar,
- 3. DoECC,
- ✓ 4. Director, Mining & Geology,
- ✓ 5. Secretary, Panchayat,
- 6. Chairman, SEIAA
- 7. Stock File
- 8. Website
- ✓ 9. O/C



Forwarded by order

Administrator
SEIAA

Sl. No.	Details of Applicant	Description of property with quantity to be removed	Date of receipt of Application/Details of Recommendations of Revenue authority	Purpose of removal / use of removed material		Details of removal of material	Remarks of SEIAA
				A	B		
38.30	Sri. Ravi K. K. Karimalisetti (H), Mullayam (P.O.), Vairakavu, Thirissur-680751	1Ha of land comprised in Sy.no. 364/1/3,4,5,8,10,15 at Mullayam Village Nadathara Panchayath, Thirissur Taluk, Thirissur District Q =20000 m ³	30-10-2014/ Addl. Tahsildar, Thirissur Certificate No. B1/35792/14 dttd.27.10.2014	To provide ordinary earth for Mannuthy-Wadakkunchery (NH 47) road construction	For the work of Mannuthy-Wadakkanchery (NH 47) road construction	1. Other statutory clearance should be obtained from concerned departments. 2. The quantity of O.E limited to 1000 m ³ subject to the condition that removal should be in terraced manner limiting to average depth of 1 m. 3. 10,000 m ³	(File No. 669/SEIAA/EC1/5187/2014) Approved the recommendations in Column 7
38.32	Smt. P.K. Geetha, Mullakkal Veedu, Kanakkary P.O., Kurumullur, Kottayam-686632	0.1280 Ha of land in Sy.no. 134/16 at Kanakkary Village and Panchayath, Meenachithaluk, Kottayam District Q =400 m ³	13-11-2014/ Deputy Collector, Kottayam Letter No.E12-28501/14 dated 28-08-2014	Leveling the plot	Construction of Chappel-Varyannatom temple road and earth filling of No.14-Anganvadi, Arpukkara Grama Panchayath	1. Nil 2. 400 m ³	(File No. 672/SEIAA/EC4/53512014) Approved the recommendations in Column 7
38.33	Smt. Elcy Abraham, Puthuparumbil (H), Vazhakkala, Kakkana P.O., Ernakulam-682030	20.24 ares of land in Sy. No. 742 Re Sy. No. 1662 (Block-36) at Aluva East Village, Aluva Taluk, Ernakulam District Q =12384 m ³	06.11.2014 / Addl. Tahsildar, Aluva Nil certificate no dttd. 26.09.2014	Elevated ground so,	For Cochlin port- West Island works	1. Removal should be in terraced manner limiting to average depth of 1 m. 2. 8000 m ³	(File No. 674(A)/SEIAA/EC3/5354/2014) Approved the recommendations in Column 7
38.34	Sri. Babu Elias and Smt. Mary Babu, Neelankal House, Muvattupuzha, Ernakulam-666869	0.5188 hectares of land in Sy. No. 491/1-1, 491/1-7 at Velloorkunnam Village, Muvattupuzha Taluk, Ernakulam District Q =10000 m ³	13.11.2014 / Tahsildar, Muvattupuzha Certificate No. F1-10397/14 dttd. 27.10.2014	For Agriculture and house construction	Commercial purpose (Southern Railway Ernakulam South Yard)	1. Removal should be in terraced manner limiting to average depth of 1 m. 2. 4500 m ³	(File No. 674/SEIAA/EC3/5353/2014) Approved the recommendations in Column 7