



Valid till 17.02.2015

Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member; Dr. Nivedita P. Haran IAS, Member Secretary

Sub: SEIAA Kerala - Removal of ordinary earth in Sy. No. 70/2 at Vattamkulam Village and Panchayath, Ponnani Taluk, Malappuram District, Kerala by Mr. Alex Abraham - Environmental Clearance under EIA Notification 2006 - Accorded - Orders issued

Environmental Clearance

No. 294/SEIAA/KL/1493/2014

dated, Thiruvananthapuram 18.09.2014

- Read:- 1. SEIAA Kerala Minutes of the 30th meeting dt. 09-05-2014
2. SEIAA Kerala Minutes of the 32nd meeting dt. 22-08-2014

ORDER

Mr. Alex Abraham, Manager, Green Worth Infrastructures Pvt. Ltd., 1st Floor, FSR Towers, Ponnuruthy, Vyttila P.O., Kochi, has applied for Environmental Clearance on 31.03.2014 in simplified format for removal of ordinary earth from an area of 0.28 hectare of land in Sy. No. 70/2 at Vattamkulam Village and Panchayath, Ponnani Taluk, Malappuram District, Kerala. The earth shall be removed for preparing land for agriculture and to avert danger due to land fall. The removed earth shall be utilized for the renovation of nooradithodu, Ponnani taluk and for construction of bund for development of kole paadam. The application has been duly examined and forwarded by Revenue Divisional Officer, Tirur. It is interalia, noted that the project comes under Category B, Activity 1(a), (i) Schedule of EIA Notification 2006.

The proposal has been appraised by the State Level Expert Appraisal Committee Kerala constituted by the competent authority, as per prescribed procedure in the lights of provisions under the EIA Notification 2006 and subsequent amendments, in its 28th meeting held on 25th and 26th April 2014. SEAC Kerala considering the application, documents and clarifications provided by the proponent in person, recommended environmental clearance to the project, under the usual conditions for mining of brick earth/ordinary earth stipulated in O.M. dt. 24.06.2013 of Ministry of Environment and Forests, for removing ordinary earth not exceeding 5000 m³ to be taken out of the premises.

The SEIAA considered the proposal in its 30th meeting held on 9th May 2014 and in its 32nd meeting held on 22nd August 2014. The SEIAA, after due consideration of the relevant documents and additional clarifications submitted by the project proponent, and in view of the recommendations of SEAC, approved for issuance of Environmental Clearance for the project mentioned above at its 32nd meeting held on 22nd August 2014. Accordingly, the State Level Environment Impact Assessment Authority (SEIAA) Kerala constituted by Govt. of India vide Notification No. S.O. 2484(E) dt. 3-11-

2011 of Ministry of Environment and Forests, Govt. of India, published as Gazette extraordinary 2074 on 3-11-2011 and further amended by Govt. of India with Notification No. 50.54 (F. 25.32.2014 of Ministry of Environment and Forests, Govt. of India, published as Gazette extraordinary No. 466 dated 25-02-2014, hereby accord necessary Environmental Clearance to Mr. Alex Abraham, Manager, Green Worth Infrastructures Pvt. Ltd, 1st Floor, FSI Towers, Ponnunthy, Vyttila P.O., Kochi, on usual conditions for mining of brick earth/ordinary earth stipulated in O.M. No. L-11011/47/2011-IA.II(M) dt. 24.06.2013 of Ministry of Environment and Forests, for removal of ordinary earth not exceeding 5000 m³ to be taken out of the premises, as per powers vested with it under the provisions of Environment Impact Assessment Notification – 2006 and subsequent amendments and also under the provision made in O.M. No. L-11011/47/2011-IA.II(M) dated 18th May 2012 of the Ministry of Environment and Forests, Government of India, and further subject to strict compliance of the following specific and General conditions:

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2 m from the general ground level of the site, which should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2 m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers / labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The quantity of earth removed should not exceed 5000 m³.
- (xiii) The removed earth shall be utilized for the renovation of nooradithodu, Ponnani taluk and for construction of bund for development of kole paadam.
- (xiv) The Environmental Clearance shall be liable to be cancelled in any case of violation of above guidelines.

Compliance of the above conditions will be monitored by the Directorate of the Department of Environment and Climate Change, Government of Kerala or its agencies and also by the Regional Office of the Ministry of Environment and Forests, Government of India located at Bangalore. Necessary support for entry and inspection should be provided by the project proponent to the staff of the Directorate and Ministry for monitoring purposes. In case of non-compliance of conditions, noted, if any, the Director, Department of Environment and Climate Change shall report the matter to the District Collector concerned to take necessary action under Environment Protection Act 1986.

The given address of correspondence of the Authorized Signatory of the project is:- Mr. Alex Abraham, Manager, Green Worth Infrastructures Pvt. Ltd., 1st Floor, FSI Towers, Ponnunthy, Vyttila

P.O., Kochi - 682019; Tel No. 0484-332171; Fax No. 0484-234821; Mob. No. 914206252.
 Email: greenworth@gmail.com.

The validity of EOs for a period of six months from today.

for Member Secretary, SEIAA

To

Mr. Alex Abraham
 Manager, Green Worth Infrastructures Pvt. Ltd.
 1st Floor, F&F Towers, Ponnuruthy, Vyttila P.O., Kochi - 682019;

Copy to :

- ✓ 1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block Koramangala, Bangalore-560034
- ✓ 2. The Addl. Chief Secretary to Government, Environment Dept., Government of Kerala
- ✓ 3. The Revenue Divisional Officer, Tirur
- ✓ 4. The District Collector, Malappuram
- ✓ 5. The Director, Dept. of Environment and Climate Change, Govt. of Kerala, Tvm - 24.
- ✓ 6. The Director, Mining and Geology Department, Government of Kerala
- ✓ 7. The Secretary, Vattankulam Panchayath, Malappuram district
8. Chairman and Members of SEIAA Kerala
9. Chairman, SEAC Kerala
10. Website uploading
11. Stock file

