

## Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. James Varghese, I.A.S., Member Secretary.

Sub: SEIAA- Environmental Clearance for the quarry project in Sy. No. 275/1A by Mr.T.P.Sunil Babu at Trippangottur Village, Thalassery Taluk, Kannur District, Kerala State for an area of 2.3066 Ha - EC granted - Orders issued.

### STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY, KERALA

### No.859/SEIAA/EC4/2988/15

Dated, Thiruvananthapuram 17/08/2017

Ref: 1. Application dated 27/07/2015 from Sri T.P. Sunil Babu, Thankesapurayil, Kandyan House, Narikkottumala P.O., Panoor

2. Minutes of the 64<sup>th</sup> meeting of SEAC, Kerala, held on 16th & 17th November, 2016.

3. Minutes of the 68th meeting of SEAC, Kerala, held on 20th & 21st February 2017.

4. Minutes of the 71st meeting of SEAC held on 20th and 21st April 2017.

5. Minutes of the 69<sup>th</sup> meeting of SEIAA held on 1<sup>st</sup> June 2017.

6. Affidavit dated on 11/07/2017 from Shri.T.P.Sunil Babu

## **ENVIRONMENTAL CLEARANCE NO. 59/2017**

Sri T.P. Sumil Babu, Thankesapurayil, Kandyan House, Narikkottumala P.O., Panoor, vide his application dated on 27/07/2015 has sought Environmental Clearance under EIA Notification, 2006 for the quarry project in Sy. No. 275/1A at Trippangottur Village, Trippangottur Panchayat Thalassery Taluk, Kannur District, Kerala-670693 for an area of 2.3066 hectares. The project comes under Category B/B2, Activity 1(a), (i) as per the Schedule of EIA Notification 2006 (since it is below 50 hectares) and as per O.M. No. L-11011/47/2011-IA II(M) dated 18<sup>th</sup> May 2012 of Ministry of Environment and Forests. It is further categorized as Category B2 as per the O.M. No. J-13012/12/2013-IA-II (I) dt. 24.12.2013 of Ministry of Environment and Forests, since the area of the project is below 25 hectares.

Details of the project as furnished by the Applicant are as follows:

# BASIC INFORMATION OF QUARRY (To be filled in by the Project Proponect) PART A

	<del></del>	- AKI A			
	Project details				
File No. 859 / SEIAA / EC4 / 2988 / 2015					
2.	Name /Title of the project	Environment Clearance for Building Stone Quarry project of Mr. T.P. Sunil Babu for area 2.3066 hectares.			

3.	Name and address of project proponent.	Mr. T.P. SUNIL BABU, Thankesapurayil, Kandyan House, Narikkottumala P.O., Panoor, Kannur District, Kerala-670693			
4.	Owner of the land	Private own land			
5.	Survey No. District/Taluk/ and Village etc.	Survey No. 275/1A of Trippangottur Kannur District, Kerala			
	Details of period of lease or permit with number	The present application area is 2.306 operation at site. The quarry was in permit and the validity of the same and there is no quarry operation at below:-	operation was expir	with a short to ed on 27-10-2	erm   016
	including the	Short Term Permit No. & Date	Valid upto	Short term permit area	
6.	beginning and expiry date of lease/permit period (Copy to	28/2015- 16/MM/GS/CRPS/DOC/M- 3579/15 dt. 28-10-2015	27-10- 2016	0.4047 ha. (40.47 Ares)	
	be attached)	The copy of the short term permit is a	ttached.		
	Present Status of the project  a. Date & Year of	5 10 2015			
	starting the work of the quarry project.	Starting date 28-10-2015.			
7.	b. whether the quarry is working at present or not?	Presently, the quarry is not working.			
	c. If stopped working since when?	The quarry is stopped since 27-10-validity of short term permit.	-2016 due	to the expiry	of
8.	Date of submission of Application	27-07-2015			

9.	Brief description of the project.  Details of Authorized Signatory and	The land for the proposed quarry is private owned land and the land is possessed in the name of Mr. T.P. Sunil Babu. The targeted production of mine will be 50,000 MTA. The estimated project cost will be Rs. 6.32 Crores. The expected life of mine will be about 9 years. The working will be carried out by opencast semi-mechanized method.  Mr. T.P. SUNIL BABU, Thankesapurayil, Kandyan House, Narikkottumala P.O., Panoor, Kannur District, Kerala-670693.			
	1 Entant -C	I. Land Details			
11.	1. Extent of area in hectares	2.3066 ha.			
12.	2. Is the property forest land/Govt. land/own land/pa land	Private own land			
13.	3. Quantity of top soil/over burden produced and managed	A total estimated quantity of 2,002 cu. m. of topsoil is proposed to be removed during the mining operations. The topsoil excavated from the quarry will be dumped separately at pre-determined place and subsequently will be utilized in spreading over reclaimed areas for plantation. Precautions will be taken to limit the height of the topsoil dump to 5 to 6 meters in order to preserve its fertility and shelf life. It will be suitably protected from soil erosion and infertility by planting fodder grass and leguminous plants during temporary storage.  About 2,402 cu.m. of overburden will be generated throughout the mine life. This waste will be utilized within the pit for lying of had roads. At the end use OP can be			
		the pit for lying of haul roads. At the end use, OB can be reutilized as soil base for plantation.			
14.	4. Latitude and Longitude	Latitude (N) 11 <sup>0</sup> 47'51.34" to 11 <sup>0</sup> 47'45.59"  Longitude (E) 75 <sup>0</sup> 39'19.40" to 75 <sup>0</sup> 39'12.70"			
15.	5. Topography of lar and elevation	Part of the proposed land existing quarry and there is no vegetation and remaining part of the proposed land is covered with native trees, shrubs, herbs, grass, climbers, bushes etc.  The highest elevation of the lease area is 279 m MSL and lowest is 219 m MSL.			
16.	6. Slope analysis	Towards south-west side.			
17.	7. Will there be any significant land	Due care will be taken to provide channel all around the foot			

		disturbance	of the hill to collect run off and also to avoid soil erosion.
		resulting in soil erosion, subsidence & natural drainage.	There is no danger of flood or inundation as the proposed working is above the normal ground level. The area is not susceptible to floods.
18.	8.	Access road to the site width and condition	7 m. wide tarred road.
19.	9.	Will there be any adverse impact on the aesthetics of the proposal site	The land used will be fully reclaimed and rehabilitated by backfilling the pits and plantation. Plantation and afforestation will add to the improvement in environment and aesthetic beauty of the area.
			II. Mining details
20.	a)	Minimum and Maximum height of excavation.	The exploitation of mineral is being done from 279 m. MSL to 219 m, MSL in conceptual phase.
21.	b)	Life of mine proposed.	About 9 years
22.	c)	Underground mining if any proposed	Not applicable
23.	d)	Method of Mining	The working will be carried out by opencast semi- mechanized method as per the approved Mining Plan.
24.	e)	Distance from the adjacent quarry	There is no quarry in operation within 500 m. of the proposed quarry. In this regard cluster certificate is submitted along with the application.
25.	<b>f</b> )	Cluster condition if any	The copy of cluster certificate is already submitted with the Environment Clearance Application.
26.	g)	Has "No cluster certificate" submitted?	Cluster certificate is already submitted with Environment Clearance Application.
27.	h)	Distance from nearby habitation	101 m. (NW direction)
28.	i)	Distance from nearby forest, if applicable	Kannavam Reserve Forest about 3 km. (W)
29.	j)	Distance from protected area, Wildlife Sanctuary, National Park etc.	Aralam Wildlife Sanctuary within 15 km. (Application for Wildlife Clearance from NBWL at MoEF was submitted)
30.	k)	Distance from nearby streams/rivers/Natio nal Highway and	Water Bodies:- Anjarakandy River, 5 km, N Ponniyam River, 10 km, W

	Roads	Highway - SH-38, 12 km, W
31.	Is ESA applicable?     If so distance from     ESA limit	Not falling in ESA
32.	m) Has approved mining plan, prepared by RQP submitted?	Yes, the approved mining plan prepared by RQP is already submitted along with the application.
33.	n) Capacity of production in TPA	50,000 MTA
34.	o) Details of mining process	The mining will be done by open east semi-mechanized method of mining. The bench height and width will be maintained 5 m. Excavated material is transported to the crusher unit available outside the complex for further processing. The ultimate depth of the mine workings is estimated to reach upto 219 m MSL.
		III.Details of Project cost
35.	a) Land cost	Rs. 6.32 Crores (All inclusive)
36.	b) Plant and Machinery	Rs. 6:32 Crores (All inclusive)
37.	c) Total Cost	Rs. 6.32 Crores ( All inclusive )
38.	V. Financial Statement including funding source and details of insurance etc.	Project Cost = Rs. 6.32 Crores  Insurance = Insurance to the quarry workers would provide through insurance company.  Funding = Own source & bank loan
39.	Management Plan	Air Pollution  Mining activities will generate certain quantities of dust during drilling, blasting, loading and transportation operations. The following measures will be taken to mitigate the fugitive dust from different operations.  • Laying of haul road as per the standards, black topping of permanent haul road and service road to avoid or eliminate air – borne dust.  • To avoid the dust generation from the drilling operations, wet drilling method will be adopted.  • Drill machines will be equipped with dust collectors.  • Use of appropriate explosives for

	, · · · · · · · · · · · · · · · · ·		
			blasting and avoiding overcharging of blast holes.
			<ul> <li>Controlled blasting techniques will be adopted.</li> </ul>
			Watering of haul road and other road
	:		at regular intervals.
			Provision of dust filters/ mask to
			workers working at highly dust prone
	·		and affected areas.
			Provision of green belt all along the periphery of the lease area.
			Periodical monitoring of ambient air
			quality in and around the lease area.
			The extracted mineral will be
			transported from the quarry to the end
			user by adopting following measures so
			as to minimize dust emissions.
			• In case of long transportation the trucks after loading will be covered
			with tarpaulin sheets.
			• Speed of the vehicles will be
			maintained within the prescribed
	****		limits.
			• Trucks will not be over loaded and
		XXI.	will be maintained to the body level Provision of storm water collection pond
		Water Pollution	with an appropriate capacity. The water
		1 Ollucion	requirement for sprinkling on sources of
			dust emission, on roads, landscaping etc.
			Can be met from the stored rainwater in
		22 <sup>11</sup>	the pond/tank.
		Noise	The major noise generating source from the proposed activity is working
			machinery, drilling, blasting and plying
			of vehicles. The following control
			measures are to be undertaken to bring,
			down the noise levels:-
			Proper maintenance of machinery,  and improvement on
-			equipments and improvement on design of machines.
		Os.	* Use of personal protective devices i.e.
·   · ·	· · · · · · · · · · · · · · · · · · ·	and the second	earmuffs and earplugs by workers, who
·  -	· · · · · · · · · · · · · · · · · · ·		are working in high noise generating
			areas.
			• Creation of wide green belt of dense
			foliage between mine areas and residential colonies.
			<ul> <li>Proper training to personnel to create</li> </ul>
	<u>.                                    </u>		1 Topol duling to personner to create

_		· · · · · · · · · · · · · · · · · · ·
		awareness about adverse noise level effects.
ļ		Planned noise monitoring at suitable locations in the plant and outside location for proper effective remedial
		actions.
		Solid Waste Topsoil Management
		Management   The topsoil excavated from the quarry
	·	will be dumped / stacked separately at
		pre-determined place and subsequently
		will be utilized in spreading over reclaimed areas for plantation as part of
		eco-restoration. Precautions will be taken
		to limit the height of the topsoil dump /
		stacked to 5 to 6 meters in order to
		preserve its fertility and shelf life. It will
	:	be suitably protected from soil erosion and infertility by planting fodder grass
. [		and leguminous plants during temporary
		storage.
İ		Overburden Management
	*	This waste will be utilized within the pit for lying of haul roads. At the end use,
		OB can be reutilized as soil base for
		plantation.
		Eco- The year wise programme of eco-
ŀ		restoration restoration for life of mine will be made
		and about 2,200 trees will be
	VI. Whether	planted in an area of 2.1922 ha.
1 20	Environment	
40.	Management Plan or	Yes.
	Eco restoration Plan	
İ	satisfactory?	
	VII. Does it suggest	
41.	mitigation measures for	Detailed Environment Management Plan is already
	each activity	submitted with E.C. Application.
_	VIII. If Pre-Feasibility	
42.	Report (PFR)	Detailed Environment Management Plan is already
	satisfactory	submitted with E.C. Application.
43.	IX. Does it need	Not Applicable
43.	public hearing	Not Applicable
	X. Details of	N. 122
44.	litigation and Court	No litigation pending.
	verdict if any	

	XI. Details of public	None	
45.	complaint, if any	None	
46.	XII. Details of > Con > Per required > Per		ollowing statutory sanction required:- msents from the Kerala State Pollution Control Board. rmission from Mining & Geology Department. rmission from Explosive Department rmission from Panchayat Office
47.	XIII. If CRZ recommendation applicable?	Not A	Applicable
	Envisorment I	mnaat	PART B
-	Environment		Assessment and Mitigation Measures Impact on water
48.	a) Details of water     requirement per day in     KLD		The total water requirement is about 5 KLD
49.	b) Water source/sources.		The total water requirement is about 5 KLD in which 1 KLD is for domestic which would be sourced from open well, 2 KLD for dust suppression system in mine and 2 KLD for plantation purposes and will be sourced from storm water pond/tank.
50.	c) Expected water use per day in KLD.		5 KLD.
51.	d) Details of water requirements met from water harvesting.		2 KLD for dust suppression system in mine and 2 KLD for plantation purposes and will be sourced from storm water pond/tank.
52.	water?		No significant impact envisaged on ground water due to the mining project.
53.	f) How much of the water requirement can be met from the recycling of treated waste water?  (Facilities for liquid waste treatment)		No.
54.	g) What is the incremental pollution load from waste water generated from the proposed activities?		The sewage to a tune of 0.8 KLD generated from the mine office will be diverted to the septic tank followed by soak pit.
55.	h) How is the storm water		<ul> <li>Storm water drains with silt traps will be suitably constructed all along the periphery of the pit area to collect the run-off from the lease area and divert into the storm water pond/tanks proposed within the complex.</li> <li>All measures will be taken not to disturb the existing drainage pattern adjacent to the other property.</li> <li>De-siltation traps and storm water collection pond</li> </ul>

— п		<del></del>	managed for gilt removed
			<ul><li>proposed for silt removal.</li><li>The storm water collected from the lease area will</li></ul>
			be utilized for dust suppression on haul roads,
<u> </u>			plantation within the premises etc.
L			ity and Eco restoration Programmes
	a)	Will the project involve	Due to the mining activities, there will be loss of
56.		extensive clearing or	some native species and vegetation. However, some
50.		modification of vegetation	of these species will be planted at the end use for
		(Provide details)	eco-restoration.
		-	The year wise programme of eco-restoration for the
			life of mine will be made and about 2,200 trees will
			be planted in an area of 2.1922 ha.
			Ecological restoration for the mined area by
	b)	What are the measures	plantation of the species as per the time schedule
		proposed to minimize the	suggested below: -
57.		likely impact on vegetation	First Six months Herbs & grass
		(details of proposal for tree	Next Six months Shrubs
		plantation/landscaping)	Next Six months onwards Trees
		1 3,	Selection of species is based on High Dust
		•	Capturing, Soil Holding Capacity, ground water
			recharge capacity etc. More focus is given for
			medicinal plants.
	c)	Is there any displacement	
	ν,	of fauna – both terrestrial	
		and aquatic. — If so what	No.
		are the mitigation	
58.		measures?	
	a	Presence of any	No endangered species found at site
	u)	endangered species or red	
	ň	listed category (in detail)	
- <del></del>	- (c)		et on Air Environment
.::(4:	<u> </u>		
go.	a)	What are the mitigation	Details already provided at EMP section at Sr. No.
59.		measures on generation of	39 above.
		dust, smoke and air quality	Deinst 1 will be anywided for norting of
	" Wasi.		Designated space will be provided for parking of
			truck/tipper within the site.
· '	b)	Details of internal traffic	For the purposes of mining activities, existing roads
60.	· ,	management of the site.	are sufficient. However, haul road will be suitably
			developed within the proposed area.
		·	Speed of the vehicles will be maintained within the
	_		prescribed limits (Speed Governor fitted).
	c)	Details of noise from	
61.		traffic, machines and	Details already provided at EMP section at Sr. No.
01.		vibrator and mitigation	39 above
		measures	
	d)	Impact of DG sets and	
	'	other equipments on noise	Details already provided at EMP section at Sr. No.
62.		and vibration and ambient	39 above
		air quality around the	·
	Ц	an damin's mountains	

	·	project site and miti measures	gation	
63.	e)	Air quality monitoring in detail		Details already provided at EMP section at Sr. No. 39 above.
		· · · · · · · · · · · · · · · · · · ·	Er	nergy Conservation
64.	a)	Details of power requirement and sou supply.	irce of	The total power requirement will be 75 kW, which will be drawn from diesel engine.
65.	b)	Details of renewable energy (non – conventional) used.		We will promote renewable energy resources.
			I	Risk Management
66.	a)	Are there sufficient measures proposed for risk hazards in case of emergency such as accident at the site?	with E.	ed Environment Management Plan is already submitted .C. Application.
67.	b) c) d)	Are proposals for fencing around the quarry satisfactory?  Storage of explosives/hazard ous substance in detail  Facility for solid waste management	Barbed wire fencing will be done all around the quarry site.  The stone quarry mine will result in increase in frequency of blasting for mining the mineral. However, controlled blasting with optimum charge of holes will be carried out to loosen the rock. Explosion hazards are envisaged due to mishandling of explosives. Explosives will be handled with utmost care in compliance of conditions imposed by Chief Controller of Explosive & Metalliferous Mines Regulation, 1961.  Top soil and over burden generated from the site will be stored separately on earmarked place and will be used for ecorestoration and internal road development.	
:			Soci	io Economic Impacts
68.	a)	Will the project cause adverse effects on local communities disturbance to sacred sites or other cultural	No	

	1s west	<del></del>	· · · · · · · · · · · · · · · · · · ·
	values. What are the safe guards proposed?		
69.	b) Will the proposal result in any changes to the demographic structure of local population. If so, provide details.		
		Yes.  A detailed study on social surroundings & need base stud were carried out. The summary	ly on proposed CSR activities
		Sl. Particulars	Rs in lakhs (approx.)
70.	c) Are the CSR proposals satisfactory. Give details	1 Promotion of Education  2 Health care  3 Infrastructure Development  Total  Due to the mining activity and	Rs. 1.70 Lakhs ( Recurring) Rs. 5.12 Lakhs (Non-recurring) Rs. 1.60 Lakhs ( Recurring) Nil (Non-recurring) Rs. 2.20 Lakhs ( Recurring) Rs. 1.25 Lakhs (Non-recurring) Rs. 5.50 Lakhs (Recurring) Rs. 6.37 Lakhs (Non-recurring)
71.	projects benefits in terms of employment potential?	unit, there will be workers attra proposed to employ 20 persons	acted to the project area. It is
		PART C	
72.	Details of NABET approved EIA Consultant engaged-Their name, address and accreditation details	M/s Environmental Engineers & (NABET Accredited Consultant Head Office: A1-198, Janak Pu Branch Office: C-306, Palarivattom P.O., Kochi, Kerali	Organization) iri, New Delhi. Kanchanjunga Apartments,

	Summary and Conclusion			
73	a)	Overall justification for implementation of the project.	It is predicted that socio-economic impact due to this project will positively increase the chance of more employment opportunities for local inhabitants. There are no Resettlement and Rehabilitation issues involved in this project. The project infrastructures will be of use to people of the area. The revenue of the State Govt. will be definitely increasing due to the proposed activity. The entire project area is devoid of any endangered flora and fauna. It is proposed to reclaim the land and develop green cover for eco-restoration with native species to a maximum possible extent. Additionally, an area is carmarked outside the proposed mining area for compensatory mass plantation. Also, a storm water pond is proposed outside the mining area for storage of rain water and for its subsequent use so as to conserve fresh water consumption. Thus the proposed project is not likely to affect the environment or adjacent ecosystem adversely.	
74	b)	Explanation of how adverse impact have been mitigated.	Detailed Pre-Feasibility Report (PFR) with Environment Management Plan (EMP) is already submitted with E.C. Application.	

The proposed project site falls within Latitude N 11°47′51.34" to 11°47′45.59" and Longitude E 75°39′ 19.40″ to E 75°39′12.70″. The current proposal is for the existing quarry and mineral specific hence no alternate site was examined. The proposed quarry project is interlinked with Crusher Unit situated near the complex. As the proposed area is hilly the drainage is towards south-west. However, any other significant impact will be confined within the lease area. The highest and lowest elevation of the lease area is 279 m MSL and 219 m MSL respectively. A total quantity of 2,002 m³ of topsoil and 2,402 m³ of over burden will be removed during the mining operations. The topsoil excavated from the quarry will be dumped separately at pre-determined place and subsequently will be utilized in spreading over reclaimedareas for plantation. OB will be utilized for laying internal haul road and will form base in reclamation / plantation. About 0.8 KLD sewage generated from the mine office will be diverted to the septic tank followed by soak pit. The daily water demand will be only 5 KLD. Well water to meet the drinking water and other domestic water requirement about 1 KLD of the workers and the staff. A storm water collection pond for meeting the water requirements of ancillary units and other dust separation systems will be developed. The total power requirement will be 75 KW, which will be drawn from diesel engine. Fuel Ouantity - 16 to 20 1t/hc. (1) 144 145 146

Since the tenure of the SEIAA, Kerala had expired; the proponent submitted an application to MoEF directly for getting EC. Since SEIAA, Kerala has been constituted, MoEF returned to SEIAA as per the letter cited on its constitution as per letter No. Z-11013/24/2015-IA-II (M) dated 01-04-2015 of the MoEF; corresponding physical files had not been received from the Ministry. The proponent

- submitted application including Form I, Pre-feasibility report, EMP and Approved mining plan.
- 2. The proposal was considered in the 64<sup>th</sup> meeting of SEAC, Kerala, held on 16th & 17th November, 2016. The committee observed that the quarry is 6 Km from wild life sanctuary and have applied for clearance from NBWL. The highest and the lowest elevation of the proposed area are 279 & 219 above MSL respectively. There is no crusher associated with this quarry. The committee is of the opinion that the CSR is to be modified to an amount of 7 lakh for non-recurring activities and 6 lakh for recurring activities. The proponent agreed to this suggestion.

The committee decided to defer the item for field inspection to assess the ground realities. The site inspection report is given below.

The site visit to the quarry was carried out on 12<sup>th</sup> February 2017 by Dr. P. S. Harikumar and Dr Khaleel Chovva. The proponent was present at the site.

#### **Observations**

The proposed project site falls within Latitude N 11°47′51.34″ to 11°47′45.59″ and Longitude E 75°39′ 19.40″ to E 75°39′12.70″. On the date of visit, no quarrying activity was noticed. It is an existing quarry. Benches were not formed. A total quantity of approximately 2 m³ of topsoil and 2.5 m³ of over burden needs to be removed during the mining operations. The overburden was seen deposited haphazardly in the area. No sign boards were seen around the quarry. No fencing was also provided. Human settlement is more than 100 m from the site. They have not provided any drainage so as to collect the runoff water. The approach road is in a bad shape.

### Recommendations

The site is being developed without any proper scientific manner. The environment is not conducive for the activity. The proposal can be considered for issuance of EC only after the implementing certain measures which are conducive for mining. The steps include: maintaining the approach road, providing fences and sign boards around the site, depositing overburden at a suitable place with protection, providing proper drainage etc. After implementing these measures only, the application for the issuance of EC can be recommended.

- 3. The proposal was considered in the 68<sup>th</sup> meeting of SEAC, Kerala, held on 20<sup>th</sup> & 21<sup>st</sup> February 2017. The Committee advised that, for further consideration of the proposal, the proponent may be asked to submit the following details indicated in the field visit report.
  - 1. Maintenance of the approach road.
  - 2. Fences and sign boards should be provided around the site
  - 3. Overburden should be deposited at a suitable place with protection
  - 4. Proper drainage system should be provided.

The proponent should give an undertaking committing to spend a recurring amount of Rs.6 lakhs and a non-recurring amount of Rs.7 lakhs towards the welfare of the local community in consultation with the local Panchayat.

Accordingly, the proponent has submitted clarifications sought in the 68th meeting of SEAC.

- 4. The proposal was considered in the 71<sup>st</sup> meeting of SEAC held on 20<sup>th</sup> and 21<sup>st</sup> April 2017. The Committee verified the additional documents submitted by the proponent and found satisfactory. Based on the Mining plan, Form.1, all other documents submitted with the proposal and the field visit report, the committee decided to Recommend for issuance of EC subject to the general conditions in addition to the following specific condition.
  - 1. Maintenance of the approach road.
  - 2. Fences and sign boards should be provided around the site
  - 3. Overburden should be deposited at a suitable place with protection
  - 4. Proper drainage system should be provided.
  - 5. If any plant species endemic to Western Ghats are noticed in the area they shall be properly protected in situ or by transplanting to an appropriate location inside the lease area.
  - 6. Operation shall be commenced only after the wildlife clearance from the MoEF.

A commitment may be obtained from the proponent to set apart Rs.7 lakh (non-recurring) and Rs.6 lakh per annum (recurring) for CSR activities for the welfare of the local community in consultation with the local Panchayat.

The proponent vide email dated 19<sup>th</sup> May 2017 informed through the basic details that the quarry is not working and is stopped since 27/10/2016 due to the expiry of validity of short term permit.

- 5. The proposal was considered in the 69<sup>th</sup> meeting of SEIAA held on 1/06/2017. The Authority accepted the recommendation of SEAC in its 71<sup>st</sup> meeting held on 20<sup>th</sup> and 21<sup>st</sup> April 2017 and decided to issue EC subject to general conditions in addition to the following specific condition for mining.
  - 1. Maintenance of the approach road.
  - 2. Fences and sign boards should be provided around the site
  - 3. Overburden should be deposited at a suitable place with protection
  - 4. Proper drainage system should be provided.
  - 5. If any plant species endemic to Western Ghats are noticed in the area they shall be properly protected in situ or by transplanting to an appropriate location inside the lease area.
  - 6. Operation shall be commenced only after the wildlife clearance from the MoEF.

The conditions suggested by the inspection report should also be fulfilled. The premining conditions should be fulfilled before the mining is started. Rs.7 lakh (non-recurring) and Rs.6 lakh per annum (recurring) should be set apart for CSR activities for the welfare of the local community in consultation with the local Panchayath. A notarised

affidavit that all the above conditions shall be fulfilled should be submitted before the issuance of EC.

- 6. The proponent has submitted an affidavit vide reference 6<sup>th</sup> cited stating that he will fulfill all the specific and general conditions of SEIAA & SEAC and the said CSR activities for the welfare of the local community. Environmental clearance as per the EIA Notification 2006 is hereby accorded for the proposed building stone quarry project in Sy. No. 275/1A,of Trippangottur Village, Thalassery Taluk, Kannur District for an area of 2.3066 hectares subject to the specific conditions as recommended by SEIAA in para 5 above, all the environmental impact mitigation and management measures undertaken by the project proponent in the Form I, EMP, PFR and Mining plan submitted to SEIAA. The assurances and clarifications given by the proponent will be deemed to be a part of these proceedings as if incorporated herein. Also the general conditions for projects stipulated for mining (items 1 to 61), appended hereto will be applicable and have to be strictly adhered to.
- The clearance issued will also be subject to full and effective implementation of all the undertakings given in the application form, mitigation measures as assured in the Environment Management Plan and the mining features including progressive mine closure plan as submitted with the application and relied on for grant of this clearance. The above undertakings and the conditions and the undertakings in Chapter 4 (Mining), Chapter 5 (Blasting), Chapter 6 (Mine Drainage), Chapter 7 (Stacking of Mineral rejects and Disposal of waste) Chapter 11 (EMP) Chapter 12 (Progressive Mine Closure Plan) of the Mining Plan as submitted will be deemed to be part of this proceedings as conditions as undertaken by the proponent, as if incorporated herein.
- 8. Validity of the Environmental Clearance will be five years from the date of this clearance, subject to inspection by SEIAA on annual basis and compliance of the conditions, subject to earlier review of E.C in case of violation or non-compliance of conditions or genuine complaints from residents within the security area of the quarry.
- Compliance of the conditions herein will be monitored by the State Environment Impact
  Assessment Authority or its authorised offices and also by the regional office of the
  Ministry of Environment & Forests, Govt. of India, Bangalore.
  - i. Necessary assistance for entry and inspection should be provided by the project proponent and those who are engaged or entrusted by him to the staff for inspection or monitoring.
  - ii. Instances of violation if any shall be reported to the District Collector, Kannur District to take legal action under the Environment (Protection) Act 1986.

iii. The given address for correspondence with the authorised signatory of the project is T.P.Sunil Babu, Thankesapurayil, Kandyan House. Narikkottumala.P.O., Panoor, Kannur District – 670 693.

Sd/-JAMES VARGHESE.I.A.S, Member Secretary (SEIAA)

To,

Sri. T.P.Sunil Babu, Thankesapurayil, Kandyan House, Narikkottumala.P.O., Panoor, Kannur District, Kerala – 670 693.

- 1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4<sup>th</sup> Floor, E&F Wing, II Block, Koramangala, Bangalore-560034,
- 2. The Additional Chief Secretary to Government, Environment Department, Government of Kerala.
- 3. The Director, Mining & Geology, Thiruvananthapuram -4.
- 4. The Member Secretary, Kerala State Pollution Control Board
- 5. The District Collector, Kannur
- 6. The District Geologist, Kannur
- 7. The Tahasildar, Thalalssery Taluk
- 8. Chairman, SEIAA.
- 9. Website.

10. S/F

11. O/c

Forwarded /By Order

Administrator (SEIAA)

### STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA

### GENERAL CONDITIONS (for mining projects)

- 1. Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR / KPBR, unless otherwise specified.
- 2. Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.
- 3. Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including of approach road and internal roads.
- 4. Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.
- 5. Sprinklers shall be installed and used in the project site to contain dust emissions.
- 6. Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.
- 7. At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of pit is stipulated in the E.C.
- 8. Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented
- 9. The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc) shall be protected at all times and shall be conspicuous.
- Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.
- 11. Control measures on noise and vibration prescribed by KSPCB should be implemented.
- 12. Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.
- Blasting should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.
- 14. A licensed person should supervise/ control the blasting operations.
- 15. Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.
- 16. Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan / specific conditions.
- 17. Height of benches should not exceed 5 m, and width should not be less than 5 m, if there is no mention is the mining plan/specific condition.
- 18. Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.
- 19. Maximum depth of mining from general ground level at site shall not exceed 10m
- 20. No mining operations should be carried out at places having a slope greater than 45°.
- Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.
- 22. The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.
- 23. Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.
- 24. The transportation of minerals should be done in covered trucks to contain dust emissions.
- 25. The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the project.
- 26. Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.
- 27. Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.
- A minimum buffer distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.
- 29. 100 m buffer distance should be maintained from forest boundaries.

30. Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.

All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.

32. In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which only the E.C is issued, the project would require a fresh appraisal by this Authority, for which the proponentshall apply and get the approval of this Authority.

33. The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the

suggested safeguard measures in a time bound and satisfactory manner.

The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.

The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.

A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the

proponent.

The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office.

38. The details of Environmental Clearance should be prominently displayed in a metallic board of 3

ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less
than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of

the quarry, visible to the public

39. The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.

40. No change in mining technology and scope of working should be made without prior approval of the SEIAA, No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.

The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order

streams, if any, originating from the mine lease shall be taken.

42. Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at

places loading and unloading points & transfer point to reduce fugitive emissions.

43. The top soil, if any, shall temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.

- Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.
- 45. Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM<sub>10</sub> and PM<sub>2.5</sub> such as haul Road, loading and unloading points and transfer points it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- 46. Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.
- 47. Measures should be taken for control of noise levels below 85 dBA in the work environment.
- 48. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 49. The funds earmarked for environmental protection measures and CSR activate should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.
- The Regional Office of MOEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (S) of the Regional Office by furnishing the requisite data/information/monitoring reports.
- Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- The SEIAA may revoke or suspend the order, for non implementation of any of the specific or thisimplementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
- 54. The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any other authority for the same project.
- 55. This order is valid for a period of 5 years or the expiry date of mine lease period issued by the Government of Kerala, whichever is earlier.
- 56. The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.
- 57. The mining operation shall be restricted to above ground water table and it should not intersect ground water table.
- All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution taking centre. Washing of all vehicles shall be inside the lease area'
- 59. Project proponent should obtain necessary prior permission of the competent authorities for drawal of requisite quantity of surface water and ground water for the project.
- Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly reports to SEIAA.
- Occupational health surveillance program of the workers should be under taken periodically to observe any contractions due to exposure to dust and take corrective measures. If needed.

THE PART OF THE PA

For Member Secretary, SEIAA Kerala

