



Validity expires on 15-07-2016

## Proceedings of the State Environment Impact Assessment Authority Kerala

Present : Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. P. Mara Pandiyan, I.A.S.,  
Member Secretary.

Sub: SEIAA- Environmental Clearance for the removal of Laterite stone from Sy. No. 351/1 at Edavally Village and Panchayath, Chavakkad Taluk, Thrissur District, Kerala. Application of Smt. Ancy Thomas, W/o C.S. Thomas, Chittilappilly House. Mattom P.O, Thrissur 680602- Orders issued.

### STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY

No. 775 /SEIAA/EC1/721/2015

Dated 16.01.2016, Thiruvananthapuram.

- Ref: 1. Application dated 04.03.2015 from Smt. Ancy Thomas, W/o C.S. Thomas, Chittilappilly House. Mattom P.O, Thrissur 680602  
2. Letter No. B1-162-46/14 dated 04.03.2015 of Additional Tahsildar, Taluk Office, Chavakkad, Thrissur.  
3. Minutes of 46<sup>th</sup> meeting of SEIAA held on 14.12.2015

### ENVIRONMENTAL CLEARANCE NO. 130/2015

Smt. Ancy Thomas, W/o C.S. Thomas, Chittilappilly House, Mattom P.O, Thrissur 680602 has applied for Environmental Clearance for removal of 6000 m<sup>3</sup> of Laterite stone from 0.1697 Ha of land comprised in. in Sy.no. 351/1 at Edavally Village and Panchayath, Chavakkad Taluk, Trissur, Kerala for the purpose and in the manner as particularised below:

1	Date of receipt of completed application	:	06-03-2015
a) Undertakings given by applicant			
2	Nature of Land	:	Asthirapuncha
3	Extent of the land in the Sy. No. and extent of land for which permission for removal of ordinary earth is applied for	:	Sy. Nos. 351/1 0.1697 hectares of land
4	Revenue authority who certified the Application	:	Additional Tahsildar, Chavakkad B1-16246/14 dtd.12.02.2015
5	Purpose of removal of Ordinary Earth	:	For agricultural purpose.
6	If to be transported out of the site, end use of the ordinary earth removed	:	Laterite stone for building construction
7	O.M./ reference if any of MoEF applicable	:	O.M.No.L-11011/47/2011-IAII (M) dated 24.06.2013
9	Quantity of ordinary earth recommended to be removed	:	6000 m <sup>3</sup>
10	Special condition if any for removal of Laterite stone from the site	:	Removal of laterite should be limited to an average depth of 3m and preserving the 1m thick top soil for refilling after the excavation from the present field level.



2. Environmental Clearance under S.O. No. 1533 (E) dated 26.09.2006 read with O.M.No. L-11011/47/2011-1AII (M) dated 24.06.2013 is accorded to Smt. Ancy Thomas, W/o C.S. Thomas, Chittilappilly House, Mattom P.O., Thrissur-680602, the applicant, to remove 6000 m<sup>3</sup> of laterite stone from the land owned by her in Sy. No. 351/1 at, Edavally Village, Edavally Panchayath, Chavakkad Taluk, Trissur District, Kerala in strict compliance with the specific conditions in item 10 above and the general conditions in the annexure.
3. Violation of any of above undertakings general or special conditions will entail cancellation of the E.C, in addition to legal action under the provisions of the Environment (Protection) Act 1986 and Notification No. S.O. 637 (E) dated 28.02.2014 of the MoEF, Govt. of India. Non compliance if any noted shall be reported to the District Collector, Thrissur for action under violation proceedings.


Sd/  
P. Mara Pandiyan., I.A.S  
Member Secretary (SEIAA)  
&  
Additional Chief Secretary to Government  
Environment & Forest Department  
Government of Kerala.

To,  
Smt. Ancy Thomas,  
W/o C.S. Thomas,  
Chittilappilly House,  
Mattom P.O.,  
Thrissur- 680602

Copy to:

1. District Collector, Thrissur
2. Additional Tahsildar, Taluk Office, Chavakkad, Thrissur.
3. Director, Mining & Geology, Kesavadasapuram, Pattom, TVM
4. Secretary, Edavally Grama Panchayath, Chittattukara, P.O., - 680511
5. Chairman, SEIAA.
6. Secretary, SEAC
- ✓ 7. Stock File
8. E.C File
9. Website



Forwarded/ By order  
  
Administrator  
SEIAA

## **Annexure**

*(vide item 2)*

### **General conditions**

- (i) The activity shall not involve blasting.
- (ii) The maximum depth of removal of earth should not go beyond 2 m from the general ground level of the site, which should be prominently marked before initiating the work.
- (iii) Removal of earth should be restricted to 2 m above to the ground water table at the site.
- (iv) The excavation activity shall not alter the natural drainage pattern of the area.
- (v) The burrowed/excavated pit shall be restored by the project proponent for useful purpose(s) as specified in the application.
- (vi) Appropriate fencing all around the burrowed/excavated pit shall be made to prevent any mishap.
- (vii) Measures shall be taken to prevent dust emission by covering of burrowed/excavated earth during transportation.
- (viii) Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to burrowing/excavation of earth.
- (ix) Workers / labourers shall be provided with facilities for drinking water and sanitation.
- (x) A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- (xi) A minimum distance of 15 m from any civil structure shall be kept from the periphery of the excavation area.
- (xii) The Environmental Clearance shall be liable to be cancelled in any case of violation of above guidelines.

